




CP 1 mm
Hs1, Hs2 1 mm
F 1 mm

C 100 μm
Stf 100 μm
Ex, En 100 μm




Bryum pallescens Schleich. ex Schwaegr.





Cs, Cm 100 μ m

Cb 100 μ m




CP 1 mm

Hs 1 mm


F 1 mm

C 100 μ m

Ex, En 100 μ m



Bryum radiculosum Brid.




Hs1, Hs2 1 mm

F 1 mm


C 100 μm

G 100 μm




Bryum rutilans Brid.

Hs 1 cm
F 1 mm
Cs, Cm, Cb, G 100 μm



Bryum salinum I. Hagen ex Limpr.

Hs1	1 cm
Hs2,3	5 mm
CP	2 mm
F	1 mm
C, St.F	100 μ m



Hs 1 mm


CP 2 mm

PR 1 mm

Cs, Cm, Cb 100 μm


F 1 mm

G 100 μm




Hs1	5 mm
Hh2, Hs3	1 cm
CP	3 mm
<hr/>	
Hs	5 mm
Hh	5 mm
F	1 mm
C	100 μm

Bryum schleicheri Schwaegr.



Bryum sibiricum Lindb. & Arnell

Hs1	1 cm
Hs2	2 mm
CP	2 mm
F	1 mm
Cm, Cb	100 μm
Cs	100 μm
PR	100 μm



CP 1 mm

Hs 1 mm

F 1 mm

C 100 μ m

G 100 μ m

Ex, En 100 μ m