

SUPPLEMENTARY MATERIALS TO:
ELENA V. SOFRONOVA, ALEXEY D. POTEKIN & ANNA A. VILNET 2026
THE FAMILY PELLICEAE (MARCHANTIOPHYTA) IN YAKUTIA AND AN APPROACH TO ITS DIFFERENTIATION IN RUSSIA
Arctoa 35(1): 97–107

Table SM1. The values of *p*-distances (%) for tested specimens of *Apopellia megaspora*, calculated from ITS1-2 and *trnL-F*. The values among specimens from Yakutia are in bold, the values among specimens from Yakutia and other regions are in italic. The specimen's numbers are corresponded with specimen's vouchers in Appendix 1.

[illegible]

40-01	0.4/0.4	0.5/0.2	0.6/0.4	0.7/0.2	0.5/0.2	0.6/0.2	0.5/0.2	0.0/0.0	0.1/0.0									
100790	0.5/0.4	0.6/0.2	0.8/0.4	0.7/0.2	0.6/0.2	0.8/0.2	0.6/0.2	0.2/0.0	0.0/0.0	0.2/0.0								
574-1-5156	0.5/0.4	0.4/0.2	0.5/0.4	0.5/0.2	0.4/0.2	0.5/0.2	0.4/0.2	0.1/0.0	0.0/0.0	0.1/0.0	0.0/0.0							
575-1-5085	0.4/0.4	0.5/0.2	0.6/0.4	0.5/0.2	0.5/0.2	0.6/0.2	0.5/0.2	0.1/0.0	0.0/0.0	0.1/0.0	0.0/0.0	0.0/0.0						
601-6-5046	0.4/0.5	0.5/0.3	0.6/0.5	0.5/0.2	0.5/0.2	0.6/0.2	0.5/0.2	0.1/0.0	0.0/0.0	0.1/0.0	0.0/0.0	0.0/0.0	0.0/0.0					
533-6-7183	0.4/0.5	0.5/0.3	0.6/0.5	0.5/0.3	0.5/0.3	0.6/0.3	0.5/0.3	0.1/0.0	0.0/0.0	0.1/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0				
Irk-83-3-22	0.5/0.4	0.4/0.0	0.5/0.6	0.5/0.0	0.4/0.0	0.5/0.0	0.4/0.0	0.1/0.0	0.0/0.3	0.1/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0			
9085519	0.6/0.5	0.4/0.2	0.5/0.5	0.5/0.2	0.4/0.2	0.5/0.2	0.4/0.2	0.1/0.0	0.1/0.0	0.1/0.0	0.2/0.0	0.0/0.0	0.1/0.0	0.1/0.0	0.1/0.0	0.0/0.0		
9085547	0.6/0.4	0.4/0.2	0.5/0.4	0.5/0.2	0.4/0.2	0.5/0.2	0.4/0.2	0.1/0.0	0.1/0.0	0.1/0.0	0.2/0.0	0.0/0.0	0.1/0.0	0.1/0.0	0.1/0.0	0.0/0.3	0.0/0.0	
AMass14-92	1.1/0.2	1.6/0.0	1.7/0.2	1.7/0.0	1.6/0.0	1.7/0.0	1.6/0.0	1.6/0.2	1.4/0.2	1.5/0.2	1.1/	1.4/0.2	1.4/0.2	1.4/0.2	1.4/0.3	1.5/0.0	1.5/0.3	1.5/0.2

Table SM2. The values of *p*-distances (%) for tested specimens of *Apopellia alpicola*, calculated from ITS1-2 and *trnL*-F. The value among specimens from Yakutia is in bold, the values among specimens from Yakutia and other regions are in italic. The specimen's numbers are corresponded with specimen's vouchers in Appendix 1.

Specimen	<i>p</i> -distances, ITS1-2/ <i>trnL</i> -F, %					
	I-L-02-01	UB-06-01	OAF1706	266-1-2568	VB-99-9-1...10	NK41-4-94
I-L-02-01						
UB-06-01	0.1/0.0					
OAF1706	<i>0.1/0.0</i>	<i>0.0/0.0</i>				
266-1-2568	<i>0.2/0.0</i>	<i>0.1/0.0</i>	0.1/0.0			
VB-99-9-1...10	<i>0.0/0.0</i>	<i>0.1/0.0</i>	0.1/0.0	0.2/0.0		
NK41-4-94	<i>0.0/0.0</i>	<i>0.1/0.0</i>	0.1/0.0	0.2/0.0	0.0/0.0	
K73-92	<i>0.7/0.8</i>	<i>0.5/0.8</i>	0.6/0.8	0.7/0.8	0.7/0.8	0.7/0.8