

LAND OF RETREATING GLACIERS – CHECKLIST OF LIVERWORTS ON SVALBARD
СТРАНА ОТСТУПАЮЩИХ ЛЕДНИКОВ – ЧЕКЛИСТ ПЕЧЕНОЧНИКОВ СВАЛЬБАРДА

LARS SÖDERSTRÖM¹, NADEZHDA A. KONSTANTINOVA², ANDERS HAGBORG³, TOMMY PRESTØ⁴, KRISTIAN HASSEL⁴ & MATT VON KONRAT³

ЛАРС СЁДЕРСТРЁМ¹, НАДЕЖДА А. КОНСТАНТИНОВА², АНДЕРС ХАГБОРГ³, ТОММЫ ПРЕСТЁ⁴, КРИСТИАН ХАССЕЛЬ⁴, МАТТ ФОН КОНРАТ³

Abstract

The checklist of liverworts of the Svalbard archipelago contains all published data on the occurrence of liverworts in the Svalbard archipelago. The list includes 105 species, five more reported species that only doubtfully occur there, and 51 species previously listed for the archipelago that are excluded from Svalbard. In addition, the locations of 67 species new to different regions of the archipelago are reported. Two species, *Neoorthocaulis hyperboreus* and *Riccardia chamedryfolia*, are listed as new to the archipelago. Two old names are typified and synonymized with taxa common on Svalbard.

Резюме

Чек лист печеночников Свальбарда обобщает все опубликованные данные о распространении видов на архипелаге. Список включает 105 видов, находки еще пяти видов представляются сомнительными, а 51 вид, приводившийся ранее для архипелага исключен из состава флоры. Для 67 видов сообщается о находках, которые являются новыми для отдельных регионов архипелага. Два вида, *Neoorthocaulis hyperboreus* и *Riccardia chamedryfolia*, приводятся как новые для Свальбарда. Типифицированы два старых названия таксонов, которые отнесены к распространенным видам.

KEYWORDS: Checklist, Hepaticae, Svalbard, New reports

GENERAL INTRODUCTION

Svalbard is situated between 74° to 81° N within the Arctic. It was first sighted by the Dutch Willem Barentsz in 1596, although there are indications that Vikings and/or Pomors may have been there before. In the earliest times Svalbard was mostly visited for whale hunting. Smeerenburg was one of the first settlements, established by the Dutch in 1619, and served as a main hub for whaling, but was abandoned already in 1660. Several other temporary whaling / hunting settlements existed but by mid-19th century whaling was basically over (Arlov 1994).

Russian Pomors were active as hunters from the mid 16th century with a peak period during the 18th century. Unlike whaling, this activity was sustainable as they moved around. Today there are many remnants of this period (Arlov 1994).

Coal mining started in the beginning of the 20th century. Several settlements were established by various nations around coal mines. One of the largest, Pyramiden, was founded by the Swedish but sold to the Soviet Union. At most

1200 persons lived there but it was abandoned in 1998.

Although there have been many settlements of various duration and for various reasons, today only four permanent settlements exist. The two commercial centres are Longyearbyen, the main settlement with the international airport and about 2400 inhabitants, and Barentsburg, the main Russian settlement with some 400 inhabitants. In addition, there are two year-around manned research centres, Ny-Ålesund, the large research centre hosting several nations research institutions, and Isbjørnhamna at Hornsund, the main Polish research centre. Norway also has two additional year-around manned weather stations, Bjørnøya and Hopen.

Politically, the archipelago belongs to Norway, but through the Svalbard Treaty of 1920 all signatory countries have right to perform commercial activities (today mainly coal mining and tourism). Sometimes Jan Mayen is included in the concept of Svalbard (mainly based on the unfortunate ISO code SJ, “Svalbard and Jan Mayen”) but this is neither politically nor geographically motivated.

¹ – Norwegian University of Science and Technology, Department of Biology, N-7491 Trondheim, Norway; email: lars.soderstrom@ntnu.no; ORCID: 0000-0002-9315-4978

² – Polar-Alpine Botanical Garden, Kola Sci. Centre, Russ. Acad. Sci., Kirovsk-6, Murmansk Province, 184256 Russia E-mail: nadya50@list.ru; ORCID 0000-0002-7600-0512

³ – Field Museum of Natural History, Chicago, Illinois, 60605 USA; email: (MK) mvonkonrat@fieldmuseum.org, (AH) ahagborg@fieldmuseum.org; ORCID (MK): 0000-0001-9579-5325, (AH) 0000-0001-8390-319x

⁴ – Norwegian University of Science and Technology, University Museum, N-7491 Trondheim; email: (KH) kristian.hassel@ntnu.no, ORCID: 0000-0002-1906-8166; (TP) tommy.presto@ntnu.no; ORCID 0000-0003-3770-6296




Fig. 1. Geographical districts of Svalbard. 1–8, 10–17 are situated on Spitsbergen (marked with an asterisk, *) and 18–22 on Nordaustlandet (marked with **). Bjørnøya (no. 28) is not shown on map, cf. Fig. 3. Based on Norwegian Polar Institute (2003) with additions from <https://stadnamn.npolar.no/sak?sort=-%40id>.

The first part of Svalbard sighted was the westernmost island which was named “Spitsbergen” not knowing that it was an archipelago. The archipelago was officially named Svalbard around the 1920’s, and Spitsbergen restricted to the largest island. However, the name Spitsbergen has been used frequently for the whole archipelago also later and is to some degree still so.

The archipelago consists of several islands with Spitsbergen and Nordaustlandet being the largest. Geographically the archipelago is divided into 28 districts, 6 consists of islands or smaller archipelagos, 5 are situated on Nordaustlandet and 16 on Spitsbergen (Norwegian Polar Institute 2003; see Fig. 1).

About 60 % of Svalbard is glaciated, 30 % barren rocks and 10 % vegetated. On a global scale the ice-free land is classified as “Arctic Desert” (Ecoregions of the World; Olson *et al.*, 2001). However, on a more local scale the flora and vegetation vary within the archipelago. Elvebakk (1999) divided Svalbard into three subzones, Arctic Polar Desert, Northern Arctic Tundra and Middle

Arctic Tundra. Along the western coast and fjords of Spitsbergen the flora is quite diverse given the high latitudes of the islands. A main explanation for this is the proximity to the Gulf Stream (Rønning, 1996).

The Arctic land areas have over the last 2-3 decades experienced more warming than any other region on earth (ACIA, 2005). Alarmingly, novel projections focussing on the Svalbard region indicate a future warming rate up to year 2100 three times stronger than observed during the latest 100 years (Førland, 2011). Today the glaciers are retreating fast, and new land becomes available to colonize (Nuth *et al.*, 2013). This newly available land areas seem to be quickly colonized by liverworts and other plants which was noted during our recent expedition to SW Spitsbergen.

Checklists are powerful and important tools that can integrate the almost overwhelmingly scattered information concerning taxonomy, systematics, nomenclature, distribution, and even frequency (Söderström *et al.*, 2008). We here present a checklist for liverworts of Sval-




Fig. 2. Main collection points for Frisvoll (blue dots), Konstantinova and co-workers (black dots), NBS excursion (yellow dots) and the Norwegian-Russian 2018 expedition (red dots).

bard derived from all published references that we are aware of as well as some new regional records for Svalbard.

RECENT EXPLORATIONS

The earliest record of bryophytes from the archipelago was by Phips (1777) who reported five mosses and two liverworts. The bryological exploration from the earliest time to 1875 is described by Frisvoll & Elvebakk (1996), who also made good comments on later sources.

Recent bryological exploration is scattered, but three main projects resulting in the increase of the knowledge of liverwort distribution on the islands should be mentioned.

Arne Frisvoll made three main visits to the archipelago between 1973 and 1977. The “Man and the Biosphere Programme” (MAB) focusing on Svalbard reindeer ecology included mapping of flora and vegetation making it possible for Frisvoll to study the bryophytes. In 1973 he visited the area around Nordfjord (James Land and Dickson Land), in 1974 he studied the NW area of Spitsber-

gen (Nordenskiöld Land, Oscar II Land, Haakon VII Land and Albert I Land) and in 1977 Nordenskiöld Land (mainly Adventdalen near Longyearbyen; Fig. 2). The collections of Frisvoll are deposited in TRH and all data registered, but there are many specimens which are yet identified only to genus (e.g., *Lophozia* s.lat., *Cephalozia*, *Cephaloziella* and *Scapania*). The majority of his collections were identified by him and published. These results, along with a critical overview of early publications, are given by him in the incredibly valuable Catalog of Bryophytes of Svalbard in Frisvoll & Elvebakk (1996) which for the past 25 years has been the main guide to the flora of the liverworts of Svalbard.

Since 2004, within the framework of the Russian Interdepartmental Program of Scientific Research of the Nature of Svalbard, the Polar-Alpine Botanical Garden-Institute has studied liverworts of the archipelago under the leadership of N.A. Konstantinova. A brief description of the Russian expeditions that explored the flora and vegetation of the Svalbard archipelago is given in chapter 3




Fig. 3. Number of species known from each district. The darker colour, the more species known.

Dickson Land (Konstantinova & Savchenko, 2008c), Bockfjorden, Haakon VII Land (Konstantinova & Savchenko, 2006), and Nordaustlandet (Konstantinova & Savchenko, 2015) including some that recently have been described from the other parts of Arctic, e.g., *Lophozia fuscovirens* (Ellis *et al.*, 2019c).

In 2013 the Nordic Bryological Society had a week-long excursion attended by 15 bryologists visiting several places in Adventdalen and Diabasodden (Fig. 2). After this a photographic flora of some bryophytes in Adventdalen was published (Prestø *et al.*, 2014).

As part of a joint Norwegian–Russian collaboration, a group of six bryologists participated in a field trip in 2018 visiting eight localities on the SW coast of Spitsbergen from Sørkapp Land in the south to Isfjorden in the north. The expedition was led by L. Söderström, Trondheim, and N.A. Konstantinova, Kirovsk, and included Tommy Prestø, Trondheim, Matt von Konrat, Chicago, Anatoliy Savchenko, Kirovsk, and Mikhail Kozhin, Moscow. In addition, the lichenologist Lyudmila Konoreva, Kirovsk, participated. The base for this expedition was a ship with which we started to travel overnight to the first collecting point in Sørkapp Land. The expedition worked its way north along the coast and fjords with 1–2 stops each day (Fig. 2).

The first locality visited (15th Aug.) was Stormbukta (76°43'N, 16°19'E) on Sørkapp Land. The area was dry, and the bryophyte vegetation scattered and richest in the wettest parts. In the depressions along the beds of temporary streams, some bryophytes common in Svalbard were found. In addition to species widespread in Svalbard some rare species were also found. However, in total the bryophyte flora of this area is poor.

Next locality to visit (16th Aug.) was below Mezenryggen in Torrell Land (77°03'N, 16°30'E). This is a newly ice-free area between two glaciers, Storbreen and Hornbreen, with only sparse vegetation. The depressions were wet and mostly clayey, and the bryophytes were scattered. However, the bryophyte flora was rather rich, considering the short time it had been ice-free.

In the afternoon, a short stop was made below Krykkjeshet on the N side of Sørkapp Land (76°58'N, 16°00'E) where a couple of interesting species were found.

On the 17th Aug. the N side of Dunderbukta below Dunderfjellet on Wedel Jarlsberg Land (77°29'N, 14°01'E) was visited. Of all studied sites on the expedition this was the richest both in abundance and diversity of bryophytes. Common and sometimes abundant were species that are widespread in Svalbard, but also several rare species were found.

On the 18th Aug. Ottonset on Heer Land (77°50'N, 16°49'E) was visited. The bryophyte flora is relatively poor in sense of species diversity but some species widespread in Svalbard were rather abundant here.

of the book “Science on Svalbard. The history of Russian research” (Konstantinova *et al.*, 2009). Along with an outline of vegetation, this chapter provides the detailed maps of the regions with collection sites that were studied from 2004 to 2008 but provides only the most general information about the most common and some rare liverworts species as well as the general ideas on diversity of liverworts of Svalbard. From 2008 until 2017, the Russian group annually visited additional localities. In total, liverworts have been collected in 15 main areas (Fig. 2, Tab. 1) including five in Nordaustlandet. Three of the collecting areas were visited several times (Colesbukta, vicinity of Pyramiden and Barentsburg towns). Basically, the samples were collected during 5–8 days within a radius of 5–7 km, rarely 10 km from the location base.

Only a part of the specimens has been identified but annotated lists of species of vicinity of Barentsburg, Nordenskiöld Land (Konstantinova & Savchenko, 2008b), north coast of Murchisonfjorden, Gustav V Land on Nordaustlandet (Konstantinova & Savchenko, 2012), the Barents Island (Konstantinova & Savchenko, 2018) and Prins Karls Forland (Konstantinova & Savchenko, 2020a) have been published. Findings of new and rare species for some districts of Svalbard have been published (Konstantinova & Savchenko, 2008a; Konstantinova *et al.*, 2014), particularly from the vicinity of the Pyramiden,

Table 1. Main investigation sites for Russian expeditions 2004–2016. Coordinates are for the base camp at each locality.

Visiting period	Main investigation areas with coordinates of base camp	Number of studied sites	Number of collected specimens
23 July – 1 August 2004	Spitsbergen, Nordenskiöld Land: Grønfjord Area 78°03'48"N, 14°15'07"E	48	180
21 – 24 July 2005	Spitsbergen, Nordenskiöld Land: Kapp Starostin 78°04'48"N, 13°44'44"E	16	90
27 – 29 July 2005	Spitsbergen, Haakon VII Land: Bockfjorden 79°26'29"N, 13°21'22"E	10	80
27 July – 1 August 2006	Spitsbergen, Nordenskiöld Land: Reindalen. 77°59'46"N, 15°51'27"E	64	155
3 – 7 August 2006	Nordaustlandet, Prins Oscar Land: Rijpfjorden. 80°13'06"N, 22°28'34"E	57	153
2 – 10 August 2007	Spitsbergen, Nordenskiöld Land: Barentsburg- Gunnarvarden, Storheia. 78°05'02"N, 14°13'29"E	14	140
August 13 – 20, 2007	Nordaustlandet, Gustav V Land: Murchisonfjorden, Nordvika. 80°02'03"N, 18°49'07"E	29	120
18 – 21 July 2008	Spitsbergen, Nordenskiöld Land: Barentsburg-Aldegonda. 77°59'26"N, 14°11'41"E	37	18
25 July – 2 August 2008	Spitsbergen, Dickson Land: Billefjorden, Pyramiden. 78°39'20" N, 16°21'08"E	60	222
29 July – 2 August 2009	Spitsbergen, Nordenskiöld Land: Rusanovodden, Colesbukta. 78°07'52"N, 14°59'16"E	52	183
6 – 10 August 2009	Spitsbergen, Oscar II Land: Trygghamna. 78°13'49"N, 13°48'53"E	63	197
23 – 29 July 2010	Nordaustlandet, Gustav V Land: Murchisonfjorden, Kinnvika. 80°03'06"N, 18°13'17"E	34	160
2 – 5 August 2010	Spitsbergen, Sabine Land: Agardhbukta. 78°04'51"N, 18°30'52"E	30	110
23 – 30 July 2011	Nordaustlandet, Prins Oscar Land: Invika. 80°06'43"N, 23°03'53"E	34	158
3 – 6 August 2011	Barentsøya, Frankenhavøya: Heimland. 78°35'09"N, 21°06'45"E	22	56
15 – 18 July 2012	Spitsbergen, Oscar II Land: Ymerbukta. 78°14'41"N, 13°55'50"E	22	127
27 – 31 July 2012	Nordaustlandet, Orvin Land: Polarklubben. 80°16'01"N, 23°57'50"E	27	154
22 – 31 July 2014	Spitsbergen, Oscar II Land: St. Jonsfjorden. 78°28'18"N, 12°23'33"E	32	96
2 August 2015	Spitsbergen, Nordenskiöld Land: Barentsburg, Grumantbyen. 78°10'30"N, 15°06'38"E	4	30
5 – 9 August 2015	Spitsbergen, Nordenskiöld Land: Rusanovodden, Colesbukta. 78°07'52"N, 14°59'16"E	21	83
13 August 2015	Spitsbergen, Nordenskiöld Land: Longyearbyen, Platåberget. 78°12'59"N, 15°36'47"E	4	16
2 – 9 July 2016	Prins Karls Forland, Selvågen. 78°33'02"N, 11°15'28"E	33	92

On the 19th Aug. a visit to the N side of Nathorst Land in Van Mijenfjorden was planned, but the wind made landing impossible. Instead, the expedition visited Svarthamaren on the E side of Recherchefjorden on Wedel Jarlsberg Land (77°32'N, 14°15'E). The bryophyte flora of this site is rather typical for some sites in inner fjord areas of Svalbard. Several species that are widespread in Svalbard are rather abundant but also some species that were regarded as rare in Svalbard occur sporadically here.

The wind made landing difficult also next day, but the expedition was able to visit Strandvollsetta below Bravaisberget on the S side of Nathorst Land (77°37'N, 14°55'E). This is a rich site where we found many species, both common and widespread ones and more rare species.

A fair part, but not all, of the collected specimens from this expedition is identified. However, among the identified, there are many new species records for the visited areas, increasing the knowledge of their distribution on Svalbard.

In spite of all those expeditions, only one species, *Lophozia svalbardensis*, has been described from Svalbard during the last 20 years (Konstantinova *et al.*, 2020a).

METHODS

In this report, we report all published references to liverworts on Svalbard that we are aware of has been included. This includes both floristic reports, reports of voucher specimens from taxonomic reports, list of species from phytosociological and other ecological reports, as well as occasional citations in other sources we have come across.

Many of those references only mention Svalbard (or Spitsbergen) in a general outline of the occurrence of a species. As there are several errors in such reports, we include them in the list but comment on the ones we think are erroneous or when it is unclear to us what primary data such a report is based on. When only the term “Spitsbergen” is used we refer it to Svalbard, unless further information (e.g. a reference to place name on Spitsbergen that can not be placed for certain in any district) is available.

We also cite many specimens from districts of Svalbard where they have not been published earlier, some new for a district, some for one of the major islands and one new genus for Svalbard.

Arne Frisvoll (in Frisvoll & Elvebakk, 1996) discussed many doubtful reports and rejected many taxa from the archipelago. Most of them were old names where the concept has changed, or names of very unlikely taxa occurring in list of species from various districts. Some of them have later proven to occur on Svalbard, but we also doubt or exclude some other more recently reported taxa.

Some old names, mainly of infraspecific taxonomic rank, have never been dealt with since their description 100–150 years ago. We have not been able to find types for some of them, and we thus just mention the names without placing them anywhere. Two of the names are typified here and their reports moved to the taxon they are synonymized with.

The nomenclature follows Hodgetts *et al.* (2020) except for *Blepharostoma brevirete* and *Protochilopsis grandiretis* which have been published recently.

NEW REPORTS

We here list specimens from districts where they have not been reported earlier in the literature. We mostly report only one specimen from each district although we are often aware of several specimens. Some of the specimens are for the first time reported from Svalbard here, others are new for one of the larger islands while the majority of the reports are new to a district. Specimens are mainly deposited in TRH (Frisvoll's specimens) or KPABG (Konstantinova's specimens), in addition to a few in TROM (extracted from GBIF data).

Aneura pinguis (L.) Dumort.

— Spitsbergen, James Land: Ekmanfjorden. Coraholmen (78°40'N, 14°42'E), 18.VI.1973 *Frisvoll*, det. N.A. Konstantinova 2016 (TRH B74281/a). **New to James Land.**

— Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsletta (77°37'22"N, 14°54'47"E), hollow with huge rocks and small stream, at base of slope. 19.VIII.2018 *Konstantinova & Savchenko K59-18* (KPABG 123698). **New to Nathorst Land.**

Anthelia juratzkana (Limpr.) Trevis.

— Spitsbergen, Albert I Land: Lilliehöökfjorden, Signehamna, ved Hajern (79°15'N, 11°30'E), 22.VII.1974 *Frisvoll* (TRH B74291/1). **New to Albert I Land.**

— Spitsbergen, Heer Land: Ottonset, 7 m a.s.l. (77°50'14"N, 16°49'19"E), Arctic heathland. Thin peaty soil in stony slope, 18.VIII.2018 *Söderström 2018/011*. **New to Heer Land.**

— Spitsbergen, James Land: Blomesletta (78°37'41, 14°51'E), volcanic rock on the plain, 26.VII.1973 *Frisvoll*, det. Prestø 2004 (TRH B74294/1). **New to James Land.**

— Spitsbergen, Nathorst Land: Strandvollsletta, 3 m a.s.l. (77°37'20"N, 14°54'22"E), On moist peaty heathland, 20.VIII.2018 *Söderström 2018/022*. **New to Nathorst Land.**

Arnellia fennica (Gottsche) Lindb.

— Spitsbergen, Sabine Land: Moskusdalen mot Sassendalen, på sørsiden av Brattlihøgda (78°17'N, 17°34'E), , VII.1990 *Bryhn Jacobsen*, det. Frisvoll (TRH B74064/1). **New to Sabine Land.** Mentioned to occur in Moskusdalen by Frisvoll & Elvebakk (1996) but without citing any specimen.

Barbilophozia barbata (Schmidel ex Schreb.) Loeske

— Spitsbergen, Albert I Land: Lilliehöökfjorden. Ved Hajern (Signehamna) (79°15'N, 11°30'E), 22.VII.1974 *Frisvoll* 74085 (KPABG 122643). **New to Albert I Land.**

Barbilophozia hatcheri (A.Evans) Loeske

— Nordaustlandet, Prins Oscars Land: Innvika Bay. Ringgåsdaalen, eastern shore of the Ringgåsvatnet, right bank of Ringgåsdaalen River (80°06'19"N, 23°01'50"E), the bottom of north facing slope. 25.VII.2011 *Konstantinova K309-6-11* (KPABG 115412). **New to Prins Oscars Land.**

— Spitsbergen, Dickson Land: Sauriedalen. Toppen av Ibsenfjella V (78°33'N, 15°34'E), 31.VII.1973 *Frisvoll* (TRH B74076/1). **New to Dickson Land.**

— Spitsbergen, Haakon VII Land: Biscayahuken mot Yermaktangen (79°50'N, 12°23'E), 18.VIII.1958 *Rønning*, det. A.A. Frisvoll 1979 (TRH B74502/1). **New to Haakon VII Land.**

Barbilophozia sudetica (Nees ex Huebener) L.Söderstr., De Roo et Hedd.

— Spitsbergen, Dickson Land: Kap Wijk, S of Oxaashytta (78°33'59"N, 15°14'40"E), Low arctic tundra. On soil in wet heathland, 22 m a.s.l., 29.VIII.2004 *Söderström 2004/345*. **New to Dickson Land.**

Blepharostoma brevirete (Bryhn et Kaal.) Vilnet et Bakalin

— Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsletta (77°37'22"N, 23°01'50"E), steep slope, south exposure covered by mosses with scattered *Oxyria digyna*, *Polygonum viviparum*, *Saxifraga oppositifolia*, between gravel on loamy soil. 19.VIII.2018 *Konstantinova & Savchenko K50-3a-18* (KPABG 123677). **New to Nathorst Land.**

— Spitsbergen, Ny-Friesland: Outer part of Ringhornaldalen, northern entrance to the valley, north side of the westernmost lake (79°20'N, 16°01'E). 4.VIII.2017 *Bronken Eidesen*, det. Hassel (TRH B39458/4). **New to Ny-Friesland.** However, the report of *Blepharostoma trichophyllum* by Wulf (1902) probably belongs here.

— Spitsbergen, Sørkapp Land: Stormbukta (76°42'45"N, 016°17'46"E), in crevices at the base of the outliers. 14.VIII.2018 *Konstantinova & Savchenko K2-1b-18* (KPABG 123540). **New to Sørkapp Land.**

Cephalozia ambigua C.Massal.

— Nordaustlandet, Prins Oscars Land: east coast of Ripp Fjorden, north faced cliffs of Bluffvarden Mount on southern bank of Heieren Lake (80°12'39"N, 22°28'31"E), slope mount, on muddy rocks in mossy bed of temperate stream. 4.VII.2006 *Konstantinova & Savchenko K78-1f-15* (KPABG 122999). **New to Prins Oscars Land.**

— Spitsbergen, Haakon VII Land: Reinsdyrflya, Worsleyhamna (79°41'N, 13°26'E), lichen heath, 5.VIII.1981 *Dahle*. (TRH B732473/16). **New to Haakon VII Land.**

Cephalozia integerrima (Lindb.) Warnst.

— Spitsbergen, Sørkapp Land: Stormbukta (76°42'53"N, 16°19'01"E), hollow, the bed of a temporary watercourse, at base of rock. 14.VIII.2018 *Konstantinova & Savchenko K5-1a-18* (KPABG 123543)]. **New to Sørkapp Land.**

— Spitsbergen, Wedel Jarlsberg Land: Dunderbukta, Dunderdalen, northern part (77°28'47" N, 14°02'10"E), on slope, on side of earth hummock. 16.VIII.2018 *Konstantinova & Savchenko K24-2-18* (KPABG 123728). **New to Wedel Jarlsberg Land.**

Cephalozia uncinata R.M.Schust.

— Spitsbergen, Dickson Land: Dicksonfjorden. Idodalen, S-skråningen av Heimenfjellet (73°34'N, 15°26'E), 29.VII.1973 *Frisvoll*, det. Prestø 2004 (TRH B732311/1). **New to Dickson Land.**

— Spitsbergen, Haakon VII Land: Kongsfjorden. Ossian Sarsfjellet, Alkekongedal. 20.VII.1974 *Frisvoll*, det. Hassel 2021 (TRH 67010/2). **New to Haakon VII Land.**

Cephalozia varians (Gottsche) Steph.

— Spitsbergen, Heer Land: Van Mijenfjorden. Rindersbukta. Ottonset (76°57'56"N, 16°00'04"E), on solifluction mantle, on loamy soil. 17.VIII.2018 *Konstantinova & Savchenko K37-1a-18* (KPABG 123646). **New to Heer Land.**

— James Land: Dicksonfjorden, in the valley between Tolmodryggen and Trollfuglfjella (78°40'N, 14°58'E). 27.VII.1973 *Frisvoll*, det. N.A. Konstantinova 2016 (TRH B73799/2)]. **New to James Land.**

— Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsletta (77°37'23"N, 14°54'16"E), hollow with huge rocks, bank of small stream, on rock. 19.VIII.2018 *Konstantinova & Savchenko K56-18* (KPABG 123690). **New to Nathorst Land.**

— Spitsbergen, Sørkapp Land: Hornsund Bay, Rasstupet bird cliffs Krykkjestupet (76°57'56"N, 16°00'04"E), at base of large rocky outcrops, (weakly altered carbonate rocks, seeping cliffs), steep mossy slope dominated with *Cochlearia arctica*, *Oxyria digy-*

- na* and mosses, on mosses. 15.VIII.2018 *Konstantinova & Savchenko K19-1-2-18* (KPABG 123603). **New to Sørkapp Land.**
- Clevea hyalina* (Sommerf.) Lindb.
- Spitsbergen, Nordenskiöld Land: Adventdalen. *Dryas*-polygon i Foxdalen V, ved elv fra Foxfonna fremst i dalen (78°09'N, 16°13'E). 3.VIII.1977 *Frisvoll 73831* (KPABG 122666). **New to Nordenskiöld Land.**
- Spitsbergen, Wedel Jarlsberg Land: Dunderbukta, Dunderdalen northern part (77°28'45"N, 14°01'53"E), *Ptilidium* dominated tundra, on loamy soil on nonsorted circle. 16.VIII.2018 *Konstantinova & Savchenko K20-3a-18* (KPABG 123613). **New to Wedel Jarlsberg Land.**
- Diplophyllum taxifolium* (Wahlenb.) Dumort.
- Nordaustlandet, Prins Oscars Land: east coast of Ripp Fjorden, north faced cliffs of Bluffvarden Mount on southern bank of Heieren Lake (80°12'39"N, 22°28'31"E), slope mount, on muddy rocks in mossy bed of temperate stream. 4.VII.2006 *Konstantinova & Savchenko K78-1b-15* (KPABG 122996). **New to Nordaustlandet.**
- Fuscocephaloziopsis albescens* (Hook.) Våna et L.Söderstr.
- Nordaustlandet, Prins Oscars Land: East coast of Ripp Fjorden, north faced cliffs of Bluffvarden Mount on southern bank of Heieren Lake (80°12'39"N, 22°28'31"E), slope mount, on muddy rocks in mossy bed of temperate stream. 4.VII.2006 *Konstantinova & Savchenko K78-1f-15* (KPABG 122999). **New to Nordaustlandet.**
- Spitsbergen, Dickson Land: Billefjorden SV. Rotundafjellet (78°29'N, 15°50'E), 19.VIII.1973 *Frisvoll*, det. N.A. Konstantinova 2016 (TRH B73819/1). **New to Dickson Land.**
- Fuscocephaloziopsis pleniceps* (Austin) Våna et L.Söderstr.
- Nordaustlandet, Prins Oscars Land: South of Blyfjorden, valley of an unnamed large river that flows into Ripfjorden (80°11'33"N, 22°30'47"E). 6.VIII.2006 *Konstantinova E115-1-06* (KPABG 111814). **New to Nordaustlandet.**
- Spitsbergen, James Land: Blomesletta (78°37'41", 14°51'E), volcanic rock on the plain, solifluction ground in boulder field. 28.VII.1973 *Frisvoll* (TRH B73891/1). **New to James Land** but mentioned in Frisvoll & Elvebakk (1996) as unpublished without any specimen detail.
- Gymnocolea inflata* (Huds.) Dumort.
- Nordaustlandet, Prins Oscars Land: west coats of Invika Bay, north-east end of Ringgåsdaalen, on soil in bed of a weak-flowing stream, submerged. 28.VII.2011 *Konstantinova & Savchenko K373-5-11* (KPABG 124049). Mentioned as **new for Nordaustlandet** in Konstantinova & Savchenko (2015b) without citing any specimen.
- Gymnomitrium concinnum* (Lightf.) Corda
- Spitsbergen, Dickson Land: Nordfjorden. Kongressfjellet N, 20.VII.1973. *Frisvoll* (TRH B73631/1). **New to Dickson Land** although mentioned in Belkina *et al.* (2015) without citing any specimen.
- Gymnomitrium corallioides* Nees
- Spitsbergen, Dickson Land: Sauriedalen. Toppen av Ibsenfjella V (78°33'N, 15°34'E), 31.VII.1973 *Frisvoll* (TRH B74012/1). **New to Dickson Land.**
- Ny-Friesland: Mosselhalvøya (79°56'N, 16°18'E), under the edge of a boulder in a boulder field. 22.VII.2008 *Hagen*, det. Prestø 2008 (TRH B38443/2). **New to Ny-Friesland.**
- Oscar II Land: Kongsfjorden. Ny-Ålesund, Zeppelinerhamna (78°55'N, 11°59'E), 27.VI.1974 *Frisvoll* (TRHB74015/1). **New to Oscar II Land.**
- Jungermannia polaris* Lindb.
- Nordaustlandet, Prins Oscars Land: Innvika Bay, north-west coast of Depotlaguna, left bank of Ringgåsdaalen River (80°06'48"N, 23°03'48"E), landslide on slope to the river. 30.VII.2011 *Konstantinova K343-2c-11* (KPABG 115466)]. **New to Prins Oscars Land.**
- Spitsbergen, Heer Land: Van Mijenfjorden. Rindersbukta. Ottonset, at base of slope (77°50'13"N, 16°49'46"E), grass-moss community on waterlogged soil. 17.VIII.2018 *Konstantinova & Savchenko K38-1-18* (KPABG 123705). **New to Heer Land.**
- Spitsbergen, James Land: Blomesletta, på østsida nær hytte (78°37'N, 14°58'E), 4.VII.1973 *Frisvoll* (TRH B732315/2). **New to James Land.**
- Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsetta (77°37'22"N, 14°54'47"E), hollow with huge rocks and small stream, rock field at base of slope, on rock. 19.VIII.2018 *Konstantinova & A.N.Savchenko K58-1e-18* (KPABG 123696). **New to Nathorst Land.**
- Spitsbergen, Sørkapp Land: Stormbukta (76°43'09"N, 16°18'44"E), at the base of the slope of the moraine terrace, moss tundra, on humus soil on side a hummock 4-5 cm high, among mosses. 14.VIII.2018 *Konstantinova & Savchenko K9-2-18* (KPABG 123553). **New to Sørkapp Land.**
- Spitsbergen, Wedel Jarlsberg Land: Recherchefjorden. Lagemeset (77°31'08"N, 14°48'09"E), gentle slope with numerous rivulets and moss mats, on side of hummock. 18.VIII.2018 *Konstantinova & Savchenko K49-4b-18* (KPABG 123741). **New to Wedel Jarlsberg Land.**
- Jungermannia pumila* With.
- Spitsbergen, Dickson Land: Billefjorden. Pyramiden, south-east coast of Mimerbukta, at the bottom of Yggdrasilkampen Mtn, delta of Mimerselva (78°38'18"N, 16°20'52"E), steep north facing slope, in upper part of bank of deep cutting brook, on soil near rock. 28.VII.2008 *Konstantinova K54-1-08* (KPABG 118807). **New to Dickson Land.**
- Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsetta (77°37'22"N, 14°54'18"E), steep slope, south exposure covered by mosses with scattered *Oxyria digyna*, *Polygonum viviparum*, *Saxifraga oppositifolia*, between gravel on loamy soil. 19.VIII.2018 *Konstantinova & Savchenko K50-1-18* (KPABG 123675). **New to Nathorst Land.**
- Spitsbergen, Sørkapp Land: Stormbukta (76°42'55"N, 16°18'42"E), under rock on the slope of the northern exposition. 14.VIII.2018 *Konstantinova & Savchenko K4-2-18* (KPABG 123542). **New to Sørkapp Land.**
- Spitsbergen, Wedel Jarlsberg Land: Dunderbukta, Dunderdalen, northern part (77°28'47"N, 14°02'20"E), on side of moss covered rock, on peat soil. 16.VIII.2018 *Konstantinova & Savchenko K26-2b-18* (KPABG 123625)]. **New to Wedel Jarlsberg Land.**
- Lophozia fuscovirens* Bakalin et Vilnet
- Spitsbergen, Heer Land: Van Mijenfjorden. Rindersbukta. Ottonset cabin, valley between two hills (77°50'13"N, 16°49'46"E), north faced slope, nearest part, among small rocks, on soil. 17.VIII.2018 *Konstantinova & Savchenko K39-2-18* (KPABG 123706)]. **New to Heer Land.**
- Lophozia savicziae* Schljakov
- Svalbard, Olav V Land, Storfjorden, Ginevrabotnen, Diabas-tangen, among mosses in tundra (78°36'27"N, 20°00'34"E). 9.VIII.1899 *Birula*, det. Bakalin (KPABG 124054). **New to Olav V Land.** This is the specimen that Bakalin's (2005) unspecified report from Svalbard is based on.

Lophozia ventricosa (Dicks.) Dumort.

— Nordaustlandet, Prins Oscars Land: Rock outcrops on the northern slope of Bluffvarden (80°12'39"N, 22°28'31"E). 4.VIII.2006 *Konstantinova K79-1-06* (KPABG 111792). **New to Nordaustlandet.**

Lophozia wenzelii (Nees) Steph.

— Nordaustlandet, Gustav V Land: Kinnvika, Florabukta (80°02'06"N, 18°40'58"E), at the bottom of cliffs with bird colonies south-west slope of Floraberget. 24.VII.2010 *Konstantinova & Savchenko K16-2-10* (KPABG 114007). **New to Nordaustlandet.**

— Nordaustlandet, Prins Oscars Land: Innvika Bay, north-west coast of Depotlaguna, left bank of Ringgåsdaalen River (80°06'48"N, 23°03'48"E), landslide on slope to the river. 30.VII.2011 *Konstantinova E342-11* (KPABG 115457). **New to Prins Oscars Land.**

Lophozopsis excisa (Dicks.) Konstant. et Vilnet

— Nordaustlandet, Prins Oscars Land: Innvika Bay, north-west coast of Depotlaguna, left bank of Ringgåsdaalen River (80°06'48"N, 23°03'48"E), landslide on steep slope of sea terrace. 30.VII.2011 *Konstantinova E341-3f-11* (KPABG 115455). **New to Nordaustlandet.**

— Spitsbergen, Heer Land: Van Mijenfjorden. Rindersbukta. Ottonset (77°50'14"N, 16°49'20"E), solifluction mantle (slope with numerous rocks and loamy soil), on loamy soil. 17.VIII.2018 *Konstantinova & Savchenko K34-1a-18* (KPABG 123635). **New to Heer Land.**

— Spitsbergen, Sørkapp Land: Hornsund Bay, Rasstupet bird cliffs Krykkjestupet (76°57'47"N, 15°58'49"N), at base of large rocky outcrops weakly altered carbonate rocks (seeping cliffs), among mosses. 15.VIII.2018 *Konstantinova & Savchenko K14-1a-18* (KPABG 123592). **New to Sørkapp Land.**

Lophozopsis jurensis (Meyl. ex Müll.Frib.) Mamontov et Vilnet.

— Nordaustlandet, Prins Oscars Land: Innvika Bay. North-west coast of Depotlaguna, left bank of Ringgåsdaalen River, landslide on slope to the river. 30.VII.2011 *Konstantinova K343-2c-11* (KPABG 115466)]. **New to Nordaustlandet.**

— Barentsøya: Frankenhøya. 6.IX.2011 *Savchenko CA-367-1b-11* (KPABG 119733). **New to Barentsøya.**

Lophozopsis pellucida (R.M.Schust.) Konstant. et Vilnet.

— Spitsbergen, Dickson Land: Billefjorden. Pyramiden, upper part of Mimerdalen, northern slope under glacier Jotunfonna (78°38'03"N, 16°06'46"E), rocky steep north facing slope on left shore of brook, block field of red Devonian sandstone. In clay soil under rock. 27.VII.2008 *Konstantinova K41-2c-08* (KPABG 116544)]. **New to Dickson Land.**

— Spitsbergen, Ny-Friesland: Ringhornsdalen, Dellingstupa (79°20'N, 16°10'E), in the sanddunes, 13.VIII.2015 *Bronken Eidesen*, det. Hassel 2017 (TRH B38905/2). **New to Ny-Friesland.**

Lophozopsis polaris (R.M.Schust.) Konstant. et Vilnet.

— Spitsbergen, Dickson Land: Billefjorden. Pyramiden. Mimerdalen, extreme southeastern part of Odinfjellet, Planteryggen Ridge (78°39'48"N, 16°05'52"E), mossy depression with seepage. In small hollow. 30.VII.2008 *Konstantinova K73-3a-08* (KPABG 118863). **New to Dickson Land.**

— Spitsbergen, James Land: Dicksonfjorden SV. I dalen mellom Tolmodryggen og Trollfuglfjella (78°40'N, 14°58'E), fuglefjell. 27.VII.1973 *Frisvoll*, det. Konstantinova 2016 (TRH B73838/2). **New to James Land.**

— Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsletta (77°37'22"N, 14°54'47"E), hollow with huge

rocks and small stream, rock field at base of slope, on rock. 19.VIII.2018 *Konstantinova & Savchenko K58-1e-18* (KPABG 123696). **New to Nathorst Land.**

— Spitsbergen, Ny-Friesland: Ringhornsdalen, Dellingstupa (79°20'N, 16°10'E), in the mossy run-off next to the *Cassiope* heath. 13.VIII.2015 *Bronken Eidesen*, det. Söderström, 2021 (TRH B38899/2). **New to Ny-Friesland.**

— Spitsbergen, Sørkapp Land: Hornsund Bay, Rasstupet bird cliffs Krykkjestupet (76°57'47"N, 15°58'49"E), at base of large rocky outcrops weakly altered carbonate rocks (seeping cliffs), among mosses. 15.VIII.2018 *Konstantinova & Savchenko K14-2c-18* (KPABG 123724). **New to Sørkapp Land.**

— Spitsbergen, Wedel Jarlsberg Land: Recherchefjorden. Lagemeset (77°31'20"N, 14°47'14"E), rock outcrops in wetland on gentle slope, on bare soil. 18.VIII.2018 *Konstantinova & Savchenko K47-3a-18* (KPABG 123667). **New to Wedel Jarlsberg Land.**

Marchantia polymorpha L. subsp. *montivagans* Bischl. et Boissel-Dub.

— Spitsbergen, James Land: Ekmanfjorden. Flintholmen (78°39'N, 14°35'E), 17.VII.1973 *Frisvoll*, det. Konstantinova 2016 (TRH B73661/1). **New to James Land.**

Marchantia polymorpha L. subsp. *ruderalis* Bischl. et Boissel-Dub.

— Spitsbergen, Dickson Land: Billefjorden. Pyramiden, south coast of Mimerbukta, the bottom of Yggdrasilkampen Mtn (78°38'24"N, 16°20'35"E), anthropogenic site in delta of Mimerselva, between embankment and the north faced slope. *Deschampsia-Bryum* community overgrow bones, on mosses. 28.VII.2008 *Konstantinova K51-08* (KPABG 116557). **New to Dickson Land.**

Marchantia quadrata Scop.

— Nordaustlandet, Prins Oscars Land: Innvika Bay. South-west coast of Depotlaguna, right bank of Ringgåsdaalen River (80°06'46"N, 23°03'40"E), north facing slope to the river. 23.VII.2011 *Konstantinova E303-1-11* (KPABG 115397). **New to Prins Oscars Land.**

— Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsletta (77°37'23"N, 14°54'16"E), hollow with huge rocks, bank of small stream, between rocks. 19.VIII.2018 *Konstantinova & Savchenko K55-2b-18* (KPABG 123688). **New to Nathorst Land.**

— Spitsbergen, Nordenskiöld Land: Adventfjorden. Hanskogdalen (78°17'N, 15°48'E), on the south side of the river, 23.VII.1977 *Frisvoll*, det. Konstantinova 2016 (TRH B73836/1). **New to Nordenskiöld Land** although Prestø *et al.* (2014) mentioned its occurrence there.

Marchantia quadrata Scop. subsp. *hyperborea* (R.M.Schust.) Borovich.

— Spitsbergen, Dickson Land: Dicksonfjorden, innermost part of the fjord on the E side (78°50'N, 15°25'E). 5.VIII.1973 *Frisvoll*, det. Konstantinova 2016 (TRH B73844/1). **New to Dickson Land.**

— Spitsbergen, Haakon VII Land: Bockfjorden. Trollkjeldene, ved 1. kilde nordfra (79°23'N, 13°27'E). Late snow patch. 23.VIII.1974 *Frisvoll*, det. Konstantinova 2016 (TRH B73835/1). **New to Haakon VII Land.**

— Spitsbergen, James Land: Ekmanfjorden. Flintholmen (78°39'N, 14°35'E). 17.VII.1973 *Frisvoll*, det. Konstantinova 2016 (TRH B73839/1). **New to James Land.**

— Spitsbergen, Oscar II Land: Trygghamna, Protektorfjellet (78°13'59"N, 13°49'26"E), 7.VIII.2009 *Borovichev ÁÁ196-11-09* (KPABG 114798). **New to Oscar II Land.**

- Prins Karls Forland: North facing slope Fullittknausen Mountain (78°32'08"N, 11°22'13"E), cliffs under bird colony, on soil and peat. 6.VIII.2016 *Savchenko SA16-36-2a* (KPABG 121477). **New to Prins Karls Forland.**
- Marchantia romanica* (Radian) D.G.Long, Crand.-Stotl., L.L.Forrest et J.C.Villarreal
- Spitsbergen, Haakon VII Land: Reinsdyrflya, south of Velkomstvarden (79°50'N, 13°48'E), 20.VIII.1974 *Frisvoll*, det. Konstantinova 2016 (TRH B73834/1). **New to Haakon VII Land.**
- Spitsbergen, Oscar II Land: Brøggerhalvøya, innermost of Åmdalen (78°52'N, 11°46'E), 29.VII.1974 *Frisvoll*, det. Konstantinova 2016 (TRH B73843/1). **New to Oscar II Land.**
- Marsupella condensata* (Ångstr. ex C.Hartm.) Lindb. ex Kaal.
- Nordaustlandet, Prins Oscars Land: east coast of Ripp Fjorden, north faced cliffs of Bluffvarden Mount on southern bank of Heieren Lake (80°12'39"N, 22°28'31"E), slope mount, on muddy rocks in mossy bed of temperate stream. 2006.VII.04 *Konstantinova & Savchenko K78-1f-15* (KPABG 122999). **New to Nordaustlandet.**
- Mesoptychia badensis* (Gottsche ex Rabenh.) L.Söderstr. et Våña
- Spitsbergen, Dickson Land: Nordfjorden. Kapp Wijk, on the shore close to Oxaashytta (78°34'N, 15°14'E), 30.VI.1973 *Frisvoll*, det. Konstantinova 2016 (TRH B74044/1). **New to Dickson Land.**
- Spitsbergen, Sørkapp Land: Stormbukta (76°43'05"N, 16°18'46"E), the gentle slope of the northern exposure to the stream valley, the seepage gravelly soil, between small rocks. 14.VIII.2018 *Konstantinova & Savchenko K8-3-18* (KPABG 123552). **New to Sørkapp Land.**
- Mesoptychia collaris* (Nees) L.Söderstr. et Våña
- Spitsbergen, Dickson Land: Billefjorden. Pyramiden, northern coast of Mimerbukta, the bottom of Pyramida Mtn. (78°39'34"N, 16°24'52"E), south-east facing slope, *Cassiope-Dryas*-lichen community with many stones, on spot of fine earth, between small rocks. 25.VII.2008 *Konstantinova K22-2-08* (KPABG 118856)]. **New to Dickson Land.**
- Spitsbergen, Haakon VII Land: Bockfjorden. At the end of Karlsbremorena inland of Trollkjeldene (79°23'51"N, 13°27'59"E), wet sand at a stream. 13.VIII.1974 *Frisvoll 74050a* (KPABG 122652). **New to Haakon VII Land.**
- Spitsbergen, Sørkapp Land: Stormbukta (76°42'53"N, 16°19'02"E), hollow, the bed of a temporary watercourse, at base of rock. 14.VIII.2018 *Konstantinova & Savchenko K5-1a-18* (KPABG 123543). **New to Sørkapp Land.**
- Mesoptychia gillmanii* (Austin) L.Söderstr. et Våña
- Spitsbergen, Wedel Jarlsberg Land: Dunderbukta, Dunderdalen northern part (77°28'45"N, 14°01'53"E), *Ptilidium* dominated tundra, on loamy soil on nonsorted circle. 16.VIII.2018 *Konstantinova & Savchenko K20-3b-18* (KPABG 123614). **New to Wedel Jarlsberg Land.**
- Mesoptychia heterocolpos* (Thed. ex Hartm.) L.Söderstr. et Våña var. *heterocolpos*
- Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsletta (77°37'22"N, 14°54'18"E), steep slope, south exposure covered by mosses with scattered *Oxyria digyna*, *Polygonum viviparum*, *Saxifraga oppositifolia*, between gravel on loamy soil. 19.VIII.2018 *Konstantinova & Savchenko K50-3d-18* (KPABG 123730). **New to Nathorst Land.**
- Mesoptychia heterocolpos* var. *arctica* (S.W.Arnell) L.Söderstr. et Våña.
- Nordaustlandet, Gustav V Land: Murchison Fjord, Kinnvika, west slope of Raudstupet Mtn. (80°02'38"N, 18°33'23"E), 24.VII.1910 *Konstantinova K9-6-10* (KPABG 114688). **New to Nordaustlandet.**
- Spitsbergen, Dickson Land: Billefjorden. Pyramiden, middle part of Mimerdalen, right bank of Mimerelva (78°38'40"N, 16°08'57"E), huge depression at the bottom of second river terrace, on left side of road. In soil (1-3 cm) on side of rock on slope. 2.VIII.2008 *Konstantinova K92-4b-08* (KPABG 116590). **New to Dickson Land.**
- Mesoptychia heterocolpos* var. *harpanthoides* (Bryhn et Kaal.) L.Söderstr. et Våña
- Nordaustlandet, Prins Oscars Land: Innvika Bay, south-west coast of Depotlaguna, right bank of Ringgåsdaalen River (80°06'46"N, 23°03'40"E), north facing slope to the river. 23.VII.2011 *Konstantinova K303-2-11* (KPABG 115398). **New to Nordaustlandet.**
- Spitsbergen, Dickson Land: Billefjorden. Pyramiden, middle part of Mimerdalen, right bank of Mimerelva (78°38'40"N, 16°08'57"E), huge depression at the bottom of second river terrace, on left side of road. On rocks between mosses. 2.VIII.2008 *Konstantinova K90-2-08* (KPABG 118865). **New to Dickson Land.**
- Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsletta (77°37'22"N, 14°54'18"E), hollow with huge rocks and small stream, rock field at base of slope, on rock. 19.VIII.2018 *Konstantinova & Savchenko K57-2a-18* (KPABG 123721)].
- Spitsbergen, Nordenskiöld Land: Adventdalen, Gruve 7 fjellet (78°09'48"N, 16°04'58"E). Steep snowbed community. 27.VII.2013 *Hassel*, det. Konstantinova 2016 (TRH B37527/2). **New to Nordenskiöld Land.**
- Spitsbergen, Ny-Friesland: Ringhornaldalen, Dellingsstupa. In the mossy run-off next to the *Cassiope* heath. 13.VIII.2015 *Bronken Eidesen*, det. Söderström 2021 (TRH B38901/2). **New to Ny-Friesland.**
- Spitsbergen, Sørkapp Land: South coast Hornsund Bay, at the base of Krykkjestupet (76°57'54"N, 15°59'33"E), seeping cliffs under bird colonies, on humus and fine earth between rocks. 15.VIII.2018 *Konstantinova & Savchenko K18-1-18* (KPABG 123478). **New to Sørkapp Land.**
- Spitsbergen, Wedel Jarlsberg Land: Dunderbukta, Dunderdalen, northern part (77°28'47"N, 14°02'20"E), at base of slope, on huge rock covered by *Ptilidium* and lichens. 16.VIII.2018 *Konstantinova & Savchenko K28-1a-18* (KPABG 123628). **New to Wedel Jarlsberg Land.**
- Mesoptychia sahlbergii* (Lindb. et Arnell) A.Evans
- Spitsbergen, Nordenskiöld Land: Sassendalen, 2-3 km SSE of Fredheim (78°18'N, 17°00'E), along a SW exposed, small spring on limestone with *Carex saxatilis*, *Fissidens adianthoides* & *Meesia triquetra*. 12.VIII.1986 *Elvebakk* 86:558 (TROM 410381/1). **New to Nordenskiöld Land.**
- Nardia geoscyphus* (De Not.) Lindb.
- Spitsbergen, Heer Land: Van Mijenfjorden. Rindersbukta. Ottonset (77°50'14"N, 16°49'20"E), *Salix polaris*-herbs (*Festuca arctica*, *Bistorta viviparum*, *Oxyria digyna*) with *Scapania obcordata* dominated in the ground cover, on gentle slope, on muddy ground. 17.VIII.2018 *Konstantinova & Savchenko K35-2-18* (KPABG 123640). **New to Heer Land.**
- Neorhizocaulis hyperboreus* (R.M.Schust.) L.Söderstr., De Roo et Hedd. **New to Svalbard.**
- Spitsbergen, Albert I Land: Lilliehöökfjorden. Ved Hajern (Signehamna) (79°16'N 11°31'E). 22.VII.1974 *Frisvoll*, det. Konstantinova 2016, conf. Söderström & Hassel 2021 (TRH B74085/1).

- Spitsbergen, Dickson Land: Sauriedalen, Ibsenfjella V (78°33'06"N, 15°32'30"E), 31.VII.1973 *Frisvoll* 74084 (KPABG 122647).
- Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsletta (77°37'22"N, 14°54'18"E), hollow with huge rocks and small stream, rock field at base of slope, on rock. 19.VIII.2018 *Konstantinova & Savchenko K57-1-18* (KPABG 123691)].
- Spitsbergen, Nordenskiöld Land, Bjørndalen, on the E side, c. 500 m from the sea, in rich fen, 25 m a.s.l. (78°13'N, 15°19'E), 19.VII.1977 *Frisvoll*, det. Konstantinova 2016, conf. Söderström & Hassel 2021 (TRH B73810)
- Prins Karls Forland: South-east slope of Alfred Larsentoppen Mountain (78°32'59"N, 11°11'58"E), on overgrowing plot of slope. 8.VIII.2016 *Savchenko SA16-44-1c* (KPABG 121526).
- Spitsbergen, Sørkapp Land: Stormbukta (76°43'11"N, 16°18'06"E), boggy coastal glacial terrace, at base of cliff, under rock, on rock. 14.VIII.2018 *Konstantinova & Savchenko K11-1d-18* (KPABG 123570)].
- Spitsbergen, Wedel Jarlsberg Land: Dunderbukta, Dunderdalen, northern part (77°28'48"N, 14°02'10"E), earth hummocks at base of gentle slope, on waterlogged soil. 16.VIII.2018 *Konstantinova & Savchenko K21-2-18* (KPABG 123616)
- Odontoschisma elongatum* (Lindb.) A.Evans
- Nordaustlandet, Prins Oscars Land: Innvika Bay. North-west coast of Depotlaguna, left bank of Ringgåsdaalen River (80°07'00"N, 23°03'23"E), valley of rocky stream on terrace. 30.VII.1911 *Konstantinova K336-2a-11* (KPABG 115441), **New to Nordaustlandet.**
- Odontoschisma macounii* (Austin) Underw.
- Nordaustlandet, Gustav V Land: Laponiahelvøya, Depotvika (80°23'N 19°43'E), *Phippsia algida* snow patch, 20.VIII.1979 *Brattbakk* (TRH B19085). **New to Nordaustlandet.**
- Nordaustlandet, Prins Oscars Land: The valley of an unnamed lake between Bluffvarden and the Sanfordhøgdene hill (80°13'05"N, 22°29'39"E). 3.VIII.2006 *Konstantinova K65-3-06* (KPABG 111780).
- Spitsbergen, Wedel Jarlsberg Land: Recherchefjorden. Lagerneset (77°31'32"N, 14°45'54"E), river terrace, patterned ground tundra on gentle slope, on frost hollows, in crevices. 18.VIII.2018 *Konstantinova & Savchenko K45-1b-18* (KPABG 123657). **New to Wedel Jarlsberg Land.**
- Peltolepis quadrata* (Saut.) Müll.Frib.
- Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsletta (77°37'22"N, 14°54'18"E), steep slope, south exposure covered by mosses with scattered *Oxyria digyna*, *Polygonum viviparum*, *Saxifraga oppositifolia*, between gravel on loamy soil. 19.VIII.2018 *Konstantinova & Savchenko K50-5a-18* (KPABG 123680)]. **New to Nathorst Land.**
- Spitsbergen, Sørkapp Land: Stormbukta (76°43'11"N, 16°18'06"E), the gentle slope of the northern exposure to the stream valley, the seepage gravelly soil, between small rocks. 14.VIII.2018 *Konstantinova & Savchenko K8-3-18* (KPABG 123552). **New to Sørkapp Land.**
- Spitsbergen, Wedel Jarlsberg Land: Dunderbukta, Dunderdalen northern part (77°28'48"N, 14°02'10"E), *Ptilidium* dominated tundra, on loamy soil on nonsorted circle. 16.VIII.2018 *Konstantinova & Savchenko K20-2c-18* (KPABG 123610). **New to Wedel Jarlsberg Land.**
- Ptilidium ciliare* (L.) Hampe.
- Nordaustlandet, Prins Oscars Land: Bluffvarden (80°12'40"N, 22°27'39"E), the slope of the north-western exposure.
- 6.VIII.2006 *Konstantinova E109-1r-06* (KPABG 111802). **New to Prins Oscars Land.**
- Spitsbergen, Andrée Land: Jakobsenbukta (79°36'N, 14°12'E), 12.VIII.1958 *Rønning*, det. Frisvoll 1973 (TRH B74897/5). **New to Andrée Land.**
- Spitsbergen, Dickson Land: Nordfjorden, at Hagahytta (78°29'N, 15°20'E), 9.VII.1973 *Frisvoll* (TRH B73852/1). **New to Dickson Land** although mentioned as occurring the by Pyramiden by Belkina *et al.* (2015) without any further details.
- Spitsbergen, James Land: Ekmanfjorden. Flinholmen (78°39'N 14°3'E), 17.VII.1973 *Frisvoll* (TRH B73849/1). **New to James Land.**
- Riccardia chamedryfolia* (With.) Grolle
- Spitsbergen, Nordenskiöld Land, Bolterdalen, partly dead *Sphagnum* hummock (78°09'03" N, 15°59'18" E), 114 m a.s.l. 21.VIII.2019 *Hassel* (TRH B116276/1). **Genus new to Svalbard.**
- Spitsbergen, Nordenskiöld Land, Colesbukta, peaty soil on moist tundra, together with *Schistochilopsis opacifolia* (78°07'21"N, 15°01'02"E). 23.VIII.2019 *Hassel* (TRH B695465/1). NOTE: The nearest known locality is in northern Norway. The specimens were typical *Riccardia chamedryfolia* with some shoots tri-pinnate and with a large oilbody in all cells.
- Saccobasis polita* (Nees) H.Buch
- Spitsbergen, Haakon VII Land: Bockfjorden. Trollkjeldene (79°23'N 13°27'E), svovelkjelder, 5.VIII.1974 *Frisvoll* (TRH B74194/1). **New to Haakon VII Land.**
- Spitsbergen, Nordenskiöld Land: Adventdalen, Longyearbyen, Nybyen by "Huset" (78°12'29"N, 15°35'22"E), wet part in *Cassiope* heath, 22.VII. 2013 *Hassel* (TRH B37352/1). **New to Nordenskiöld Land.**
- Saccobasis polymorpha* (R.M.Schust.) Schljakov.
- Spitsbergen, Sørkapp Land: Stormbukta (76°43'11"N, 16°18'06"E) boggy coastal glacial terrace, at base of cliff, under rock, on rock. 14.VIII.2018 *Konstantinova & Savchenko K11-1a-18* (KPABG 123564). **New to Sørkapp Land.**
- Sauteria alpina* (Nees) Nees.
- Spitsbergen, Bünsow Land: Gipsdalen, middle part, to S of river (78°30'N 16°52'E), snow-bed, below ridge, on calcareous silt. 18.VII.1985 *Engelskjøn* (TROM 340446/1). **New to Bünsow Land.**
- Spitsbergen, James Land: Ekmanfjorden. Flinholmen (78°39'N 14°35"E), 17.VII.1973 *Frisvoll*, det. N.A. Konstantinova 2016 (TRH B73908/1). **New to James Land.**
- Spitsbergen, Nordenskiöld Land: Van Mijenfjorden, Braganzavågen (77°55'N, 16°51'E). 6.VIII.1986 *Schwenke & Øvstedal* (TROM 340417/1). **New to Nordenskiöld Land.**
- Scapania cuspiduligera* (Nees) Müll.Frib.
- Nordaustlandet, Prins Oscars Land: Innvika Bay, south-west coast of Depotlaguna, right bank of Ringgåsdaalen River (80°07'00"N, 23°03'23"E), north facing slope to the river. 23.VII.2011 *Konstantinova K303-1-11* (KPABG 115397). **New to Nordaustlandet.**
- Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsletta (77°37'22"N, 14°54'18"E), hollow with huge rocks and small stream, rock field at base of slope, on rock. 19.VIII.2018 *Konstantinova & Savchenko* (KPABG 123696). **New to Nathorst Land.**
- Spitsbergen, Wedel Jarlsberg Land: Dunderbukta, Dunderdalen, northern part (77°28'48"N, 14°02'10"E), on side of moss covered rock, on rock. 16.VIII.2018 *Konstantinova & Savchenko*

- K26-1-18* (KPABG 123623). **New to Wedel Jarlsberg Land.**
Scapania gymnostomophila Kaal.
- Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsletta (77°37'22"N, 14°54'18"E), hollow with huge rocks and small stream, rock field at base of slope, on rock. 19.VIII.2018 *Konstantinova & Savchenko K57-1-18* (KPABG 123691). **New to Nathorst Land.**
- Scapania kaurinii* Ryan.
- Nordaustlandet, Prins Oscars Land: The plain between Bluffvarden and an unnamed large river that flows into the Ripp Fjord (80°12'04"N, 22°31'45"E). 6.VIII.2006 *Konstantinova K113-1-06* (KPABG 111809). **New to Nordaustlandet.**
- Scapania ligulifolia* R.M.Schust.
- Nordaustlandet, Prins Oscars Land: Innvika Bay, south-west coast of Depotlaguna, right bank of Ringgåsdaalen River (80°07'00"N, 23°03'23"E), north facing slope to the river. 23.VII.2011 *Konstantinova K303-1-11* (KPABG 115397). **New to Prins Oscars Land.**
- Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsletta (77°37'22"N, 14°54'18"E), steep slope, south exposure covered by mosses with scattered *Oxyria digyna*, *Polygonum viviparum*, *Saxifraga oppositifolia*, between gravel on loamy soil. 19.VIII.2018 *Konstantinova & Savchenko K50-3b-18* (KPABG 123678). **New to Nathorst Land.**
- Spitsbergen, Sørkapp Land: Stormbukta (76°42'55"N, 16°18'42"E), under rock on the slope of the northern exposition. 14.VIII.2018 *Konstantinova & Savchenko K4-2-18* (KPABG 123542). **New to Sørkapp Land.**
- Spitsbergen, Wedel Jarlsberg Land: Recherchevarden. Lagemeset (77°31'08"N, 14°48'09"E), gentle slope with numerous rivulets and moss mats, on side of hummock. 18.VIII.2018 *Konstantinova & Savchenko K49-4a-18* (KPABG 123740). **New to Wedel Jarlsberg Land.**
- Scapania obcordata* (Berggr.) S.W.Amell
- Spitsbergen, Dickson Land: Billefjorden. Pyramiden, Mimerdalen, extreme southeastern part of Odinfjellet, Planteryggen Ridge (78°39'42"N, 16°06'39"E), gentle slope with seepage and brooks, dry *Salix polaris*-*Dryas*-moss-lichen community with many crevices, in crevices and on under crust of lichens. 30.VII.2008 *Konstantinova K71-1a-08* (KPABG 116567). **New to Dickson Land.**
- Spitsbergen, Haakon VII Land: Bockfjorden, plateaux east of Trolltindane, 900 m (79°22'N, 13°19'E), 16.VIII.1974 *Frisvoll*, det. Konstantinova 2016 (TRH B73985/1). **New to Haakon VII Land.**
- Spitsbergen, Heer Land: Van Mijenfjorden. Rindersbukta. Ottoneset (77°50'14"N, 16°49'20"E), solifluction mantle (slope with numerous rocks and loamy soil), on loamy soil. 17.VIII.2018 *Konstantinova & Savchenko* (KPABG 123635). **New to Heer Land.**
- Spitsbergen, James Land: Blomesletta (78°38'N 14°52'E), volcanic rock on the plain. 28.VII.1973 *Frisvoll*, det. Konstantinova 2016 (TRH B73940/1). **New to James Land.**
- Scapania paludicola* Loeske et Müll.Frib.
- Nordaustlandet, Prins Oscars Land: Innvika Bay, north-west coast of Depotlaguna, left bank of Ringgåsdaalen River (80°06'19"N, 23°01'50"E), valley of rocky stream on terrace. 30.VII.2011 *Konstantinova K336-1a-11* (KPABG 115440). **New to Nordaustlandet.**
- Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsletta (77°37'22"N, 14°54'18"E), steep slope, south exposure covered by mosses with scattered *Oxyria digyna*, *Polygonum viviparum*, *Saxifraga oppositifolia*, between gravel on loamy soil. 19.VIII.2018 *Konstantinova & Savchenko K50-3a-18* (KPABG 123677). **New to Nathorst Land.**
- Scapania praetervisa* Meyl.
- Spitsbergen, Dickson Land: Nordfjorden. Kapp Wijk, ravine in Kongressfjellet E of Oxaashytta (78°35'N, 15°16'E), 5.VII.1973 *Frisvoll* (TRH B73963/1). **New to Dickson Land.**
- Spitsbergen, James Land: Blomesletta (78°38'N 14°52'E), volcanic rock on the plain, 28.VII.1973 *Frisvoll* (TRH B73964/1). **New to James Land.**
- Spitsbergen, Nordenskiöld Land: Kapp Linné (78°04'N, 13°37'E), inland from the radio station, 1.VII.1974 *Frisvoll* (TRH B73966/1). **New to Nordenskiöld Land.**
- Scapania tundrae* (Amell) H.Buch
- Nordaustlandet: Prins Oscars Land: Innvika Bay, south-west coast of Depotlaguna, the bottom of western slope of Vikvak-taren (77°50'14"N, 23°05'13"E), huge boulders with numerous rivulets. 24.VII.2011 *Konstantinova K306-12-11* (KPABG 115406). **New to Nordaustlandet** although mentioned to occur there without further details by Konstantinova & Savchenko (2015b).
- Spitsbergen, Haakon VII Land: Bockfjorden, top of Trolltindane (79°22'N, 13°16'E). 16.VIII.1974 *Frisvoll*, det. Konstantinova 2016 (TRH B73948/1). **New to Haakon VII Land.**
- Schljakovia kunzeana* (Huebener) Konstant. et Vilnet
- Spitsbergen, Dickson Land: Sauriedalen, Ibsenfjella V (78°33'N, 15°33'E), 31.VII.1973 *Frisvoll*, det. Konstantinova 2016 (TRH B74084/1). **New to Dickson Land.**
- Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsletta (77°37'22"N, 14°54'18"E), hollow with huge rocks. 19.VIII.2018 *Konstantinova & Savchenko K51-1-18* (KPABG 123682). **New to Nathorst Land.**
- Spitsbergen, Sørkapp Land: Stormbukta (76°42'55"N, 16°18'42"E), hollow, the bed of a temporary watercourse, at base of rock. 14.VIII.2018 *Konstantinova & Savchenko K5-1b-18* (KPABG 123560). **New to Sørkapp Land.**
- Spitsbergen, Wedel Jarlsberg Land: Dunderbukta, Dunderdalen northern part (77°28'48"N, 14°02'10"E), *Ptilidium* dominated tundra, in crevices on nonsorted circle. 16.VIII.2018 *Konstantinova & Savchenko K20-1a-18* (KPABG 123606). **New to Wedel Jarlsberg Land.**
- Schljakovianthus quadrilobus* (Lindb.) Konstant. et Vilnet
- Spitsbergen, Andrée Land: Jacobsenbukta (79°36'N, 14°12'E), 12.VIII.1958 *Rønning*, det. Frisvoll 1976 (TRH B74555/5). **New to Andrée Land.**
- Spitsbergen, James Land: Dicksonfjorden SV, in the valley between Trollfugtfjella and Tolmodryggen (78°40'N, 14°58'E), 27.VII.1973 *Frisvoll* (TRH B73805/1). **New to James Land.**
- Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsletta (77°37'22"N, 14°54'18"E), hollow with huge rocks and small stream, rock field at base of slope, on rock. 19.VIII.2018 *Konstantinova & Savchenko K58-1e-18* (KPABG 123696)].
- Spitsbergen, Sørkapp Land: Stormbukta (76°42'55"N, 16°18'42"E), hollow, the bed of a temporary watercourse, at base of rock. 14.VIII.2018 *Konstantinova & Savchenko K5-1a-18* (KPABG 123543). **New to Sørkapp Land.**
- Solenostoma confertissimum* (Nees) Schljakov
- Spitsbergen, Nordenskiöld Land: The eastern shore of the Grøndalen Valley (78°01'25"N, 14°22'33"E). 24.VII.2004 *Konstantinova & Savchenko K108-2-04* (KPABG 109946). **New to Nordenskiöld Land.**

Solenostoma obovatum (Nees) C.Massal.

- Spitsbergen, Dickson Land: Billefjorden SV, near Svenskehuset (78°29'N, 15°42'E), 19.VIII.1973 *Frisvoll*, det. Konstantinova 2016 (TRH B74038/1). **New to Dickson Land.**
- Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsletta (77°37'22"N, 14°54'18"E), hollow with huge rocks. 19.VIII.2018 *Konstantinova & Savchenko K51-1-18* (KPABG 123682). **New to Nathorst Land.**
- Spitsbergen, Sørkapp Land: Stormbukta (76°42'55"N, 16°18'42"E) in crevices at the base of the outliers. 14.VIII.2018 *Konstantinova & Savchenko K2-1b-18* (KPABG 123540). **New to Sørkapp Land.**
- Spitsbergen, Wedel Jarlsberg Land: Dunderbukta, Dunderdalen northern part (77°28'48"N, 14°02'10"E), *Ptilidium* dominated tundra, on loamy soil on nonsorted circle. 16.VIII.2018 *Konstantinova & Savchenko K20-2b-18* (KPABG 123609). **New to Wedel Jarlsberg Land.**

Solenostoma sphaerocarpaceum (Hook.) Steph.

- Spitsbergen, Dickson Land: Billefjorden. Pyramiden, middle part of Mimerdalen, southern bank of lake (78°38'23"N, 16°07'31"E), solifluction slope, on clay along small brook. 2.VIII.2008 *Konstantinova K99-1b-08* (KPABG 116601). **New to Dickson Land.**
- Spitsbergen, Nordenskiöld Land: The eastern shore of the Grøndalen Valley (78°01'51"N, 14°20'38"E). 25.VII.2004 *Konstantinova & Savchenko K119-1-04* (KPABG 109986). **New to Nordenskiöld Land.**

Sphenolobus minutus (Schreb.) Berggr.

- Kvitøya: Giles Land (80°10'N, 32°30'E), 19.VIII.1898 *Andersson & Hesselman* (TRH B673383/1). **New to Kvitøya.**
- Spitsbergen, Dickson Land: Dicksonfjorden SE. Heimenfjellet V, NE of a deep ravine (78°35'N 15°27'E), 30.VII.1973 *Frisvoll* (TRH B74270/1). **New to Dickson Land.**
- Spitsbergen, James Land: Ekmanfjorden, Flinholmen (78°39'N, 14°35'E), 17.VII.1973 *Frisvoll* (TRH B74268). **New to James Land.**
- Spitsbergen, Ny-Friesland: Mosselhalvøya (79°56'N, 16°18'E), under edge of a boulder in a boulderfield. 22.VII.2008 *Hagen*, det. Prestø 2008 (TRH B38443/1). **New to Ny-Friesland.**

Tetralophozia setiformis (Ehrh.) Schljakov

- Nordaustlandet, Prins Oscars Land: Innvika Bay (80°07'23"N, 23°02'16"E). Mountain terrace with snow fields, huge boulders. 30.VII.2011 *Konstantinova K340-1-11* (KPABG 115450). **New to Prins Oscars Land.**

Tritomaria scitula (Taylor) Jørg.

- Spitsbergen, James Land: Blomesletta (78°38'N 14°52'E), late snow patch on the plain, 24.VII.1973 *Frisvoll* (TRH B74175). **New to James Land.**
- Spitsbergen, Nathorst Land: Bellsund. Van Keulenfjorden. Strandvollsletta (77°37'22"N, 14°54'18"E), steep slope, south exposure covered by mosses with scattered *Oxyria digyna*, *Polygonum viviparum*, *Saxifraga oppositifolia*, between gravel on loamy soil. 19.VIII.2018 *Konstantinova & Savchenko K50-1-18* (KPABG 123675). **New to Nathorst Land.**
- Spitsbergen, Sørkapp Land: Hornsund Bay, Rasstupet bird cliffs Krykkjestupet (76°57'47"N, 15°58'49"E), at base of large rocky outcrops weakly altered carbonate rocks (seeping cliffs), among mosses. 14.VIII.2018 *Konstantinova & Savchenko K14-2b-18* (KPABG 123723). **New to Sørkapp Land.**

TIPIFICATION OF TWO NAMES

Original material of two of Lindberg's subspecific names were localized at a visit to H. The identity of those

names has previously been unclear as the supposed parent species' are rejected from Svalbard.

Jungermannia attenuata (Mårt.) Lindenb. β^* *laxifolia* Lindb., *Öfvers. Kongl. Vetensk.-Akad. Förh.* 23: 560, 1866 (Lindberg 1866). Lectotype (**here designated**): Svalbard, Albert I Land, "Spitsb., Kobbabay, 1861 M-n [= Malmgren]", H-SOL Barcode H3400237 (<http://id.luomus.fi/HA.H3400237>). This specimen is rather typical *Trilophozia quinquedentata* and is considered *syn. nov.* to it.

Jungermannia floerkei F.Weber et D.Mohr [*I densifolia* A major] δ *gemmaipara* Lindb., *Öfvers. Kongl. Vetensk.-Akad. Förh.* 23: 560, 1866 (Lindberg 1866), *nom. inval.* (ICN Art 38.1(a); no description). Original material ("lectotype"): Svalbard, Albert I Land, "Kobbabay", 1861 Malmgren, H-SOL Barcode H3400238 (<http://id.luomus.fi/HA.H3400238>). This specimen is a form of *Schljakovianthus quadrilobus* and is considered *syn. nov.* to it.

CHECKLIST

We recognize 105 species of liverworts from Svalbard (Fig. 3). In addition, there are five that are questionable and needs confirmation and 51 that are reported from the archipelago that we reject as error in identification or unlikely to be correctly identified, either because of known distribution and habitat requirements, or because of changed taxonomic understanding. In addition we recognize several infraspecific taxa.

The known number of species has increased considerably the last 25 years from the 85 taxa reported by Frisvoll & Elvebakk (1996). This number of taxa is rather high compared with other Arctic areas (Daniëls *et al.* 2013). For instance only 42 species are known from the nearby Franz Josef Islands (Konstantinova *et al.* 2020c). This relative richness is partly due to the fact that it is one of the best studied (and easiest accessible) areas in the Arctic. Another factor is the relatively warm climate due to the North Atlantic Current as an extension of the Gulf Stream, reaching the western part of the archipelago.

References citing primary reports (citing specimens or material seen by the author) are given in bold. Secondary references not citing any material seen are given in normal font. In cases where we are not aware of any primary source, or the earliest report is a secondary source without any clear connection to a primary source published later, we comment on the situation. The taxonomic value for each here accepted taxon is qualified using a 3-level ranking system as was done in the World Checklist (Söderström *et al.*, 2016). The basic value (default value) is **. In case where a significant proportion of recent publications accept the taxon without comment, it is accepted as a good taxon (***). When there is any serious doubts about the value of the taxon in recent literature (e.g. not been studied recently) it is only given one *. Note that this ranking system is global and only refer to the taxonomic value, not to the systematic position of the taxon, or the occurrence in the region. The

ratings follow Söderström *et al.* (2016) except in the very few cases where new information is at hand.

In the current checklist we note under which name a taxon is reported except when it is reported under the currently accepted name or a homotypic synonym of it.

Aneura Dumort.

*** *Aneura pinguis* (L.) Dumort. [*Riccardia pinguis* (L.) Gray]. SVALBARD: Berggren 1875b, Bryhn 1906, Müller 1954a, Düll 1983, Söderström 1995, Frisvoll & Elvebakk 1996, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Konstantinova 2003, Hodgetts 2015, Hodgetts & Lockhart 2020. BJØRNØYA: Söderström *et al.* 2002b. GUSTAV V LAND: Berggren 1875a, Konstantinova & Savchenko 2012. BARENTSØYA: Philippi 1973, Konstantinova & Savchenko 2018. EDGEØYA: Philippi 1973, Heinemeijer 1979. SPITSBERGEN: Lindberg 1866 as *Aneura pinguis* α 3 *tenuis* [Kingsbay]. BÜNSÖW LAND: Acock 1940. DICKSON LAND: Konstantinova & Savchenko 2008c, Konstantinova & Savchenko 2011, Belkina *et al.* 2015. HAAKON VII LAND: Lindberg 1866 as *Aneura pinguis* α 2 *minor*, Berggren 1875a, Arnell & Mårtensson 1959, Frisvoll 1978. JAMES LAND: This publication. NATHORST LAND: This publication. NORDENSKIÖLD LAND: Berggren 1875a, Konstantinova & Savchenko 2008b, Virtanen *et al.* 2013, Prestø *et al.* 2014. NY-FRIESLAND: Lindberg 1866 as *Aneura pinguis* α 2 *minor*. OSCAR II LAND: Arnell & Mårtensson 1959. SÖRKAPP LAND: Dubiel & Olech 1990. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Karczmarz & Świąś 1988, Karczmarz & Świąś 1989, Świąś & Karczmarz 1993b.

Anthelia (Dumort.) Dumort.

** *Anthelia juratzkana* (Limpr.) Trevis. SVALBARD: Bryhn 1906, Müller 1914a, Frye & Clark 1943, Müller 1954a, Schuster 1974, Düll 1983, Söderström 1995, Frisvoll & Elvebakk 1996, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. BJØRNØYA: Watson 1922, Söderström 1995, Frisvoll & Elvebakk 1996, Damsholt 2002, Söderström *et al.* 2002b. GUSTAV V LAND: Konstantinova *et al.* 2020a. PRINS OSCARS LAND: Konstantinova & Savchenko 2008a, Konstantinova *et al.* 2014, 2020b. BARENTSØYA: Philippi 1973, Konstantinova & Savchenko 2018. EDGEØYA: Philippi 1973. SPITSBERGEN: Gottsche *et al.* 1847 as *Jungermannia julacea* β *clavuligera* [Bellsund], Arnell & Mårtensson 1959 [W. Spitsbergen]. ALBERT I LAND: This publication. DICKSON LAND: Konstantinova & Savchenko 2008c, Belkina *et al.* 2015. HAAKON VII LAND: Wegener *et al.* 1992, Konstantinova & Savchenko 2006. HEER LAND: This publication. JAMES LAND: This publication. NATHORST LAND: This publication. NORDENSKIÖLD LAND: Eurola 1968, Hadač 1989, Konstantinova & Savchenko 2007, Thinggaard & Damsholt 2007, Konstantinova & Savchenko 2008a, 2008b, Prestø *et al.* 2014. OSCAR II LAND: Brattbakk *et al.* 1978, Kobayashi *et al.* 1990. PRINS KARLS FORLAND: Ellis *et al.* 2019c, Konstantinova & Savchenko 2020a. SÖRKAPP LAND: Dubiel & Olech 1990. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Karczmarz & Świąś 1988, Karczmarz & Świąś 1989, Karczmarz & Świąś 1990b, Świąś & Karczmarz 1991a.

Arnellia Lindb.

*** *Arnellia fennica* (Gottsche) Lindb. SVALBARD: Kaalaas 1893b, Bryhn 1906, Arnell 1928, Jørgensen 1934, Frye & Clark 1943, Steere 1954, Arnell 1956, Schuster 1980, Düll

1983, Söderström 1995, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Hodgetts 2015, Hodgetts & Lockhart 2020. BARENTSØYA: Philippi 1973, Frisvoll & Elvebakk 1996, Konstantinova & Savchenko 2018. EDGEØYA: Philippi 1973, Frisvoll & Elvebakk 1996. SPITSBERGEN: Müller 1909b [Kongsfjorden], Arnell & Mårtensson 1959 [Kongsfjorden]. DICKSON LAND: Frisvoll 1981, Frisvoll & Elvebakk 1996. HAAKON VII LAND: Frisvoll & Elvebakk 1996, Konstantinova & Savchenko 2006, 2008a, 2011. OSCAR II LAND: Berggren 1875a as *Southbya fennica*, Frisvoll & Elvebakk 1996, Koroleva & Borovichev 2014. SABINE LAND: This publication, Frisvoll & Elvebakk 1996.

Barbilophozia Loeske

*** *Barbilophozia barbata* (Schmidel ex Schreb.) Loeske. [*Jungermannia barbata* Schmidel. ex Schreb., *Lophozia barbata* (Schmidel ex Schreb.) Dumort.]. SVALBARD: Düll 1983, Söderström 1995, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. GUSTAV V LAND: Berggren 1875a as *Jungermannia floerkei* var. *arcuata*. SPITSBERGEN: Gottsche *et al.* 1847 [“Magdalenen Bay in Bell-Sound (Vahl)”]. ALBERT I LAND: This publication. DICKSON LAND: Frisvoll 1981, Frisvoll & Blom 1992, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997. HAAKON VII LAND: Frisvoll & Blom 1992, Frisvoll & Elvebakk 1996. JAMES LAND: Frisvoll 1981, Frisvoll & Blom 1997. NORDENSKIÖLD LAND: Hagen 1952, Frisvoll & Blom 1992, 1997, Frisvoll & Elvebakk 1996. NOTE: Berggren’s (and other early bryologist’s) concept of *Barbilophozia barbata* was very wide and most of the old reports have been (or should be) rejected.

*** *Barbilophozia hatcheri* (A.Evans) Loeske [*Lophozia hatcheri* (A.Evans) Steph.]. SVALBARD: Grolle 1960, Schuster 1969, Worley 1972, Düll 1983, Söderström 1995 as, Frisvoll & Elvebakk 1996, Paton 1999, Bapna & Kachroo 2000b, Damsholt 2002 as, Söderström *et al.* 2002a, 2002b, Hentschel *et al.* 2006, 2007, Vilnet *et al.* 2010, 2012a, 2012b, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. BJØRNØYA: Watson 1922, Summerhayes & Elton 1923a, Arnell 1956, Grolle 1960, Söderström 1995, Frisvoll & Elvebakk 1996, Damsholt 2002. GUSTAV V LAND: TYPE of *Jungermannia lycopodioides* var. *cavifolia*, Berggren 1875a as *Jungermannia lycopodioides* var. *cavifolia*, Konstantinova & Savchenko 2012. PRINS OSCARS LAND: This publication. BARENTSØYA: Philippi 1973, Konstantinova & Savchenko 2018. EDGEØYA: Philippi 1973, Heinemeijer 1979. ALBERT I LAND: Arnell & Mårtensson 1959, Thinggaard & Damsholt 2007. DICKSON LAND: This publication. HAAKON VII LAND: This publication, Newsham & Goodall-Copestake 2021. HEER LAND: Philippi 1973. NORDENSKIÖLD LAND: Hagen 1952, Konstantinova & Savchenko 2008a, 2008b. OSCAR II LAND: Arnell & Mårtensson 1959, Kobayashi *et al.* 1990, Newsham & Goodall-Copestake 2021. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. SÖRKAPP LAND: Dubiel & Olech 1990. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Karczmarz & Świąś 1988, 1989, Świąś & Karczmarz 1991a, 1993b.

*** *Barbilophozia sudetica* (Nees ex Huebener) L.Söderstr., De Roo *et al.* Hedd. [*Lophozia sudetica* (Nees ex Huebener) Grolle, *Pseudolophozia sudetica* (Nees ex Huebener) Konstant. *et al.* Vilnet]. SVALBARD: Bryhn 1906 as *Lophozia alpestris*, Arnell 1928 as *Jungermannia alpestris*, Harmsen & Seidenfaden 1932 as *Lophozia alpestris*, Frye & Clark 1945 as *Lophozia alpestris*, Arnell 1956 as *Lophozia alpestris*,

Schuster 1969, Worley 1972 as *Lophozia alpestris*, Düll 1983, Smith 1990, Söderström 1995, Frisvoll & Elvebakk 1996, Paton 1999, Konstantinova 2000 as *Lophozia rufescens*, Damsholt 2002, Söderström *et al.* 2002a, 2002b, 2007 as *Lophozia sudetica* var. *anomala*, Vilnet *et al.* 2010, 2012b both as *Pseudolophozia sudetica*, Vilnet *et al.* 2012b as *Pseudolophozia debiliformis*, Hodgetts 2015, Hodgetts & Lockhart 2020. BJØRNØYA: Berggren 1875a as *Jungermannia alpestris*, Watson 1922 as *Lophozia alpestris*, Summerhayes & Elton 1923a as *Lophozia alpestris*, Söderström 1995, Frisvoll & Elvebakk 1996, Damsholt 2002, Söderström *et al.* 2002b. GUSTAV V LAND: Berggren 1875a as *Jungermannia alpestris*. PRINS OSCARS LAND: Konstantinova & Savchenko 2008a. BARENTSØYA: Philippi 1973 as *Lophozia alpestris*. EDGEØYA: Philippi 1973 as *Lophozia alpestris*. KONG KARLS LAND: Arnell 1900 as *Jungermannia alpestris*. ALBERT I LAND: Gottsche *et al.* 1846 as *Jungermannia alpestris*, Berggren 1875a as *Jungermannia alpestris*, Arnell & Mårtensson 1959 as *Lophozia alpestris*. BÜNSÖW LAND: Watson 1922 as *Lophozia alpestris*. DICKSON LAND: This publication. HAAKON VII LAND: Arnell & Mårtensson 1959 as *Lophozia alpestris*, Newsham & Goodall-Copestake 2021. HEER LAND: Philippi 1973 as *Lophozia alpestris*. NORDENSKIÖLD LAND: Berggren 1875a as *Jungermannia alpestris*, Watson 1922 as *Lophozia alpestris*, Hadač 1946 as *Lophozia alpestris*, Arnell & Mårtensson 1959 as *Lophozia alpestris*, Hadač 1989 as *Lophozia alpestris*, Konstantinova & Savchenko 2007, Konstantinova & Savchenko 2008a, 2008b. OSCAR II LAND: Arnell & Mårtensson 1959 as *Lophozia alpestris*. PRINS KARLS FORLAND: Berggren 1875a as *Jungermannia alpestris*, Watson 1922 as *Lophozia alpestris*, Summerhayes & Elton 1923a, 1923b both as *Lophozia alpestris*. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967 as *Lophozia alpestris*, Karczmarz & Świąż 1988, 1989 both as *Lophozia alpestris*, Świąż & Karczmarz 1991a, 1993b both as *Lophozia alpestris*.

Blasia L.

*** *Blasia pusilla* L. SVALBARD: Düll 1983, Söderström 1995, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, Söderström *et al.* 2002b, Konstantinova 2003, Hodgetts 2015, Hodgetts & Lockhart 2020. DICKSON LAND: Frisvoll 1978, Frisvoll & Blom 1992, 1997, Frisvoll & Elvebakk 1996. NORDENSKIÖLD LAND: Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997. OSCAR II LAND: Frisvoll & Blom 1992, 1997, Frisvoll & Elvebakk 1996.

Blepharostoma (Dumort.) Dumort.

** *Blepharostoma brevirete* (Bryhn et Kaal.) Vilnet et Bakalin [*Blepharostoma trichophyllum* var. *brevirete* Bryhn et Kaal., *Blepharostoma trichophyllum* subsp. *brevirete* (Bryhn et Kaal.) R.M.Schust.]. SVALBARD: Schuster 1966, Düll 1983, Söderström 1995, Frisvoll & Elvebakk 1996, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Damsholt 2013, Hodgetts 2015, Bakalin *et al.* 2020c, Hodgetts & Lockhart 2020. BJØRNØYA: Arnell 1951. Schuster 1966, Persson & Viereck 1983, Söderström 1995, Damsholt 2002, Söderström *et al.* 2002b, Damsholt 2013. NORDAUSTLANDET: Konstantinova & Savchenko 2015. GUSTAV V LAND: Konstantinova & Savchenko 2011, 2012, Konstantinova *et al.* 2014. PRINS OSCARS LAND: Konstantinova & Savchenko 2008a, Konstantinova *et al.* 2014. BARENTSØYA: Philippi 1973, Konstantinova *et al.* 2014, 2018. SPITSBERGEN: Arnell & Mårtensson 1959 [W. Spitsbergen]. DICKSON LAND: Konstantinova

& Savchenko 2008c, 2011. HAAKON VII LAND: Konstantinova & Savchenko 2006, 2008a, 2011, Thingsgaard & Damsholt 2007. HEER LAND: Konstantinova *et al.* 2020b. JAMES LAND: Thingsgaard & Damsholt 2007. NATHORST LAND: This publication. NORDENSKIÖLD LAND: Konstantinova & Savchenko 2007, 2008a, 2008b, Stebel *et al.* 2018, Konstantinova *et al.* 2020b. NY-FRIESLAND: This publication. OSCAR II LAND: Thingsgaard & Damsholt 2007, Borovichev 2010. PRINS KARLS FORLAND: Ellis *et al.* 2019c, Konstantinova & Savchenko 2020a. SØRKAPP LAND: This publication. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Karczmarz & Świąż 1988, Świąż & Karczmarz 1991a, 1993b. NOTE: We are not aware of any primary report from Bjørnøya unless the report of *Blepharostoma trichophyllum* by Watson (1922) can be referred there.

Cephalozia (Dumort.) Dumort.

*** *Cephalozia ambigua* C.Massal. [*Cephalozia bicuspidata* subsp. *ambigua* (C.Massal.) R.M.Schust.]. SVALBARD: Schuster 1974, Düll 1983, Smith 1990, Söderström 1995, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Vilnet *et al.* 2012a, Damsholt 2013, Potemkin 2014, Hodgetts 2015, Feldberg *et al.* 2016, Hodgetts & Lockhart 2020. BJØRNØYA: Söderström 1995, Frisvoll & Elvebakk 1996 [with doubt], Damsholt 2002, Söderström *et al.* 2002b. GUSTAV V LAND: Konstantinova & Savchenko 2012. PRINS OSCARS LAND: This publication. BARENTSØYA: Philippi 1973, Konstantinova & Savchenko 2018. EDGEØYA: Philippi 1973. SPITSBERGEN: Lindberg 1866 as *Jungermannia bicuspidata* A β * *gracillima* [Isfjorden], Arnell & Mårtensson 1959 [W. Spitsbergen]. HAAKON VII LAND: This publication. HEER LAND: Philippi 1973. NORDENSKIÖLD LAND: Euroala 1968, Hadač 1989, Konstantinova & Savchenko 2007, 2008b, Thingsgaard & Damsholt 2007. OSCAR II LAND: Brattbakk *et al.* 1978, Kobayashi *et al.* 1990. PRINS KARLS FORLAND: Ellis *et al.* 2019c, Konstantinova & Savchenko 2020a. SABINE LAND: Philippi 1973. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Karczmarz & Świąż 1988, 1989, Świąż & Karczmarz 1991a, Frisvoll & Elvebakk 1996. NOTE: We are not aware of any primary report from Bjørnøya unless the report of *Cephalozia bicuspidata* by Watson (1922) can be referred there.

*** *Cephalozia bicuspidata* (L.) Dumort. var. *bicuspidata* [*Jungermannia bicuspidata* L., *Eucephalozia bicuspidata* (L.) Schiffn.]. SVALBARD: Berggren 1875a, Schiffner 1898, Frye & Clark 1945, Le Gallo 1951, Smith 1990, Söderström 1995, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Vilnet *et al.* 2012a, Hodgetts, Feldberg *et al.* 2016, Hodgetts & Lockhart 2020. BJØRNØYA: Schiffner 1898, Watson 1922, Summerhayes & Elton 1923a, Söderström 1995, Söderström *et al.* 2002b [rejecting earlier reports]. GUSTAV V LAND: Konstantinova *et al.* 2020a. PRINS OSCARS LAND: Konstantinova & Savchenko 2008a, Newsham & Goodall-Copestake 2021. BARENTSØYA: Konstantinova & Savchenko 2018. SPITSBERGEN: Arnell & Mårtensson 1959 [rejecting report by Lindberg 1867 (Isfjorden) and Arnell 1900 as *Cephalozia ambigua* (Prins Karls Forland)]. ALBERT I LAND: Gottsche *et al.* 1847. NORDENSKIÖLD LAND: Hadač 1946, Hadač 1989, Konstantinova & Savchenko 2007, Konstantinova & Savchenko 2008a, Konstantinova & Savchenko 2008b, Stebel *et al.* 2018. OSCAR II LAND: Boińska & Gugnacka-Fiedor 1983. PRINS KARLS FORLAND: Arnell 1900 [rejected as *Cephalozia ambigua* by 'may represent ssp. *arctica*' fide Schuster 1969],

Watson 1922, Summerhayes & Elton 1923b. SÖRKAPP LAND: Dubiel & Olech 1990. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Karczmarz & Świąs 1989, 1990a, Świąs & Karczmarz 1991a, 1991b, Frisvoll & Elvebakk 1996 [with doubt], Frisvoll & Blom 1997. NOTE: *Cephalozia bicuspidata* has often been reported s.lat. (i.e. including *Cephalozia ambigua*) and several reports have been, or should be, rejected as the latter species.

Cephaloziella (Spruce) Schiffn.

*** *Cephaloziella arctogena* (R.M.Schust.) Konstant. SVALBARD: Söderström *et al.* 2007, Hodgetts 2015, Hodgetts & Lockhart 2020, Konstantinova & Savchenko 2020b. HAAKON VII LAND: Thinggaard & Damsholt 2007.

*** *Cephaloziella integerrima* (Lindb.) Warnst. [*Dichiton integerrimum* (Lindb.) H.Buch]. SVALBARD: Düll 1983, Smith 1990, Söderström 1995 [rejecting earlier reports], Damsholt 2002 [with a “?”], Söderström *et al.* 2002a [rejecting earlier reports], Söderström *et al.* 2002b [rejecting earlier reports], Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. NORDENSKIÖLD LAND: Konstantinova & Savchenko 2007, 2008a, 2008b, 2020b. OSCAR II LAND: Arnell & Mårtensson 1959, Frisvoll & Elvebakk 1996 [rejecting earlier reports], Konstantinova & Savchenko 2020b. SÖRKAPP LAND: This publication. WEDEL JARLSBERG LAND: This publication.

*** *Cephaloziella polystratos* (R.M.Schust. et Damsh.) Konstant. SVALBARD: Hodgetts 2015, Hodgetts & Lockhart 2020, Hodgetts *et al.* 2020. NORDAUSTLANDET: Konstantinova & Savchenko 2020b. GUSTAV V LAND: Konstantinova & Savchenko 2012, 2015.

*** *Cephaloziella uncinata* R.M.Schust. SVALBARD: Schuster 1980, Düll 1983, Davison 1993, Söderström 1995, Grolle & Long 2000, Konstantinova 2000, Söderström *et al.* 2002a, 2002b, Prey *et al.* 2014, Hodgetts 2015, Hodgetts & Lockhart 2020. PRINS OSCARS LAND: Konstantinova & Savchenko 2008a. ALBERT I LAND: Thinggaard & Damsholt 2007, Konstantinova & Savchenko 2008a. DICKSON LAND: This publication, Frisvoll & Elvebakk 1996. HAAKON VII LAND: This publication. NORDENSKIÖLD LAND: Hadač 1946 as *Cephalozia striatula* [cf. Frisvoll & Elvebakk 1996], Frisvoll & Elvebakk 1996, Damsholt 2002, Konstantinova & Savchenko 2008b, Damsholt 2013. OSCAR II LAND: Arnell & Mårtensson 1959 as *Cephaloziella subdentata* [cf. Frisvoll & Elvebakk 1996]. SABINE LAND: Crundwell 1978, Frisvoll & Elvebakk 1996. WEDEL JARLSBERG LAND: Frisvoll & Elvebakk 1996, Schuster & Konstantinova 1996.

*** *Cephaloziella varians* (Gottsche) Steph. SVALBARD: Bryhn 1906 as *Cephalozia divaricata* var. *incurva*, Steere & Inoue 1978 as *Cephaloziella arctica*, Schuster 1980 as *Cephaloziella arctica*, Düll 1983 as *Cephaloziella arctica*, Söderström 1995 as *Cephaloziella arctica*, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Ellis *et al.* 2011, 2015a, Damsholt 2013, Hodgetts 2015, Mamontov & Vilnet 2017, Hodgetts & Lockhart 2020. BJØRNØYA: Berggren 1875a as *Jungermannia divaricata* var. *incurva*, Söderström 1995 as *Cephaloziella arctica*, Frisvoll & Elvebakk 1996 as *Cephaloziella arctica*, Damsholt 2002, Söderström *et al.* 2002b. GUSTAV V LAND: TYPE of *Jungermannia divaricata* var. *incurva*, Berggren 1875a, 1875b both as *Jungermannia divaricata* var. *incurva*, Geissler & Bischler 1987 as *Jungermannia divaricata* var. *incurva*, Konstantinova & Savchenko 2011, 2012. PRINS OSCARS LAND: Konstantinova & Savchenko 2008a, Konstantinova *et al.* 2014, 2020b. BAR-

ENTSØYA: Philippi 1973 as *Cephaloziella arctica*, Konstantinova & Savchenko 2018. EDGEØYA: Berggren 1875a as *Jungermannia divaricata* var. *incurva*, Philippi 1973 as *Cephaloziella arctica*, Heinemeijer 1979 as *Cephaloziella arctica*, Heinemeijer & van Dijk 2004 as *Cephaloziella arctica*. SPITSBERGEN: Persson 1942 as *Cephaloziella alpina* [Van Meijens Bay], Arnell & Mårtensson 1959 as *Cephaloziella arctica* [W. Spitsbergen]. ALBERT I LAND: SYNTYPE of *Jungermannia divaricata* var. *incurva*, Lindberg 1866 as *Jungermannia divaricata* var. *incurva*, Berggren 1875a as *Jungermannia divaricata* var. *incurva*, Geissler & Bischler 1987 as *Jungermannia divaricata* var. *incurva*, Frisvoll & Elvebakk 1996 as *Cephaloziella arctica*. DICKSON LAND: Konstantinova & Savchenko 2008c, 2011. HAAKON VII LAND: Konstantinova & Savchenko 2006, Newsham & Goodall-Copestake 2021. HEER LAND: This publication. JAMES LAND: This publication. NATHORST LAND: This publication. NORDENSKIÖLD LAND: Eurola 1968 as *Cephaloziella arctica*, Hadač 1989 as *Cephaloziella arctica*, Konstantinova & Savchenko 2007, 2008a, 2008b, Konstantinova *et al.* 2020b. NY-FRIESLAND: SYNTYPE of *Jungermannia divaricata* var. *incurva*, Lindberg 1866 as *Jungermannia divaricata* var. *incurva*, Geissler & Bischler 1987 as *Jungermannia divaricata* var. *incurva*. OSCAR II LAND: Kobayashi *et al.* 1990 as *Cephaloziella arctica*, Newsham & Goodall-Copestake 2021. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. SABINE LAND: Philippi 1973 as *Cephaloziella arctica*. SÖRKAPP LAND: This publication. TORELL LAND: Rejment-Grochowska 1967 as *Cephaloziella arctica*. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967 as *Cephaloziella arctica*, Eurola 1968 as *Cephaloziella arctica*, Karczmarz & Świąs 1988, 1989, 1990a all as *Cephaloziella arctica*.

Clevea Lindb.

*** *Clevea hyalina* (Sommerf.) Lindb. [*Marchantia hyalina* Sommerf., *Sauteria hyalina* (Sommerf.) Lindb., *Athalamia hyalina* (Sommerf.) S.Hatt.]. SVALBARD: Berggren 1875b, Kaalaas 1893a, Stephani 1898, Bryhn 1906, Herzog 1926, Arnell 1928, Jørgensen 1934, Müller 1952, Steere 1954, Arnell 1956, Worley 1972, Bonner 1977 as *Clevea hyalina* f. *rufescens*, Düll 1983, Schuster 1992, Söderström 1995, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Long *et al.* 2003, Rubasinghe 2011, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. BJØRNØYA: Sommerfeldt 1833, Berggren 1875a, Berggren 1875b, Frisvoll & Elvebakk 1996. GUSTAV V LAND: Berggren 1875a, Konstantinova & Savchenko 2012 as *Clevea hyalina* var. *rufescens*. BAR-ENTSØYA: Konstantinova & Savchenko 2018. SPITSBERGEN: Lindberg 1866 [Kingsbay]. DICKSON LAND: Frisvoll & Elvebakk 1996 as *Athalamia hyalina*, Belkina *et al.* 2015. HAAKON VII LAND: Arnell & Mårtensson 1959 as *Clevea hyalina* f. *rufescens*. JAMES LAND: Frisvoll 1981, Frisvoll & Elvebakk 1996. NORDENSKIÖLD LAND: This publication. NY-FRIESLAND: Berggren 1875a [rejected as *Sauteria alpina* by Lindberg 1877]. OSCAR II LAND: Arnell & Mårtensson 1959 as *Clevea hyalina* f. *rufescens*. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. SÖRKAPP LAND: Dubiel & Olech 1990, Frisvoll & Elvebakk 1996. WEDEL JARLSBERG LAND: This publication.

Cryptocolea R.M.Schust.

*** *Cryptocolea imbricata* R.M.Schust. SVALBARD: Düll 1983, Schuster 1983, Davison 1993, Söderström 1995,

Schuster & Konstantinova 1996, Grolle & Long 2000, Konstantinova 2000, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. ANDRÉE LAND: Frisvoll & Blom 1992, 1997, Konstantinova & Savchenko 2020b. DICKSON LAND: Frisvoll 1981, Frisvoll & Elvebakk 1996. OSCAR II LAND: Ellis *et al.* 2021.

Diplophyllum (Dumort.) Dumort.

*** *Diplophyllum albicans* (L.) Dumort. [*Jungermannia albicans* L.]. SVALBARD: Berggren 1875b, Müller 1914b, Buch 1928, Frye & Clark 1946, Schuster & Damsholt 1974, Düll 1983, Miller *et al.* 1983 [with a '?'], Smith 1990, Söderström 1995, Bisang *et al.* 1998, Engel & Smith Merrill 1998, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Konstantinova 2003, Vilnet *et al.* 2010, Heinrichs *et al.* 2012, Damsholt 2013, Hodgetts 2015, Bakalin & Vilnet 2018, Bakalin *et al.* 2020a, Hodgetts & Lockhart 2020. BJØRNØYA: Summerhayes & Elton 1923a, Söderström 1995, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997, Damsholt 2002, Söderström *et al.* 2002b. PRINS OSCARS LAND: Konstantinova & Savchenko 2008a, 2015. ALBERT I LAND: Berggren 1875a, Schuster 1974, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997, Konstantinova & Savchenko 2008a. NORDENSKIÖLD LAND: Konstantinova & Savchenko 2008a.

*** *Diplophyllum taxifolium* (Wahlenb.) Dumort. [*Jungermannia taxifolia* Wahlenb.]. SVALBARD: Müller 1914b, Buch 1928, Jørgensen 1934, Frye & Clark 1946, Müller 1956a, Schuster 1974, Schuster & Damsholt 1974, Düll 1983 as *Diplophyllum taxifolium* var. *macrostictum* [with a '?'], Smith 1990, Söderström 1995, Frisvoll & Elvebakk 1996, Engel & Smith Merrill 1998, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Hodgetts 2015, Hodgetts & Lockhart 2020. PRINS OSCARS LAND: This publication. ALBERT I LAND: Berggren 1875a. HAARON VII LAND: Arnell & Mårtensson 1959 as *Diplophyllum taxifolium* var. *macrostictum*. NOTE: Except for the new report here, *Diplophyllum taxifolium* is only known from old sources.

Fuscocephaloziopsis Fulford

*** *Fuscocephaloziopsis albescens* (Hook.) Våňa *et al.* L.Söderstr. [*Pleuroclada albescens* (Hook.) Spruce, *Pleurocladula albescens* (Hook.) Grolle]. SVALBARD: Schofield & Crum 1972, Smith 1990, Söderström 1995, Paton 1999, Damsholt 2002, Söderström *et al.* 2002b, Vilnet *et al.* 2012a, Damsholt 2013, Feldberg *et al.* 2016. BJØRNØYA: Jørgensen 1934, Söderström 1995, Frisvoll & Elvebakk 1996, Damsholt 2002, Söderström *et al.* 2002b. PRINS OSCARS LAND: This publication. EDGEØYA: Heinemeijer 1979, Frisvoll & Elvebakk 1996. SPITSBERGEN: Philippi 1973 [Kvalvågen], Frisvoll & Elvebakk 1996 [Kvalvågen, Billefjorden]. ALBERT I LAND: Arnell & Mårtensson 1959 [“seems to be represented mainly by its var. *islandica*”], Frisvoll & Elvebakk 1996. DICKSON LAND: This publication. HAARON VII LAND: Arnell & Mårtensson 1959 [“seems to be represented mainly by its var. *islandica*”]. NORDENSKIÖLD LAND: Arnell & Mårtensson 1959 [“seems to be represented mainly by its var. *islandica*”], Frisvoll & Elvebakk 1996, Konstantinova & Savchenko 2008b, Prestø *et al.* 2014. OSCAR II LAND: Arnell & Mårtensson 1959 [“seems to be represented mainly by its var. *islandica*”]. PRINS KARLS FORLAND: Frisvoll & Elvebakk 1996 [s.lat.]. NOTE: All reports of *Fuscocephaloziopsis albescens* should probably be referred to var. *islandica* if the variety should be recognized at all. Frisvoll & Elvebakk (1996) rejected var. *albescens* completely from Svalbard.

* — var. *albescens* [f. *albescens*]. SVALBARD: Schuster 1974, Düll 1983 [with a '?'], Hodgetts 2015 [with a '?'].

* — var. *islandica* (Nees) Våňa *et al.* L.Söderstr. [*Jungermannia islandica* Nees, *Pleurocladula islandica* (Nees) Grolle, *Pleurocladula albescens* var. *islandica* (Nees) L.Söderstr. *et al.* Våňa]. SVALBARD: Berggren 1875b, Düll 1983, Söderström 1995, Söderström *et al.* 2002a, Hodgetts 2015, Hodgetts & Lockhart 2020. BJØRNØYA: Berggren 1875a. ALBERT I LAND: Berggren 1875a. NORDENSKIÖLD LAND: Berggren 1875a. PRINS KARLS FORLAND: Berggren 1875a.

*** *Fuscocephaloziopsis lunulifolia* (Dumort.) Våňa *et al.* L.Söderstr. [*Cephalozia lunulifolia* (Dumort.) Dumort.]. SVALBARD: Söderström 1995, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Konstantinova 2003, Damsholt 2013, Bakalin & Vilnet 2014, Hodgetts 2015, Hodgetts & Lockhart 2020. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967 as *Cephalozia media*, Karcmarz & Świąś 1989 as *Cephalozia media*, Frisvoll & Blom 1992, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997.

*** *Fuscocephaloziopsis pleniceps* (Austin) Våňa *et al.* L.Söderstr. var. *pleniceps* [*Cephalozia pleniceps* (Austin) Lindb.]. SVALBARD: Smith 1990, Söderström 1995, Damsholt 2002, 2013, Söderström *et al.* 2002a, 2002b, Vilnet *et al.* 2012a, Hodgetts 2015, Feldberg *et al.* 2016, Hodgetts & Lockhart 2020. PRINS OSCARS LAND: This publication. SPITSBERGEN: Persson 1942 [Kingsbay]. DICKSON LAND: Konstantinova & Savchenko 2008c. HAARON VII LAND: Konstantinova & Savchenko 2006, 2008a. JAMES LAND: This publication, Frisvoll & Elvebakk 1996. NORDENSKIÖLD LAND: Hadač 1946, Arnell & Mårtensson 1959, Frisvoll & Elvebakk 1996, Konstantinova & Savchenko 2007, 2008a, 2008b. OSCAR II LAND: Arnell & Mårtensson 1959, Kobayashi *et al.* 1990, Frisvoll & Elvebakk 1996. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. SABINE LAND: Crundwell 1978, Frisvoll & Elvebakk 1996. WEDEL JARLSBERG LAND: Eurola 1968.

Gymnocolea (Dumort.) Dumort.

*** *Gymnocolea inflata* (Huds.) Dumort. subsp. *inflata* [*Jungermannia inflata* Huds.]. SVALBARD: Düll 1983, Geissler & Bischler 1987 as *Jungermannia inflata* var. *rigidiuscula*, Söderström 1995, Paton 1999, Damsholt 2002, 2013, Söderström *et al.* 2002a, 2002b, Vilnet *et al.* 2010, 2012a, Shaw *et al.* 2015, Hodgetts 2015, Mamontov & Vilnet 2017, Hodgetts & Lockhart 2020. PRINS OSCARS LAND: This publication, Konstantinova & Savchenko 2015. EDGEØYA: Heinemeijer 1979, Frisvoll & Elvebakk 1996, Heinemeijer & van Dijk 2004. SPITSBERGEN: Berggren 1875b. NORDENSKIÖLD LAND: TYPE of *Jungermannia inflata* var. *rigidiuscula*, Berggren 1875a as *Jungermannia inflata* var. *rigidiuscula*, Bonner 1976 as *Jungermannia inflata* var. *rigidiuscula*, Bednarek-Ochyra *et al.* 1987c, Hadač 1989, Frisvoll & Elvebakk 1996, Konstantinova & Savchenko 2008a, 2008b, Konstantinova *et al.* 2020b. OSCAR II LAND: Inoue 1988, Kobayashi *et al.* 1990, Frisvoll & Elvebakk 1996, News- ham & Goodall-Copestake 2021. SABINE LAND: Philippi 1973, Frisvoll & Elvebakk 1996. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Karcmarz & Świąś 1989, Frisvoll & Elvebakk 1996.

Gymnomitrium Corda

*** *Gymnomitrium concinnatum* (Lightf.) Corda [*Cesius concinnatus* (Lightf.) Gray ‘*Cesia concinnata*’]. SVALBARD: Berggren 1875b, Müller 1909a, Herzog 1926, Arnell 1928,

Harmsen & Seidenfaden 1932, Jørgensen 1934, Frye & Clark 1943, Steere 1954, Arnell 1956, Müller 1956a, Worley 1972, Schuster 1974, Schljakov 1981, Smith 1990, Söderström 1995, Frisvoll & Elvebakk 1996, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Hodgetts 2015, Shaw *et al.* 2015, Patzak *et al.* 2016a, Hodgetts & Lockhart 2020. BJØRNØYA: Berggren 1875a, Söderström 1995, Frisvoll & Elvebakk 1996, Damsholt 2002, Söderström *et al.* 2002b. GUSTAV V LAND: Lindberg 1866, Berggren 1875a. PRINS OSCARS LAND: Konstantinova & Savchenko 2008a. BAR-ENTSØYA: Philippi 1973, Konstantinova & Savchenko 2018. EDGEØYA: Philippi 1973. ALBERT I LAND: Lindberg 1866, Berggren 1875a, Arnell & Mårtensson 1959, Thinggaard & Damsholt 2007, Konstantinova & Savchenko 2008a. DICKSON LAND: This publication, Belkina *et al.* 2015. HA-
KON VII LAND: Arnell & Mårtensson 1959. NORDENSKIÖLD
LAND: Berggren 1875a, Hagen 1952, Eurola 1968, Hadač
1989, Konstantinova & Savchenko 2007, 2008a, 2008b,
Virtanen *et al.* 2013. OSCAR II LAND: Arnell & Mårtensson
1959. PRINS KARLS FORLAND: Berggren 1875a, Konstanti-
nova & Savchenko 2020a. WEDEL JARLSBERG LAND: Rejment-
Grochowska 1967, Karczmarz & Świąś 1988, 1990b, Świąś
& Karczmarz 1991a, 1991b, 1993a.

*** *Gymnomitrium corallioides* Nees [*Cesius corallioides* (Nees) Carruth. '*Cesia corallioides*']. SVALBARD: Berggren 1875b, Bryhn 1906, Müller 1909a, Jørgensen 1934, Frye & Clark 1943, Steere 1954, Schuster & Damsholt 1974, Schuster 1974, Düll 1983, Smith 1990, Söderström 1995, Frisvoll & Elvebakk 1996, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, Hentschel *et al.* 2006, 2007, Heinrichs *et al.* 2007, Vilnet *et al.* 2010, Damsholt 2013, Hodgetts 2015, Shaw *et al.* 2015, Mamontov *et al.* 2018, Mamontov *et al.* 2019, Hodgetts & Lockhart 2020. BJØRNØYA: Söderström 1995, Frisvoll & Elvebakk 1996, Damsholt 2002. GUSTAV V LAND: Berggren 1875a. PRINS OSCARS LAND: Konstantinova & Savchenko 2008a. BAR-ENTSØYA: Hoffman 1968, Philippi 1973, Konstantinova & Savchenko 2018. EDGEØYA: Philippi 1973. KONG KARLS LAND: Arnell 1900, Hoffman 1968. SPITSBERGEN: Arnell & Mårtensson 1959 [W. Spitsbergen], Vilnet *et al.* 2011. ALBERT I LAND: Berggren 1875a, Frisvoll 1978. DICKSON LAND: This publication. HEER LAND: Philippi 1973. NORDENSKIÖLD LAND: Hadač 1946, Hagen 1952, Eurola 1968, Hadač 1989, Konstantinova & Savchenko 2007, 2008a, 2008b, Thinggaard & Damsholt 2007, Virtanen *et al.* 2013, Konstantinova *et al.* 2020b. NY-FRIESLAND: This publication. OSCAR II LAND: This publication. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. SABINE LAND: Philippi 1973. SØRKAPP LAND: Dubiel & Olech 1990, Wietrzyk *et al.* 2016. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Eurola 1968, Bednarek-Ochyra *et al.* 1987b, Karczmarz & Świąś 1990a. NOTE: We are not aware of any primary report from Bjørnøya.

* — var. *minutum* Lindb. ALBERT I LAND: TYPE, Lindberg 1866. HAAKON VII LAND: Lindberg 1866. NOTE: The variety is not recognized in recent treatments, and we do not think it is worth to recognize either. However, we do not know if this name refers to *Gymnomitrium coralloides* or to any other species as we have not seen any type material.

Haplomitrium Nees

*** *Haplomitrium hookeri* (Lydell ex Sm.) Nees. SVALBARD: Grolle 1964, Schuster 1966, 1967, Worley 1969, Schofield & Crum 1972, Schuster & Damsholt 1974, Schljakov 1976,

Godfrey 1977, Engel 1981, Düll 1983, Schuster 1983, Smith 1990, Bartholomew-Began 1991, Parihar *et al.* 1994, Söderström 1995, Schuster & Konstantinova 1996, Paton 1999, Schumacker *et al.* 1999, Bapna & Kachroo 2000a, Konstantinova 2000, 2003, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Sotiaux *et al.* 2006, Engel & Glenn 2008, Damsholt 2013, Duckett & Slack 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. NORDENSKIÖLD LAND: Arnell & Mårtensson 1959, Frisvoll & Blom 1992, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997.

Isopaches H.Buch

*** *Isopaches bicrenatus* (Schmidel ex Hoffm.) H.Buch [*Lophozia bicrenata* (Schmidel ex Hoffm.) Dumort.]. SVALBARD: Frye & Clark 1945, Schuster 1969 ['not confirmed'], Düll 1983, Söderström 1995, Paton 1999, Damsholt 2002, 2013, Söderström *et al.* 2002a, 2002b, Hodgetts 2015, Hodgetts & Lockhart 2020. BUNSOV LAND: Summerhayes & Elton 1923a, Frisvoll & Blom 1997. NORDENSKIÖLD LAND: Watson 1922, Summerhayes & Elton 1923b, Konstantinova & Savchenko 2008b. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Frisvoll & Blom 1992, 1997, Frisvoll & Elvebakk 1996.

Jungermannia L.

*** *Jungermannia polaris* Lindb. [*Jungermannia pumila* * *polaris* (Lindb.) Berggr., *Aplozia polaris* (Lindb.) Bryhn et Kaal. '*Haplozia*', *Jungermannia pumila* subsp. *polaris* (Lindb.) R.M.Schust., *Solenostoma polare* (Lindb.) R.M.Schust.]. SVALBARD: Berggren 1875b, Bryhn 1906, Herzog 1926, Arnell 1928, Schuster *et al.* 1959, Düll 1983, Smith 1990, Söderström 1995, Paton 1999, Söderström *et al.* 2002a, Söderström *et al.* 2002b, Hodgetts 2015, Konstantinova & Vilnet 2016, Hodgetts & Lockhart 2020. BJØRNØYA: Berggren 1875a, Våña 1973, Söderström 1995, Frisvoll & Elvebakk 1996, Damsholt 2002, Söderström *et al.* 2002b. GUSTAV V LAND: Konstantinova & Savchenko 2012. PRINS OSCARS LAND: This publication. BAR-ENTSØYA: Konstantinova & Savchenko 2018. DICKSON LAND: Frisvoll 1981, Konstantinova & Savchenko 2008c, 2011. HA-
KON VII LAND: Lindberg 1866, Arnell & Mårtensson 1959, Arnell & Mårtensson 1959 as *Jungermannia schiffneri*, Våña 1973, Grolle 1976, Geissler & Bischler 1987, Konstantinova & Savchenko 2006. HEER LAND: This publication. JAMES LAND: This publication. NATHORST LAND: This publication. NORDENSKIÖLD LAND: Berggren 1875a, Konstantinova & Savchenko 2007, 2008a, 2008b. NY-FRIESLAND: TYPE, Schuster 1969, Frisvoll & Elvebakk 1996, Damsholt 2002, 2013. OSCAR II LAND: Arnell & Mårtensson 1959. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. SØRKAPP LAND: This publication. WEDEL JARLSBERG LAND: This publication.

*** *Jungermannia pumila* With. [*Solenostoma pumilum* (With.) Müll.Frib.]. SVALBARD: Schuster 1969, Worley 1972, Våña 1973, Söderström 1995, Damsholt 2002 [with a ?], Konstantinova 2003, Damsholt 2013, Schäfer-Verwimp *et al.* 2019. BJØRNØYA: Berggren 1875a, Söderström 1995. DICKSON LAND: This publication. HAAKON VII LAND: Arnell & Mårtensson 1959. NATHORST LAND: This publication. OSCAR II LAND: Arnell & Mårtensson 1959. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. SØRKAPP LAND: This publication. WEDEL JARLSBERG LAND: This publication. NOTE: Many identifications are s.lat. or only preliminary and may belong to *Jungermannia polaris*.

Lophozia (Dumort.) Dumort.

** *Lophozia fuscovirens* Bakalin et Vilnet. SVALBARD: Hodgetts & Lockhart 2020, Hodgetts *et al.* 2020, **Konstantinova et al. 2020a**. HEER LAND: This publication. PRINS KARLS FORLAND: Ellis et al. 2019c, **Konstantinova & Savchenko 2020a**.

** *Lophozia murmanica* Kaal. SVALBARD: Herzog 1926 as *Sphenolobus groenlandicus*, Steere 1954 as *Lophozia groenlandica*, Arnell 1956 as *Lophozia groenlandica*, Schuster 1961 as *Lophozia groenlandica*, Schljakov 1980 as *Lophozia groenlandica*, Düll 1983 as *Lophozia groenlandica*, Damsholt 2002, Konstantinova 2003 as *Lophozia wenzelii* var. *groenlandica*, Söderström *et al.* 2007 as *Lophozia groenlandica*, Kalinauskaitė & von Cräutlein 2010, Hodgetts 2015 as *Lophozia groenlandica*, Hodgetts & Lockhart 2020, Konstantinova & Savchenko 2020b. GUSTAV V LAND: **Konstantinova & Savchenko 2012** as *Lophozia wenzelii* var. *groenlandica*. BARENTSØYA: **Konstantinova & Savchenko 2018**. SPITSBERGEN: **Bakalin 2004** as *Lophozia wenzelii* var. *groenlandica* [Kongsfjorden], **Bakalin 2005** as *Lophozia wenzelii* var. *groenlandica* [Kings Bay]. ALBERT I LAND: **Thingsgaard & Damsholt 2007**. NORDENSKIÖLD LAND: **Bryhn 1909** as *Lophozia groenlandica*, **Müller 1910a** as *Sphenolobus groenlandicus*, **Konstantinova & Savchenko 2008a** as *Lophozia wenzelii* var. *groenlandica*, **Konstantinova & Savchenko 2008b** as *Lophozia wenzelii* var. *groenlandica*. PRINS KARLS FORLAND: **Konstantinova & Savchenko 2020a**. WEDEL JARLSBERG LAND: **Rejment-Grochowska 1967** as *Lophozia groenlandica*, **Karczmarz & Świąs 1988** as *Lophozia groenlandica*, **Karczmarz & Świąs 1989, 1990b** both as *Lophozia groenlandica*, **Świąs & Karczmarz 1991a, 1991b, 1993b** all as *Lophozia groenlandica*. NOTE: The nomenclature in *Lophozia* is confusing, and the same name has been used for different species (see Söderström *et al.*, 2013). The name *Lophozia groenlandica* is used for at least four *Lophozia* taxa, *L. murmanica*, *L. wenzelii*, *L. schusterana* and *L. ventricosa*. We think that many of the Svalbard records can be referred to our *Lophozia murmanica* concept.

** *Lophozia savicziae* Schljakov. SVALBARD: Konstantinova 2000, Söderström *et al.* 2002a, **Bakalin 2005** [Storfjord], Hodgetts 2015, Hodgetts & Lockhart 2020, Konstantinova & Savchenko 2020b. OLAV V LAND: This publication.

*** *Lophozia silvicola* H.Buch [*Lophozia ventricosa* var. *silvicola* (H.Buch) E.W.Jones]. SVALBARD: Söderström *et al.* 2007, Ellis *et al.* 2014a, Hodgetts 2015, Hodgetts & Lockhart 2020. BARENTSØYA: **Konstantinova & Savchenko 2018**. ALBERT I LAND: **Thingsgaard & Damsholt 2007**.

*** *Lophozia silvicoloides* N.Kitag. SVALBARD: **Vilnet et al. 2005** as *Lophozia silvicoloides* var. *paroica*, Söderström *et al.* 2007, **Vilnet et al. 2010**, **Bakalin 2011**, **Fedosov et al. 2015**, Hodgetts 2015, **Bakalin & Vilnet 2019**, Hodgetts & Lockhart 2020, Hodgetts *et al.* 2020, Konstantinova & Savchenko 2020b, **Konstantinova et al. 2020a**. NORDENSKIÖLD LAND: **Konstantinova & Savchenko 2007, 2008a, 2008b**.

* *Lophozia subapiculata* R.M.Schust. et Damsh. SVALBARD: Hodgetts & Lockhart 2020, Hodgetts *et al.* 2020, Konstantinova & Savchenko 2020b. BARENTSØYA: **Konstantinova & Savchenko 2018**.

** *Lophozia svalbardensis* Konstant., Vilnet et Mamontov. GUSTAV V LAND: **TYPE, Konstantinova et al. 2020a**.

*** *Lophozia ventricosa* (Dicks.) Dumort. [*Jungermannia*

ventricosa Dicks.]. SVALBARD: Bryhn 1906, Harmsen & Seidenfaden 1932, Frye & Clark 1945, Söderström 1995, Paton 1999, Söderström *et al.* 2002a, 2002b, Hodgetts 2015, Hodgetts & Lockhart 2020. BJØRNØYA: **Watson 1922, Summerhayes & Elton 1923a**, Söderström 1995, Frisvoll & Elvebakk 1996, Söderström *et al.* 2002b. **Frisvoll & Elvebakk 1996**. KONG KARLS LAND: **Arnell 1900**, Frisvoll & Elvebakk 1996. ALBERT I LAND: **Lindberg 1866** as *Jungermannia ventricosa* α * *gemmipara*, *Jungermannia ventricosa* b *laxa* and *Jungermannia ventricosa* β * *pulchella*, Frisvoll & Elvebakk 1996. NORDENSKIÖLD LAND: **Stebel et al. 2018**. OSCAR II LAND: **Watson 1922, Summerhayes & Elton 1923a, 1923b**, Frisvoll & Elvebakk 1996. PRINS KARLS FORLAND: **Arnell 1900, Watson 1922**, Frisvoll & Elvebakk 1996.

* — var. *longiflora* (Nees) Macoun [*Lophozia longiflora* (Nees) Schiffn.]. SVALBARD: Frye & Clark 1945. BJØRNØYA: **Watson 1922**. NORDENSKIÖLD LAND: **Konstantinova & Savchenko 2008b**. PRINS KARLS FORLAND: **Konstantinova & Savchenko 2020a**.

* — var. *ventricosa*. SVALBARD: Damsholt 2002, Söderström *et al.* 2007, Damsholt 2013. PRINS OSCARS LAND: This publication. ALBERT I LAND: **Thingsgaard & Damsholt 2007**.

* *Lophozia wenzelii* (Nees) Steph. [*Jungermannia wenzelii* Nees]. SVALBARD: Bryhn 1906, Müller 1910b, Arnell 1928 as *Jungermannia wenzelii*, Jørgensen 1934, Frye & Clark 1945, Müller 1954b, Worley 1972, Smith 1990, Söderström 1995, Paton 1999, Söderström *et al.* 2002a, 2002b, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. GUSTAV V LAND: This publication. PRINS OSCARS LAND: This publication. BARENTSØYA: **Philippi 1973**. EDGEØYA: **Philippi 1973**. KONG KARLS LAND: **Arnell 1900**. HAAKON VII LAND: **Arnell & Mårtensson 1959, Newsham & Goodall-Copestake 2021**. HEER LAND: **Philippi 1973**. NORDENSKIÖLD LAND: **Arnell & Mårtensson 1959, Hadač 1989**, Frisvoll & Elvebakk 1996. OSCAR II LAND: **Arnell & Mårtensson 1959, Kobayashi et al. 1990**. WEDEL JARLSBERG LAND: **Rejment-Grochowska 1967**, Frisvoll & Elvebakk 1996.

* — var. *lapponica* H.Buch et S.W.Arnell. SVALBARD: **Bakalin 2004, 2005, Vilnet et al. 2005, 2010**, Söderström *et al.* 2007, Damsholt 2013, **Bakalin & Vilnet 2019**, **Konstantinova et al. 2020a**. BARENTSØYA: **Konstantinova & Savchenko 2018**. ALBERT I LAND: **Thingsgaard & Damsholt 2007**. NORDENSKIÖLD LAND: **Konstantinova & Koroleva 2003, Konstantinova & Savchenko 2007, 2008b, Konstantinova et al. 2020b**. PRINS KARLS FORLAND: **Konstantinova & Savchenko 2020a**.

* — var. *wenzelii*. SVALBARD: Arnell 1956, Schuster 1969, Schuster & Damsholt 1974, Düll 1983, Damsholt 2002. NORDENSKIÖLD LAND: **Konstantinova & Savchenko 2008b**.

Lophozipsis Konstant. et Vilnet

*** *Lophozipsis excisa* (Dicks.) Konstant. et Vilnet [*Lophozia excisa* (Dicks.) Dumort.]. SVALBARD: Düll 1983, Damsholt 2002 [with a “?”], Söderström *et al.* 2002a, **Vilnet et al. 2005, Vilnet et al. 2010, 2012a**, Damsholt 2013, **Mamontov & Vilnet 2017, Bakalin & Vilnet 2019, Konstantinova et al. 2020a**. BJØRNØYA: Söderström 1995. PRINS OSCARS LAND: This publication. ALBERT I LAND: **Thingsgaard & Damsholt 2007**. HEER LAND: This publication. NORDENSKIÖLD LAND: **Arnell & Mårtensson 1959** as *Lophozia kiaerii*, **Konstantinova & Savchenko 2007, 2008a, 2008b**. OSCAR II LAND: **Arnell & Mårtensson 1959** as *Lophozia kiaerii*, **Newsham & Goodall-Copestake 2021**. SØRKAPP LAND:

This publication. WEDEL JARLSBERG LAND: **Eurola 1968**. NOTE: Frisvoll & Elvebakk (1996) stated that the presence of *Lophozia excisa* on Svalbard “needs confirmation”. However, more recent works have shown that the species occurs on Svalbard, but often it is scattered among other bryophytes, never occurring in large mats and therefore, perhaps, overlooked. Only reported with doubt from Bjørnøya and Prins Karls Forland.

** — var. *elegans* (R.M.Schust.) Konstant. et Vilnet [*Lophozia excisa* var. *elegans* R.M.Schust.]. SVALBARD: Hodgetts 2015, Hodgetts & Lockhart 2020. BARENTSØYA: **Konstantinova & Savchenko 2018**. HAAKON VII LAND: **Konstantinova & Savchenko 2006, 2008a**.

** — var. *excisa*. SVALBARD: Schljakov 1980 as *Lophozia major*, Söderström *et al.* 2007, Hodgetts 2015, Hodgetts & Lockhart 2020. BJØRNØYA: Watson 1922 as *Lophozia excisa* var. *cylindracea* with doubt. BARENTSØYA: **Konstantinova & Savchenko 2018**. PRINS KARLS FORLAND: Watson 1922 as *Lophozia excisa* var. *cylindracea* with doubt.

** *Lophozia jurensis* (Meyl. ex Müll.Frib.) Mamontov et Vilnet. SVALBARD: Schuster 1969 as *Lophozia latifolia*, Schuster & Damsholt 1974 as *Lophozia latifolia*, Steere & Inoue 1978 as *Lophozia latifolia*, Schljakov 1980 as *Lophozia jurensis*, Düll 1983 as *Lophozia latifolia*, Frisvoll & Blom 1992 as *Lophozia latifolia*, Söderström 1995 as *Lophozia latifolia*, Frisvoll & Elvebakk 1996 as *Lophozia latifolia* [“in need of confirmation”], Grolle & Long 2000 as *Lophozia latifolia*, Damsholt 2002 as *Lophozia latifolia*, Söderström *et al.* 2002a as *Lophozia latifolia*, Söderström *et al.* 2002b as *Lophozia latifolia*, Damsholt 2013 as *Lophozia latifolia*, Hodgetts & Lockhart 2020. GUSTAV V LAND: **Konstantinova & Savchenko 2012** as *Lophozia propagulifera*. PRINS OSCARS LAND: **This publication**. BARENTSØYA: **This publication**. (ALBERT I LAND: Arnell & Mårtensson 1959 as *Lophozia latifolia* [rejected by Grolle 1967]). (HAAKON VII LAND: **Arnell & Mårtensson 1959** as *Lophozia latifolia* [rejected by Grolle 1967]). (NORDENSKIÖLD LAND: **Arnell & Mårtensson 1959** as *Lophozia latifolia* [rejected by Grolle 1967], Eurola 1971 as *Lophozia* cf. *latifolia*). OSCAR II LAND: **Arnell & Mårtensson 1959** as *Lophozia latifolia*, **Grolle 1967** as *Lophozia latifolia*, **Frisvoll & Blom 1997** as *Lophozia latifolia*. NOTE: All reports of *Lophozia latifolia* (= *Lophozia jurensis*) from Svalbard, except one, were rejected by Grolle (1967), but later reports confirm its presence there.

*** *Lophozia longidens* (Lindb.) Konstant. et Vilnet [*Jungermannia longidens* Lindb., *Lophozia longidens* (Lindb.) Macoun]. SVALBARD: Arnell 1928, Jørgensen 1934, Frye & Clark 1945, Müller 1954b, Arnell 1956, Smith 1990, Söderström 1995, Paton 1999, Bapna & Kachroo 2000b, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Damsholt 2013. BJØRNØYA: **Watson 1922**, **Summerhayes & Elton 1923a**, Söderström 1995, Frisvoll & Elvebakk 1996 Damsholt 2002, Söderström *et al.* 2002b. KONG KARLS LAND: **Arnell 1900**, **Müller 1910b**, Frisvoll & Elvebakk 1996. NORDENSKIÖLD LAND: **Konstantinova & Savchenko 2008b**. OSCAR II LAND: **Watson 1922**, **Summerhayes & Elton 1923a**, **1923b**, Frisvoll & Elvebakk 1996. WEDEL JARLSBERG LAND: **Rejment-Grochowska 1967**, **Karczmarz & Świąż 1989**, Frisvoll & Elvebakk 1996.

** — subsp. *longidens*. SVALBARD: Schuster 1969 [with doubt], Düll 1983 [with a “?”], Söderström *et al.* 2002b, Hodgetts 2015, Hodgetts & Lockhart 2020. BJØRNØYA: Söderström *et al.* 2002b.

*** *Lophozia pellucida* (R.M.Schust.) Konstant. et Vilnet [*Lophozia pellucida* R.M.Schust.]. SVALBARD: Söderström 1995, Grolle & Long 2000, Konstantinova 2000, Damsholt 2002, Söderström *et al.* 2002b, Hodgetts 2015, Konstantinova & Savchenko 2020b. NORDAUSTLANDET: Konstantinova & Savchenko 2015. DICKSON LAND: **This publication**. HAAKON VII LAND: **Frisvoll & Blom 1992, 1997**, **Frisvoll & Elvebakk 1996**. NORDENSKIÖLD LAND: **Frisvoll & Blom 1997**. NY-FRIESLAND: **This publication**.

** — var. *minor* (R.M.Schust.) L.Söderstr. et Váňa [*Lophozia pellucida* var. *minor* R.M.Schust.]. SVALBARD: Söderström *et al.* 2002a, Söderström *et al.* 2007, Hodgetts & Lockhart 2020. GUSTAV V LAND: **Konstantinova & Savchenko 2012**. SPITSBERGEN: **Bakalin 2005** [W Svalbard Isl.]. NORDENSKIÖLD LAND: **Schuster & Konstantinova 1996**.

** — var. *pellucida*. SVALBARD: Söderström *et al.* 2002a, Söderström *et al.* 2007, Hodgetts & Lockhart 2020. GUSTAV V LAND: **Konstantinova & Savchenko 2012**. DICKSON LAND: **Bakalin 2005**.

*** *Lophozia polaris* (R.M.Schust.) Konstant. et Vilnet [*Lophozia polaris* (R.M.Schust.) R.M.Schust. et Damsh.]. SVALBARD: Düll 1983 [with a “?”], Söderström 1995, Konstantinova 2000, Damsholt 2002, Söderström *et al.* 2002a, 2002b, **Vilnet et al. 2010**, **Konstantinova et al. 2020a**. GUSTAV V LAND: **Konstantinova & Savchenko 2012**, 2015. PRINS OSCARS LAND: Konstantinova & Savchenko 2015, **2020b**. BARENTSØYA: **Konstantinova et al. 2014**, **Konstantinova & Savchenko 2018**. DICKSON LAND: **This publication**. HAAKON VII LAND: **Konstantinova & Savchenko 2006**. HEER LAND: **Konstantinova et al. 2020b**. JAMES LAND: **This publication**. NATHORST LAND: **This publication**. NORDENSKIÖLD LAND: **Hadač 1989**, **Frisvoll & Elvebakk 1996**, **Frisvoll & Blom 1997**, **Konstantinova et al. 2020b**. NY-FRIESLAND: **This publication**. OSCAR II LAND: **Koroleva & Borovichev 2014**. PRINS KARLS FORLAND: **Konstantinova & Savchenko 2020a**. SØRKAPP LAND: **This publication**. WEDEL JARLSBERG LAND: **This publication**.

** — var. *polaris*. SVALBARD: Hodgetts 2015, Hodgetts & Lockhart 2020. PRINS OSCARS LAND: **Konstantinova & Savchenko 2008a**. HAAKON VII LAND: **Konstantinova & Savchenko 2008a**. NORDENSKIÖLD LAND: **Konstantinova & Savchenko 2008a**.

** — var. *sphagnorum* (R.M.Schust.) Konstant. et Vilnet [*Lophozia polaris* var. *sphagnorum* (R.M.Schust.) R.M.Schust. et Damsh.]. SVALBARD: Hodgetts 2015, Hodgetts & Lockhart 2020. NORDENSKIÖLD LAND: **Konstantinova & Savchenko 2007, 2008a, 2008b**.

** *Lophozia rubrigemma* (R.M.Schust.) Konstant. et Vilnet [*Lophozia rubrigemma* R.M.Schust.]. SVALBARD: Konstantinova 2000, Söderström *et al.* 2002a, Hodgetts 2015, Hodgetts & Lockhart 2020, Konstantinova & Savchenko 2020b. GUSTAV V LAND: **Konstantinova & Savchenko 2012**, 2015. BARENTSØYA: Konstantinova & Savchenko 2018 as cf. *rubrigemma*. NORDENSKIÖLD LAND: Konstantinova & Savchenko 2008b as cf. *rubrigemma*. NOTE: *Lophozia rubrigemma* has only been reported with some doubt from Barentsøya and Nordenskiöld Land.

Mannia Corda

*** *Mannia triandra* (Scop.) Grolle. SVALBARD: **Borovichev et al. 2015**, Hodgetts 2015 [with a “?”], Borovichev & Bakalin 2016, Hodgetts & Lockhart 2020, Konstantinova & Savchenko 2020b. OSCAR II LAND: **Borovichev 2010**.

Marchantia L.

*** *Marchantia polymorpha* L. SVALBARD: Kaalaas 1893a, Bryhn 1906, Müller 1907b, Jørgensen 1934, Müller 1952, Bischler 1984, Bischler-Causse 1989, Smith 1990, Söderström *et al.* 2002b, Konstantinova 2003. BJØRNØYA: **Berggren 1875a**, Söderström *et al.* 2002b. GUSTAV V LAND: **Berggren 1875a**, 1875b. KONG KARLS LAND: **Arnell 1900**. SPITSBERGEN: **Sommerfeldt 1833** [Vest-Spitsbergen], **Polunin 1945** [Kongsfjorden]. ALBERT I LAND: **Berggren 1875a**. NORDENSKIÖLD LAND: **Hadač 1946**, 1989. WEDEL JARLSBERG LAND: **Rejment-Grochowska 1967**, **Karczmarz & Świąś 1989**, **Świąś & Karczmarz 1991b**.

*** —subsp. *montivagans* Bischl. et Boissel.-Dub. SVALBARD: Düll 1983 as *Marchantia alpestris*, Söderström 1995 as *Marchantia alpestris*, Frisvoll & Elvebakk 1996 as *Marchantia alpestris*, Paton 1999, Damsholt 2002 as *Marchantia alpestris*, Söderström *et al.* 2002a, Söderström *et al.* 2002b, Damsholt 2013 as *Marchantia alpestris*, Hodgetts 2015, Hodgetts & Lockhart 2020. BJØRNØYA: Söderström 1995 as *Marchantia alpestris*, Frisvoll & Elvebakk 1996 as *Marchantia alpestris*, Damsholt 2002 as *Marchantia alpestris*, Söderström *et al.* 2002b. GUSTAV V LAND: **Lindberg 1866** as *Marchantia polymorpha* B *alpestris*, **Konstantinova & Savchenko 2012**. BARENTSØYA: **Philippi 1973** as *Marchantia alpestris*, **Konstantinova & Savchenko 2018**. EDGEØYA: **Philippi 1973** as *Marchantia alpestris*. ALBERT I LAND: **Lindberg 1866** as *Marchantia polymorpha* B *alpestris*. DICKSON LAND: Belkina *et al.* 2015. HAAKON VII LAND: **Arnell & Mårtensson 1959** as *Marchantia alpestris*. JAMES LAND: **This publication**. NORDENSKIÖLD LAND: **Arnell & Mårtensson 1959** as *Marchantia alpestris*, **Konstantinova & Savchenko 2008b** as *Marchantia alpestris*, **Prestø *et al.* 2014**. OSCAR II LAND: **Arnell & Mårtensson 1959** as *Marchantia alpestris*, **Prestø *et al.* 2014**. PRINS KARLS FORLAND: **Konstantinova & Savchenko 2020a**. WEDEL JARLSBERG LAND: **Rejment-Grochowska 1967** as *Marchantia alpestris*. NOTE: We are not aware of any primary report of subsp. *montivagans* from Bjørnøya and Dickson Land.

*** —subsp. *ruderalis* Bischl. et Boissel.-Dub. SVALBARD: Düll 1983 as, Söderström 1995 as *Marchantia polymorpha*, Frisvoll & Elvebakk 1996 as *Marchantia polymorpha*, Damsholt 2002 as *Marchantia latifolia*, Söderström *et al.* 2002a, Söderström *et al.* 2002b, Hodgetts 2015, Ellis *et al.* 2019a, Hodgetts & Lockhart 2020. DICKSON LAND: **This publication**. WEDEL JARLSBERG LAND: **Frisvoll & Blom 1997** as *Marchantia polymorpha*. NOTE: Subsp. *ruderalis* has only been confirmed from anthropogenic areas and all other reports should probably be subsp. *montivagans*.

*** *Marchantia quadrata* Scop. [*Preissia quadrata* (Scop.) Nees, *Chomiocarpon quadratum* (Scop.) Lindb.]. SVALBARD: Schiffner 1893, Bryhn 1906 as *Chomiocarpon commutatus*, Müller 1907b, Jørgensen 1934, Horikawa 1950 as *Preissia quadrata*, Düll 1983, Smith 1990, Söderström 1995, Frisvoll & Elvebakk 1996, Paton 1999, Damsholt 2002, Söderström *et al.* 2002b, Long & Crandall-Stotler 2020. BJØRNØYA: **Watson 1922**, **Summerhayes & Elton 1923a**, Söderström 1995, Frisvoll & Elvebakk 1996, Damsholt 2002, Söderström *et al.* 2002b. GUSTAV V LAND: **Konstantinova & Savchenko 2012**. PRINS OSCARS LAND: **This publication**. BARENTSØYA: **Philippi 1973**, **Konstantinova & Savchenko 2018**. DICKSON LAND: Belkina *et al.* 2015. HAAKON VII LAND: **Arnell & Mårtensson 1959**, **Frisvoll 1978**. NATHORST LAND: **This pub-**

lication. NORDENSKIÖLD LAND: **This publication**, **Prestø *et al.* 2014**. OSCAR II LAND: **Arnell & Mårtensson 1959**. PRINS KARLS FORLAND: **Konstantinova & Savchenko 2020a**. WEDEL JARLSBERG LAND: **Rejment-Grochowska 1967**.

* — subsp. *hyperborea* (R.M.Schust.) Borovich. [*Preissia quadrata* subsp. *hyperborea* R.M.Schust.]. SVALBARD: Söderström *et al.* 2007, Hodgetts 2015, Hodgetts & Lockhart 2020. BARENTSØYA: **Konstantinova & Savchenko 2018**. SPITSBERGEN: **Thingsgaard & Damsholt 2007**. DICKSON LAND: **This publication**. HAAKON VII LAND: **This publication**. JAMES LAND: **This publication**. OSCAR II LAND: **This publication**. PRINS KARLS FORLAND: **This publication**.

* — subsp. *quadrata*. SVALBARD: Schuster 1992, Söderström *et al.* 2002a, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. NOTE: It is possible that only subsp. *hyperborea* occurs on Svalbard.

*** *Marchantia romanica* (Radian) D.G.Long, Crand.-Stotl., L.L.Forrest et J.C.Villarreal [*Bucegia romanica* Radian]. SVALBARD: Ellis *et al.* 2016a, **Xiang *et al.* 2016**, Sofronova & Potemkin 2018, Hodgetts & Lockhart 2020. NORDAUSTLAND-ET: **Xiang *et al.* 2016**. GUSTAV V LAND: **Konstantinova *et al.* 2014**. PRINS OSCARS LAND: **Konstantinova *et al.* 2014**. BARENTSØYA: **Konstantinova *et al.* 2014** **Konstantinova & Savchenko 2018**. DICKSON LAND: **Konstantinova *et al.* 2014**. HAAKON VII LAND: **This publication**. OSCAR II LAND: **This publication**. SABINE LAND: **Konstantinova *et al.* 2014**.

Marsupella Dumort.

*** *Marsupella apiculata* Schiffn. [*Gymnomitrium apiculatum* (Schiffn.) Müll.Frib.]. SVALBARD: Schuster & Damsholt 1974, Schuster 1974, Godfrey & Schofield 1979, Schljakov 1981, Düll 1983, Söderström 1995, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Konstantinova 2003, **Vilnet *et al.* 2010**, Hodgetts 2015, **Mamontov *et al.* 2018**, **Mamontov *et al.* 2019**, Hodgetts & Lockhart 2020. PRINS OSCARS LAND: **Konstantinova & Savchenko 2008a**, **Konstantinova & Savchenko 2015**. ALBERT I LAND: **Arnell & Mårtensson 1959**, **Frisvoll & Blom 1992**, **Frisvoll & Elvebakk 1996**, **Frisvoll & Blom 1997**, **Thingsgaard & Damsholt 2007**, **Konstantinova & Savchenko 2008a**. HAAKON VII LAND: **Frisvoll & Blom 1992**, **Frisvoll & Blom 1997**. NORDENSKIÖLD LAND: **Konstantinova & Savchenko 2007**, **2008a**, **2008b**, **Konstantinova *et al.* 2020b**. OSCAR II LAND: **Kobayashi *et al.* 1990**, **Frisvoll & Blom 1992**, 1997, **Frisvoll & Elvebakk 1996**.

*** *Marsupella arctica* (Berggr.) Bryhn et Kaal. [*Sarcocyphos emarginatus* var. *arcticus* Berggr., *Marsupella emarginata* var. *arctica* (Berggr.) Frye et L.Clark]. SVALBARD: Berggren 1875b, Bryhn 1906, Herzog 1926 as *Marsupella groenlandica*, Schuster 1950, Müller 1956a, Persson & Gjaer-evoll 1961, Schuster & Damsholt 1974, Schljakov 1981, Düll 1983, Geissler & Bischler 1985, Geissler & Bischler 1985, Vitt *et al.* 1987, Long *et al.* 1990, Söderström 1995, Schuster & Konstantinova 1996, Paton 1999, Konstantinova 2000, Söderström *et al.* 2002a, 2002b, **Vilnet *et al.* 2010**, Hodgetts 2015, **Shaw *et al.* 2015**, **Mamontov *et al.* 2018**, 2019, Hodgetts & Lockhart 2020. NORDAUSTLANDET: **Konstantinova & Savchenko 2015**, 2020b. PRINS OSCARS LAND: **Konstantinova & Savchenko 2008a**, **Konstantinova *et al.* 2020b**. SPITSBERGEN: **Vilnet *et al.* 2011**. ALBERT I LAND: **TYPE**, **Berggren 1875a**, **Müller 1909a**, **Frye & Clark 1943**, **Schuster 1974**, **Grolle 1976**, **Frisvoll & Elvebakk 1996**, **Frisvoll & Blom 1997**, **Damsholt 2002**, 2013. NORDENSKIÖLD LAND:

Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997, Konstantinova & Savchenko 2007, 2008a, 2008b, Prestø *et al.* 2014, Konstantinova *et al.* 2020b.

*** *Marsupella boeckii* (Austin) Lindb. ex Kaal. SVALBARD: Vilnet *et al.* 2010, Hodgetts 2015, Mamontov *et al.* 2018, Mamontov *et al.* 2019, Hodgetts & Lockhart 2020. PRINS OSCARS LAND: Konstantinova & Savchenko 2008a, Konstantinova & Savchenko 2015.

*** *Marsupella condensata* (Ångstr. ex C.Hartm.) Lindb. ex Kaal. [*Gymnomitrium condensatum* Ångstr. ex C.Hartm.]. SVALBARD: Schiffner 1893, Herzog 1926, Arnell 1928, Jørgensen 1934, Frye & Clark 1943, Arnell 1956, Schuster & Damsholt 1974, Schuster 1974, Schljakov 1981, Düll 1983, Smith 1990, Söderström 1995, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, Söderström *et al.* 2002b, Konstantinova 2003, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020, Konstantinova & Savchenko 2020b. BJØRNØYA: Berggren 1875a, Arnell & Mårtensson 1959 [could not trace the collection reported in Berggren 1875], Söderström 1995, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997, Damsholt 2002, Söderström *et al.* 2002b. PRINS OSCARS LAND: This publication. ALBERT I LAND: Arnell & Mårtensson 1959, Frisvoll & Blom 1992, 1997, Frisvoll & Elvebakk 1996.

*** *Marsupella sprucei* (Limpr.) Bernet. SVALBARD: Hodgetts 2015, Hodgetts & Lockhart 2020. PRINS OSCARS LAND: Konstantinova & Savchenko 2008a, 2015. NORDENSKIÖLD LAND: Hadač 1946 [with a ?], Konstantinova & Savchenko 2007, 2008a, 2008b.

Mesoptychia (Lindb.) A.Evans

*** *Mesoptychia badensis* (Gottsche ex Rabenh.) L.Söderstr. et Våna [*Lophozia badensis* (Gottsche ex Rabenh.) Schiffn., *Leiocolea badensis* (Gottsche ex Rabenh.) Jørg.]. SVALBARD: Schuster 1969, Worley 1972, Schljakov 1980, Düll 1983, Smith 1990, Söderström 1995, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Konstantinova 2003, Hodgetts 2015, Hodgetts & Lockhart 2020. NORDAUSTLANDET: Potemkin 2014 as *Mesoptychia badensis* var. *apiculata*. GUSTAV V LAND: Konstantinova & Savchenko 2012 also as *Leiocolea badensis* var. *apiculata*, Konstantinova *et al.* 2014, Konstantinova & Savchenko 2015 as *Leiocolea badensis* var. *apiculata*. DICKSON LAND: This publication. HAAKON VII LAND: Arnell & Mårtensson 1959, Frisvoll & Blom 1992, 1997. OSCAR II LAND: Arnell & Mårtensson 1959, Frisvoll & Blom 1992, Frisvoll & Blom 1997. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. SØRKAPP LAND: This publication. WEDEL JARLSBERG LAND: Karczmarz & Świąż 1990a, Świąż & Karczmarz 1991a, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997.

* *Mesoptychia collaris* (Nees) L.Söderstr. et Våna [*Lophozia collaris* (Nees) Dumort., *Leiocolea collaris* (Nees) Schljakov]. SVALBARD: Berggren 1875b as *Jungermannia alpestris*, Bryhn 1906 as *Lophozia Mülleri*, Frye & Clark 1945 as *Leiocolea muelleri*, Le Gallo 1951 as *Leiocolea muelleri*, Arnell 1956 as *Leiocolea muelleri*, Schuster 1969 as *Lophozia collaris*, Smith 1990 as *Leiocolea alpestris*, Söderström 1995 [rejecting earlier reports], Frisvoll & Elvebakk 1996 [rejecting earlier reports as probably *L. heterocolpos* var. *arctica*], Damsholt 2002 as *Lophozia alpestris* var. *alpestris* [with a “?”], Söderström *et al.* 2002a [rejecting earlier reports], Söderström *et al.* 2002b [rejecting earlier reports], Söderström *et al.* 2007, Damsholt 2013 as *Lo-*

phozia alpestris, Hodgetts 2015, Hodgetts & Lockhart 2020. GUSTAV V LAND: Konstantinova & Savchenko 2012. BAR-ENTSØYA: Konstantinova & Savchenko 2018. SPITSBERGEN: Gottsche *et al.* 1846 as *Jungermannia acuta* [Bellsund], Berggren 1875a as *Jungermannia muelleri* [Bellsund]. DICKSON LAND: This publication. HAAKON VII LAND: This publication. NORDENSKIÖLD LAND: Hagen 1952 as *Leiocolea muelleri*. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. SØRKAPP LAND: This publication. WEDEL JARLSBERG LAND: Konstantinova & Koroleva 2003 as *Leiocolea alpestris*.

*** *Mesoptychia gillmanii* (Austin) L.Söderstr. et Våna. var. *gillmanii* [*Leiocolea gillmanii* (Austin) A.Evans, *Lophozia gillmanii* (Austin) R.M.Schust.]. SVALBARD: Düll 1983, Söderström 1995, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Damsholt 2013, Kosovich-Anderson 2014, Hodgetts 2015, Konstantinova & Savchenko 2020b. GUSTAV V LAND: Frisvoll & Elvebakk 1996, Konstantinova & Savchenko 2012. ANDRÉE LAND: Frisvoll 1981, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997. DICKSON LAND: Frisvoll 1981, Frisvoll & Blom 1997, Konstantinova & Koroleva 2003 as *Leiocolea gillmanii* f. *orbiculata*, Konstantinova & Savchenko 2008c, 2011. HAAKON VII LAND: Frisvoll 1981, Frisvoll & Blom 1997, Konstantinova & Savchenko 2006, 2008a. JAMES LAND: Frisvoll 1981, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997. OSCAR II LAND: Borovichev 2010, Koroleva & Borovichev 2014. WEDEL JARLSBERG LAND: This publication.

*** *Mesoptychia heterocolpos* (Thed. ex Hartm.) L.Söderstr. et Våna [*Lophozia heterocolpos* (Thed. ex Hartm.) M.Howe, *Leiocolea heterocolpos* (Thed. ex Hartm.) H.Buch.]. SVALBARD: Worley 1972, Smith 1990, Söderström 1995, Paton 1999, Söderström *et al.* 2002b, Damsholt 2013. DICKSON LAND: Frisvoll 1981 as cf. *heterocolpos*, Frisvoll & Elvebakk 1996, Konstantinova & Savchenko 2008c. HAAKON VII LAND: Konstantinova & Savchenko 2006, Konstantinova & Savchenko 2008a, Konstantinova & Savchenko 2011. HEER LAND: Konstantinova *et al.* 2020b. NATHORST LAND: This publication. NORDENSKIÖLD LAND: Hadač 1989, Frisvoll & Elvebakk 1996, Virtanen *et al.* 2013, Prestø *et al.* 2014. SØRKAPP LAND: Konstantinova *et al.* 2020b. TORELL LAND: Rejment-Grochowska 1967. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Karczmarz & Świąż 1989, Karczmarz & Świąż 1990a, Frisvoll & Elvebakk 1996.

** — var. *arctica* (S.W.Arnell) L.Söderstr. et Våna [*Leiocolea heterocolpos* var. *arctica* (S.W.Arnell) Mårtensson, *Lophozia heterocolpos* var. *arctica* (S.W.Arnell) R.M.Schust. et Damsh., *Lophozia arctica* (S.W.Arnell) Świąż et Karczm. nom. inval.]. SVALBARD: Söderström 1995, Damsholt 2002, Söderström *et al.* 2002a, 2002b both, Damsholt 2003, Hodgetts 2015, Hodgetts & Lockhart 2020. GUSTAV V LAND: This publication. DICKSON LAND: This publication. HAAKON VII LAND: Arnell & Mårtensson 1959, Frisvoll & Elvebakk 1996. WEDEL JARLSBERG LAND: Świąż & Karczmarz 1991b.

** — var. *harpanthoides* (Bryhn et Kaal.) L.Söderstr. et Våna [*Leiocolea heterocolpos* var. *harpanthoides* (Bryhn et Kaal.) R.M.Schust. ex S.W.Arnell.]. SVALBARD: Söderström *et al.* 2002a, Bakalin *et al.* 2015 [s.loc.spec.], Hodgetts 2015, Hodgetts & Lockhart 2020. NORDAUSTLANDET: Konstantinova & Savchenko 2015. GUSTAV V LAND: Konstantinova & Savchenko 2012. PRINS OSCARS LAND: This publication.

BARENTSØYA: Konstantinova & Savchenko 2018. DICKSON LAND: This publication. HAAKON VII LAND: Frisvoll 1978. NATHORST LAND: This publication. NORDENSKIÖLD LAND: This publication. NY-FRIESLAND: This publication. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. SØRKAPP LAND: This publication. WEDEL JARLSBERG LAND: This publication.

** — var. *heterocolpos* [*Lophozia heterocolpos* var. *heterocolpos*, *Leiocolea heterocolpos* var. *heterocolpos*]. SVALBARD: Schuster 1969, Düll 1983, Damsholt 2002, Söderström *et al.* 2002a, Hodgetts 2015, Hodgetts & Lockhart 2020. BARENTSØYA: Konstantinova & Savchenko 2018. OSCAR II LAND: Arnell & Mårtensson 1959.

*** *Mesoptychia rutheana* (Limpr.) L.Söderstr. et Våna [*Lophozia rutheana* (Limpr.) M.Howe, *Leiocolea rutheana* (Limpr.) Müll.Frib.]. SVALBARD: Düll 1983, Söderström 1995, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Söderström *et al.* 2002b, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. DICKSON LAND: Frisvoll 1978, Frisvoll & Blom 1992, 1997, Frisvoll & Elvebakk 1996. NORDENSKIÖLD LAND: Frisvoll & Blom 1992, 1997, Frisvoll & Elvebakk 1996.

*** *Mesoptychia sahlbergii* (Lindb. et Arnell) A.Evans. SVALBARD: Düll 1983, Schuster 1983, Söderström 1995, Schuster & Konstantinova 1996, Grolle & Long 2000, Konstantinova 2000, Damsholt 2002, Söderström *et al.* 2002a, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020, Konstantinova & Savchenko 2020b. DICKSON LAND: Frisvoll 1981, Frisvoll & Blom 1992, 1997, Frisvoll & Elvebakk 1996. NORDENSKIÖLD LAND: This publication. SABINE LAND: Frisvoll & Blom 1992, Frisvoll & Elvebakk 1996.

Metzgeria Raddi

*** *Metzgeria furcata* (L.) Corda. SVALBARD: Hodgetts 2015, Hodgetts & Lockhart 2020. OSCAR II LAND: Borovichev 2010.

Mylia Gray

*** *Mylia taylorii* (Hook.) Gray [*Jungermannia taylorii* Hook.]. SVALBARD: Düll 1983 [with a '?'], Söderström 1995, Paton 1999, Konstantinova 2000, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Konstantinova 2003, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. SPITSBERGEN: Lindberg 1866 [Kingsbay], Arnell & Mårtensson 1959 [Kongsfjorden], Frisvoll & Blom 1992 [Kongsfjorden], Frisvoll & Elvebakk 1996 [Kongsfjorden], Frisvoll & Blom 1997 [Kongsfjorden]. OSCAR II LAND: Berggren 1875a.

Nardia Gray

*** *Nardia geoscyphus* (De Not.) Lindb. SVALBARD: Söderström 1995, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Konstantinova 2003, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. PRINS OSCARS LAND: Konstantinova *et al.* 2014, Konstantinova & Savchenko 2015. HEER LAND: This publication. NORDENSKIÖLD LAND: Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997, Konstantinova & Savchenko 2007, 2008a, 2008b. OSCAR II LAND: Brattbakk *et al.* 1978, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Eurola 1968, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997.

Neoorthocaulis L.Söderstr., De Roo et Hedd.

** *Neoorthocaulis hyperboreus* (R.M.Schust.) L.Söderstr., De Roo et Hedd. SVALBARD: Hodgetts & Lockhart 2020, Konstantinova & Savchenko 2020b. ALBERT I LAND: This publication. DICKSON LAND: This publication. NATHORST LAND:

This publication. NORDENSKIÖLD LAND: Ellis *et al.* 2016b as *Barbilophozia floerkei*, This publication. OSCAR II LAND: Gugnacka-Fiedor & Nryskiewicz 1982 as *Orthocaulis floerkei*, Boińska & Gugnacka-Fiedor 1983 as *Barbilophozia floerkei*. PRINS KARLS FORLAND: This publication. SØRKAPP LAND: This publication. WEDEL JARLSBERG LAND: This publication. NOTE: A critical taxon and the whole *Neoorthocaulis-Orthocaulis-Schljakovianthus* complex is in need of a molecular revision. We here report *Neoorthocaulis hyperboreus* as described by Damsholt (2013). Specimens reported as *Barbilophozia floerkei* or *Orthocaulis floerkei* in Ellis *et al.* (2016b), Gugnacka-Fiedor & Nryskiewicz (1982) and Boińska & Gugnacka-Fiedor (1983) have been seen by N.A. Konstantinova and correspond to our concept of *Neoorthocaulis hyperboreus*, not to *Neoorthocaulis floerkei*.

Odontoschisma (Dumort.) Dumort.

*** *Odontoschisma elongatum* (Lindb.) A.Evans. SVALBARD: Schuster & Damsholt 1974, Vilnet *et al.* 2012a, Hodgetts 2015, Ellis *et al.* 2016a, Feldberg *et al.* 2016, Hodgetts & Lockhart 2020. PRINS OSCARS LAND: This publication. NORDENSKIÖLD LAND: Hadač 1989, Konstantinova & Savchenko 2007, 2008a, 2008b, Konstantinova *et al.* 2020b. NOTE: *Odontoschisma elongatum* was rejected from Svalbard by Frisvoll & Elvebakk (1996) but it has later been shown to occur there.

*** *Odontoschisma francisci* (Hook.) L.Söderstr. et Våna [*Cladopodiella francisci* (Hook.) Jørg.]. SVALBARD: Schuster 1974, Düll 1983, Smith 1990, Söderström 1995, Paton 1999, Konstantinova 2000, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Konstantinova 2003, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. OSCAR II LAND: Arnell & Mårtensson 1959, Frisvoll & Blom 1992, 1997, Frisvoll & Elvebakk 1996.

*** *Odontoschisma macounii* (Austin) Underw. SVALBARD: Evans 1903, Bryhn 1906, Arnell & Jensen 1907, Arnell 1928, Frye & Clark 1945, Buch & Tuomikoski 1955, Arnell 1956, Müller 1956c, Schuster *et al.* 1959, Schuster 1974, Bonner 1976 as *Jungermannia tessellata*, Düll 1983, Smith 1990, Söderström 1995, Frisvoll & Elvebakk 1996, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Vilnet *et al.* 2012a, Damsholt 2013, Bakalin & Vilnet 2014, Hodgetts 2015, Ellis *et al.* 2016a, Feldberg *et al.* 2016, Hodgetts & Lockhart 2020. GUSTAV V LAND: This publication. PRINS OSCARS LAND: This publication. BARENTSØYA: Philippi 1973, Konstantinova & Savchenko 2018. EDGEØYA: Philippi 1973. Berggren 1875b as *Jungermannia tessellata*, Arnell & Mårtensson 1959 [W. Spitsbergen], Gradstein & Ilkui-Borges 2015 [Kings Bay]. DICKSON LAND: Konstantinova & Savchenko 2008c. HAAKON VII LAND: Polunin 1945, Frisvoll 1978, Konstantinova & Savchenko 2006, 2008a. NORDENSKIÖLD LAND: Eurola 1968, Virtanen *et al.* 2013. OSCAR II LAND: TYPE of *Sphagnoecetis communis* var. *tessellata*, Müller 1913b, Brattbakk *et al.* 1978, Kobayashi *et al.* 1990. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. WEDEL JARLSBERG LAND: This publication.

Oleolophozia L.Söderstr., De Roo et Hedd.

*** *Oleolophozia perssonii* (H.Buch et S.W.Arnell) L.Söderstr., De Roo et Hedd. [*Lophozia perssonii* H.Buch et S.W.Arnell]. SVALBARD: Schuster 1969, Schljakov 1980, Düll 1983, Arts 1986, Damsholt 1993, Söderström 1995, Paton 1999, Konstantinova 2000, Damsholt 2002, Söderström *et*

- al.* 2002a, 2002b, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. GUSTAV V LAND: Konstantinova & Savchenko 2012, 2015. DICKSON LAND: Konstantinova & Savchenko 2008c. HAAKON VII LAND: Arnell & Mårtensson 1959, Frisvoll & Blom 1992, 1997, Frisvoll & Elvebakk 1996. OSCAR II LAND: Arnell & Mårtensson 1959, Frisvoll & Blom 1992, 1997, Frisvoll & Elvebakk 1996. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a.
- Peltolepis** Lindb.
 *** *Peltolepis quadrata* (Saut.) Müll.Frib. SVALBARD: Müller 1952, Arnell 1956, Steere & Inoue 1978, Düll 1983, Söderström 1995, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. DICKSON LAND: Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997. HAAKON VII LAND: Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997. JAMES LAND: Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997. NATHORST LAND: This publication. OSCAR II LAND: Borovichev 2010, Koroleva & Borovichev 2014. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. SØRKAPP LAND: This publication. WEDEL JARLSBERG LAND: This publication.
- Prasanthus** Lindb.
 *** *Prasanthus suecicus* (Gottsche) Lindb. SVALBARD: Schuster 1974, Schljakov 1981, Düll 1983, Söderström 1995, Schuster & Konstantinova 1996, Konstantinova 2000, Damsholt 2002, Söderström *et al.* 2002a, Söderström *et al.* 2002b, Vilnet *et al.* 2010, Hodgetts 2015, Shaw *et al.* 2015, Patzak *et al.* 2016a, Patzak *et al.* 2016b, Mamontov *et al.* 2018 [s.loc.spec.], Mamontov *et al.* 2019, Hodgetts & Lockhart 2020. GUSTAV V LAND: Konstantinova *et al.* 2020a. PRINS OSCARS LAND: Konstantinova & Savchenko 2008a. ALBERT I LAND: Arnell & Mårtensson 1959, Frisvoll & Elvebakk 1996, Thinggaard & Damsholt 2007. HAAKON VII LAND: Arnell & Mårtensson 1959, Frisvoll & Elvebakk 1996. NORDENSKIÖLD LAND: Frisvoll & Elvebakk 1996, Thinggaard & Damsholt 2007, Konstantinova & Savchenko 2008b, Prestø *et al.* 2014. OSCAR II LAND: Arnell & Mårtensson 1959, Frisvoll & Elvebakk 1996. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Karczmarz & Świąś 1990a, Frisvoll & Elvebakk 1996.
- Protochilopsis** A.V.Troitsky, Bakalin et Fedosov
 *** *Protochilopsis grandiretis* (Lindb. ex Kaal.) A.V.Troitsky, Bakalin et Fedosov [*Lophozia grandiretis* (Lindb. ex Kaal.) Schiffn., *Schistochilopsis grandiretis* (Lindb. ex Kaal.) Konstant.]. SVALBARD: Schuster 1969, Schuster & Damsholt 1974, Steere & Inoue 1978, Schljakov 1980, Düll 1983, Bisang 1991, 1999, Söderström 1995, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Damsholt 2013 also as *Lophozia grandiretis* subsp. *proteidea*, Hodgetts 2015, Stotler & Crandall-Stotler 2017, Bakalin *et al.* 2020b, Hodgetts & Lockhart 2020. DICKSON LAND: Konstantinova & Savchenko 2008c as *Schistochilopsis grandiretis* var. *parviretis*, Belkina *et al.* 2015. HAAKON VII LAND: Konstantinova & Savchenko 2006, 2008a. NORDENSKIÖLD LAND: Arnell & Mårtensson 1959, Frisvoll & Blom 1992, 1997, Frisvoll & Elvebakk 1996. OSCAR II LAND: Koroleva & Borovichev 2014.
- Ptilidium** Nees
 *** *Ptilidium ciliare* (L.) Hampe [*Jungermannia ciliaris* L., *Blepharozia ciliaris* (L.) Dumort.]. SVALBARD: Gottsche *et al.* 1845, Bryhn 1906, Müller 1954a, Düll 1983, Smith 1990, Söderström 1995, Frisvoll & Elvebakk 1996, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Hodgetts 2015, Hodgetts & Lockhart 2020, Bakalin *et al.* 2021. BJØRNØYA: Berggren 1875a, Watson 1922, Summerhayes & Elton 1923a, Söderström 1995, Frisvoll & Elvebakk 1996, Damsholt 2002, Söderström *et al.* 2002b. GUSTAV V LAND: Berggren 1875a, 1875b. PRINS OSCARS LAND: This publication. BARENTSØYA: Philippi 1973, Konstantinova & Savchenko 2018. EDGEØYA: Sommerfeldt 1833, Philippi 1973, Heinemeijer 1979, Heinemeijer & van Dijk 2004. SPITSBERGEN: Polunin 1945 [Kongsfjorden], Arnell & Mårtensson 1959 [W. Spitsbergen]. ALBERT I LAND: Lindberg 1866, Berggren 1875a, Wulff 1902. ANDRÉE LAND: This publication. DICKSON LAND: This publication, Belkina *et al.* 2015. HAAKON VII LAND: Lindberg 1866, Wegener *et al.* 1992. JAMES LAND: This publication. NORDENSKIÖLD LAND: Watson 1922, Watson 1922 as *Ptilidium ciliare* f. *inundatum*, Hadač 1946, Hagen 1952, Eurola 1968, Hadač 1989, Konstantinova & Savchenko 2007, 2008a, 2008b, Kreier *et al.* 2010, Virtanen *et al.* 2013, Prestø *et al.* 2014. OSCAR II LAND: Gugnacka-Fiedor & Nryśkiewicz 1982, Boińska & Gugnacka-Fiedor 1983, Kobayashi *et al.* 1990, Newsham & Goodall-Copestake 2021. PRINS KARLS FORLAND: Arnell 1900, Watson 1922, Summerhayes & Elton 1923a, 1923b, Konstantinova & Savchenko 2020a. SØRKAPP LAND: Sommerfeldt 1833, Dubiel & Olech 1990, Saniewski *et al.* 2020. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Eurola 1968, Karczmarz & Świąś 1988, 1989, 1990a, 1990b, Świąś & Karczmarz 1991a, 1993a, 1993b, Dubiel & Olech 1992, Kuc 1998.
- Riccardia** Gray
 *** *Riccardia chamedryfolia* (With.) Grolle. NORDENSKIÖLD LAND: This publication.
- Saccobasis** H.Buch
 *** *Saccobasis polita* (Nees) H.Buch [*Jungermannia polita* Nees, *Lophozia polita* (Nees) Macoun, *Sphenolobus politus* (Nees) Steph., *Tritomaria polita* (Nees) Jørg.]. SVALBARD: Bryhn 1906, Müller 1910a, Arnell 1928, Müller 1954b, Arnell 1956, Schuster 1969, Worley 1972, Schuster & Damsholt 1974, Schljakov 1980, Düll 1983 [with a ‘?’], Smith 1990, Söderström 1995, Paton 1999, Damsholt 2002 [with a ‘?’], Söderström *et al.* 2002a, Söderström *et al.* 2002b, Damsholt 2013 [with a ‘?’], Hodgetts 2015, Hodgetts & Lockhart 2020. GUSTAV V LAND: Berggren 1875a, Frisvoll & Elvebakk 1996. HAAKON VII LAND: This publication. NORDENSKIÖLD LAND: This publication. OSCAR II LAND: Arnell & Mårtensson 1959. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Karczmarz & Świąś 1989, 1991a, Świąś & Karczmarz 1991b, 1993b, Frisvoll & Elvebakk 1996.
 ** *Saccobasis polymorpha* (R.M.Schust.) Schljakov [*Tritomaria polita* subsp. *polymorpha* R.M.Schust.]. SVALBARD: Düll 1983 [with a ‘?’], Söderström 1995, Frisvoll & Elvebakk 1996 [‘probably’], Konstantinova 2000, Damsholt 2002 [with a ‘?’], Söderström *et al.* 2002a [with a ‘?’], Konstantinova 2003, Söderström *et al.* 2007, Hodgetts 2015, Hodgetts & Lockhart 2020. HAAKON VII LAND: Konstantinova & Savchenko 2006. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. SØRKAPP LAND: This publication. WEDEL JARLSBERG LAND: Konstantinova & Koroleva 2003.
- Sauteria** Nees
 *** *Sauteria alpina* (Nees) Nees. SVALBARD: Lindberg 1877, 1882, Schiffner 1893, Arnell & Jensen 1907, Müller 1907a,

Arnell 1928, Jørgensen 1934, Arnell 1956, Worley 1972, Düll 1983, Schuster 1992, Söderström 1995, Frisvoll & Elvebakk 1996, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. **BJØRNØYA:** Lindberg 1882, Kaalaas 1893a. Schiffner 1893, Schuster 1992, Söderström 1995, Frisvoll & Elvebakk 1996, Damsholt 2002, 2013, Söderström *et al.* 2002b. **GUSTAV V LAND:** Konstantinova & Savchenko 2012, Konstantinova *et al.* 2014. **BARENTSØYA:** Philippi 1973, Konstantinova & Savchenko 2018. **SPITSBERGEN:** Arnell & Mårtensson 1959 [W. Spitsbergen], Thingsgaard & Damsholt 2007. **ALBERT I LAND:** Wulff 1902. **BÜNSOW LAND:** This publication. **DICKSON LAND:** Konstantinova & Savchenko 2008c, Belkina *et al.* 2015. **HAAKON VII LAND:** Konstantinova & Savchenko 2006, 2008a, Konstantinova *et al.* 2020b. **JAMES LAND:** This publication. **NORDENSKIÖLD LAND:** This publication. **OSCAR II LAND:** Borovichev 2010, Koroleva & Borovichev 2014. **PRINS KARLS FORLAND:** Konstantinova & Savchenko 2020a. **WEDEL JARLSBERG LAND:** Rubasinghe 2011.

Scapania (Dumort.) Dumort.

*** *Scapania curta* (Mårt.) Dumort. [*Martinellius curtus* (Mårt.) Lindb. '*Martinellia curta*']. **SVALBARD:** Kaalaas 1893b, Müller 1901, Stephani 1910, Müller 1915a, Arnell 1928, Harmsen & Seidenfaden 1932, Frye & Clark 1946, Worley 1972, Schuster 1974, Schuster & Damsholt 1974, Düll 1983, Smith 1990, Söderström 1995, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Hodgetts 2015, Hodgetts & Lockhart 2020. **BJØRNØYA:** Watson 1922, Summerhayes & Elton 1923a, Söderström 1995, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997, Damsholt 2002 Söderström *et al.* 2002b. **KONG KARLS LAND:** Arnell 1900, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997. **SPITSBERGEN:** Berggren 1875b. **HAAKON VII LAND:** Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997. **NORDENSKIÖLD LAND:** Berggren 1875a [rejected as *S. cuspiduligera* by Arnell & Mårtensson 1959], Müller 1905, Arnell 1922. **OSCAR II LAND:** Watson 1922, Summerhayes & Elton 1923a, 1923b, Arnell & Mårtensson 1959, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997. **WEDEL JARLSBERG LAND:** Rejment-Grochowska 1967, Świąc & Karczmarz 1991a, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997.

*** *Scapania cuspiduligera* (Nees) Müll.Frib. **SVALBARD:** Berggren 1875b as *Scapania bartlingii*, Kaalaas 1893b as *Scapania carestiae*, Müller 1901 as *Scapania bartlingii*, Müller 1905 as *Scapania bartlingii*, Bryhn 1906 as *Scapania bartlingii*, Müller 1915b, Frye & Clark 1946, Persson 1952, Schuster 1974, Schuster & Damsholt 1974, Smith 1990, Söderström 1995, Paton 1999, Damsholt 2002, 2013, Söderström *et al.* 2002a, Hodgetts 2015, Hodgetts & Lockhart 2020. **BJØRNØYA:** Berggren 1875a, 1875b both as *Scapania bartlingii*, Bryhn 1906 as *Scapania bartlingii*, Frye & Clark 1946, Persson 1952, Söderström 1995, Frisvoll & Elvebakk 1996, Damsholt 2002, Söderström *et al.* 2002b. **NORDAUST-LANDET:** Konstantinova & Savchenko 2015. **PRINS OSCARS LAND:** This publication. **BARENTSØYA:** Konstantinova & Savchenko 2018. **ALBERT I LAND:** TYPE of *Scapania bartlingii* var. *elongata*, TYPE of *Scapania bartlingii* var. *obtusata*, Lindberg 1866 as *Scapania bartlingii* var. *elongata* and var. *obtusata*, Berggren 1875a as *Scapania bartlingii* var. *elongata*, Frisvoll & Elvebakk 1996. **DICKSON LAND:** Frisvoll & Elvebakk 1996, Konstantinova & Savchenko 2008c, 2011, Belkina *et al.* 2015. **HAAKON VII LAND:** Frisvoll & Elve-

bakk 1996, Konstantinova & Savchenko 2006, 2008a. **NATHORST LAND:** This publication. **NORDENSKIÖLD LAND:** Berggren 1875a as *Scapania bartlingii*, Persson 1942, Frisvoll & Elvebakk 1996, Konstantinova & Savchenko 2008b. **OSCAR II LAND:** Koroleva & Borovichev 2014. **PRINS KARLS FORLAND:** Konstantinova & Savchenko 2020a. **WEDEL JARLSBERG LAND:** This publication.

*** *Scapania gymnostomophila* Kaal. **SVALBARD:** Schuster & Damsholt 1974, Schuster 1974, Schljakov 1981, Düll 1983, Smith 1990, Söderström 1995, Paton 1999, Damsholt 2002, 2013, Söderström *et al.* 2002a, 2002b, Hodgetts 2015, Hodgetts & Lockhart 2020. **BJØRNØYA:** Persson 1946, Arnell 1956, Schuster 1974, Söderström *et al.* 2002b. **NORDAUST-LANDET:** GUSTAV V LAND: Konstantinova & Savchenko 2011, Konstantinova & Savchenko 2012, Konstantinova & Savchenko 2015. **BARENTSØYA:** Konstantinova & Savchenko 2018. **DICKSON LAND:** Frisvoll & Blom 1992, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997, Konstantinova & Koroleva 2003 as *Scapania gymnostomophila* f. *incurva*, Konstantinova & Savchenko 2008c, Konstantinova & Savchenko 2011. **HAAKON VII LAND:** Arnell & Mårtensson 1959, Frisvoll & Blom 1997. **JAMES LAND:** Frisvoll & Blom 1992, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997. **NATHORST LAND:** This publication. **OSCAR II LAND:** Frisvoll & Blom 1992. **PRINS KARLS FORLAND:** Konstantinova & Savchenko 2020a. **WEDEL JARLSBERG LAND:** Konstantinova & Koroleva 2003 as *Scapania gymnostomophila* f. *incurva*. NOTE: We are not aware of any primary report from Bjørnøya.

*** *Scapania hyperborea* Jørg. [*Martinellius hyperboreus* (Jørg.) H.A.Möller '*Martinellia hyperborea*']. **SVALBARD:** Arnell 1928, Frye & Clark 1946, Arnell 1956, Düll 1983, Söderström 1995, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. **BJØRNØYA:** Arnell 1922, 1928, Buch 1928, Harmsen & Seidenfaden 1932, Frye & Clark 1946, Arnell 1956, Schuster 1974 as *Scapania hyperborea* f. *hyperborea*, Söderström 1995, Frisvoll & Elvebakk 1996, Damsholt 2002, Söderström *et al.* 2002b. **PRINS OSCARS LAND:** Konstantinova & Savchenko 2008a. **SPITSBERGEN:** Persson 1942 [Kings Bay]. **ALBERT I LAND:** Arnell & Mårtensson 1959, Frisvoll & Elvebakk 1996. **HAAKON VII LAND:** Arnell & Mårtensson 1959. **NORDENSKIÖLD LAND:** Arnell 1922, Eurola 1971, Hadač 1989, Frisvoll & Elvebakk 1996, Konstantinova & Savchenko 2008b. **OSCAR II LAND:** Arnell & Mårtensson 1959. **WEDEL JARLSBERG LAND:** Rejment-Grochowska 1967, Frisvoll & Elvebakk 1996.

*** *Scapania irrigua* (Nees) Nees [*Martinellius irriguus* (Nees) Lindb. '*Martinellia irrigua*']. **SVALBARD:** Arnell 1928, Jørgensen 1934, Frye & Clark 1946, Arnell 1956, Müller 1956b, Worley 1972, Schuster & Damsholt 1974, Söderström 1995, Damsholt 2002, Söderström *et al.* 2002b. **BJØRNØYA:** Watson 1922, Summerhayes & Elton 1923a, Söderström 1995, Frisvoll & Elvebakk 1996, Damsholt 2002, Söderström *et al.* 2002b. **BARENTSØYA:** Philippi 1973, Konstantinova & Savchenko 2018. **EDGEØYA:** Philippi 1973. **ALBERT I LAND:** Lindberg 1866 as *Scapania irrigua* γ *globulifera*, Arnell 1922 as '*Martinellia irrigua*', Frisvoll & Elvebakk 1996. **HEER LAND:** Philippi 1973. **NORDENSKIÖLD LAND:** Hadač 1989, Frisvoll & Elvebakk 1996. **OSCAR II LAND:** Brattbakk *et al.* 1978. **SABINE LAND:** Philippi 1973. **WEDEL JARLSBERG LAND:** Rejment-Grochowska 1967, Eurola 1968, Karczmarz & Świąc 1989, Frisvoll & Elvebakk 1996. NOTE: It is possible

that *Scapania irrigua* only occur on Svalbard as subsp. *rufescens*.

** —subsp. *irrigua*. SVALBARD: Schuster 1974, Düll 1983 [with a ‘?’], Paton 1999, Söderström *et al.* 2002a [with a ‘?’], Hodgetts 2015, Hodgetts & Lockhart 2020.

** — subsp. *rufescens* (Loeske) R.M.Schust. SVALBARD: Düll 1983 [with a ‘?’], Söderström 1995, Frisvoll & Elvebakk 1996 [‘.. may be the most frequent or only Svalbard representative of the aggregate species.’], Damsholt 2002 [“probably correctly recorded”], Söderström *et al.* 2002a, 2002b, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. HAAKON VII LAND: Thinggaard & Damsholt 2007. NORDENSKIÖLD LAND: Konstantinova & Savchenko 2008b.

*** *Scapania kaurinii* Ryan. SVALBARD: Herzog 1926, Schljakov 1981, Düll 1983, Söderström 1995, Konstantinova 2000, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Hodgetts 2015, Hodgetts & Lockhart 2020, Konstantinova & Savchenko 2020b. PRINS OSCARS LAND: This publication. ALBERT I LAND: Arnell & Mårtensson 1959, Frisvoll & Elvebakk 1996. HAAKON VII LAND: Arnell & Mårtensson 1959. OSCAR II LAND: Arnell & Mårtensson 1959. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Frisvoll & Elvebakk 1996.

*** *Scapania ligulifolia* R.M.Schust. [*Scapania calcicola* subsp. *ligulifolia* (R.M.Schust.) Damsh. et D.G.Long]. SVALBARD: Düll 1983, Konstantinova 2000, Damsholt 2002, Vilnet *et al.* 2012a, Hodgetts 2015, Hodgetts & Lockhart 2020, Konstantinova & Savchenko 2020b. GUSTAV V LAND: Konstantinova & Savchenko 2011, 2012, 2015. PRINS OSCARS LAND: This publication. DICKSON LAND: Konstantinova & Savchenko 2011. HAAKON VII LAND: Konstantinova & Savchenko 2011. NATHORST LAND: This publication. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. SØRKAPP LAND: This publication. WEDEL JARLSBERG LAND: This publication.

*** *Scapania obcordata* (Berggr.) S.W.Arnell [*Sarcocyphos obcordatus* Berggr. ‘*Sarcocyphus*’. *Marsupella obcordata* (Berggr.) Steph.]. SVALBARD: Stephani 1901a, Persson 1962, Lammes 1977, Steere & Inoue 1978, Schljakov 1981, Düll 1983, Geissler & Bischler 1985, Ochyra & Vána 1989, Geissler & Bischler 1990, Söderström 1995, Bednarek-Ochyra *et al.* 2000, Söderström *et al.* 2002a, 2002b, Hassel & Rubies 2009, Vilnet *et al.* 2010, 2012a, Ellis *et al.* 2014b, Hodgetts 2015, Borovichev *et al.* 2016, Hodgetts & Lockhart 2020. BJØRNØYA: SYNTYPE, Söderström 1995, Frisvoll & Elvebakk 1996, Damsholt 2002, Söderström *et al.* 2002b. GUSTAV V LAND: SYNTYPE, Berggren 1875a, Lindberg & Arnell 1889, Schuster 1974, Grolle 1976, Frisvoll & Elvebakk 1996, Damsholt 2002, 2013, Konstantinova & Savchenko 2012. PRINS OSCARS LAND: Konstantinova & Savchenko 2008a, 2020b. BARENTSØYA: Konstantinova & Savchenko 2018. ALBERT I LAND: Arnell & Mårtensson 1959. DICKSON LAND: This publication. HAAKON VII LAND: This publication. HEER LAND: This publication. JAMES LAND: This publication. NORDENSKIÖLD LAND: Arnell & Mårtensson 1959, Hadač 1989, Frisvoll & Elvebakk 1996, Potemkin 1999, Konstantinova & Savchenko 2007, 2008a, 2008b, Heinrichs *et al.* 2012, Konstantinova *et al.* 2020b. OSCAR II LAND: Arnell & Mårtensson 1959. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. SØRKAPP LAND: Stebel *et al.* 2018. WEDEL JARLSBERG LAND: Rejment-Grochowska

1967, Karczmarz & Świąś 1989, 1990a, Frisvoll & Elvebakk 1996.

*** *Scapania paludicola* Loeske et Müll.Frib. var. *paludicola* [*Martinellius paludicola* (Loeske et Müll.Frib.) C.E.O.Jensen ‘*Martinellia*’]. SVALBARD: Arnell 1928, Buch 1928, Jørgensen 1934, Frye & Clark 1946, Arnell 1956, Worley 1972, Schuster 1974, Düll 1983, Smith 1990, Söderström 1995, Paton 1999, Damsholt 2002, 2013, Söderström *et al.* 2002a, 2002b, Hodgetts 2015, Hodgetts & Lockhart 2020. PRINS OSCARS LAND: This publication. ALBERT I LAND: Arnell 1922, Frisvoll & Elvebakk 1996. NATHORST LAND: This publication. NORDENSKIÖLD LAND: Euroła 1971, Hadač 1989, Frisvoll & Elvebakk 1996. OSCAR II LAND: Kobayashi *et al.* 1990, Frisvoll & Elvebakk 1996. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Frisvoll & Elvebakk 1996.

** *Scapania parvifolia* Warnst. [*Scapania scandica* f. *parvifolia* (Warnst.) Schljakov]. SVALBARD: Schuster 1974, Düll 1983, Smith 1990, Söderström 1995, Paton 1999, Damsholt 2002, Damsholt 2013, Ellis *et al.* 2014b, Hodgetts 2015, Hodgetts & Lockhart 2020. SPITSBERGEN: Schuster & Damsholt 1974. ALBERT I LAND: Arnell & Mårtensson 1959, Frisvoll & Blom 1992, 1997, Frisvoll & Elvebakk 1996 [with some doubt], Thinggaard & Damsholt 2007. NORDENSKIÖLD LAND: Konstantinova & Savchenko 2007, 2008b.

*** *Scapania praetervisa* Meyl. [*Scapania mucronata* subsp. *praetervisa* (Meyl.) Schljakov, *Scapania mucronata* var. *praetervisa* (Warnst.) Konstant. et Czernjad. *nom. inval.*]. SVALBARD: Persson 1962, Lammes 1977, Düll 1983, Smith 1990, Söderström 1995, Frisvoll & Blom 1997 as *Scapania mucronata* [given as *S. mucronata* s. lat. but restricted in a note], Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Hodgetts 2015, Hodgetts & Lockhart 2020. DICKSON LAND: This publication. HAAKON VII LAND: Arnell & Mårtensson 1959. JAMES LAND: This publication. NORDENSKIÖLD LAND: This publication. OSCAR II LAND: Arnell & Mårtensson 1959.

*** *Scapania simmonsii* Bryhn et Kaal. SVALBARD: Buch 1933, Arnell 1950, Steere 1953, Arnell 1956, Schuster 1974, Godfrey & Godfrey 1978, Godfrey & Schofield 1979, Schljakov 1981, Düll 1983, Frisvoll & Blom 1992, 1997, Söderström 1995, Frisvoll & Elvebakk 1996, Konstantinova 2000, Damsholt 2002, 2013, Söderström *et al.* 2002a, 2002b, Hodgetts 2015, Hodgetts & Lockhart 2020, Konstantinova & Savchenko 2020b. NOTE: The only report is old and without locality and collector specified (only “det. Kaalaas, affirm. H. Buch”).

*** *Scapania spitsbergensis* (Lindb.) Müll.Frib. [*Martinellius spitsbergensis* Lindb. ‘*Martinellia*’]. SVALBARD: Müller 1900, Müller 1901, Arnell & Jensen 1907, Stephani 1910, Evans 1911, Arnell 1928, Frye & Clark 1946, Steere 1954, Arnell 1956, Müller 1956b, Schuster & Damsholt 1974, Steere & Inoue 1978, Schljakov 1981, Düll 1983, Schuster 1983, Wegener *et al.* 1992, Söderström 1995, Konstantinova 2000, Söderström *et al.* 2002a, 2002b, Vilnet *et al.* 2010, Heinrichs *et al.* 2012, Hodgetts 2015, Zhang *et al.* 2017, Hodgetts & Lockhart 2020. GUSTAV V LAND: Konstantinova *et al.* 2020b. PRINS OSCARS LAND: Konstantinova & Savchenko 2008a, Klimova & Bakalin 2017. ALBERT I LAND: TYPE, Berggren 1875a as *Scapania nemorea*, Lindberg & Arnell 1889, Müller 1905, Müller 1915b, Arnell 1922, Buch 1928, Arnell & Mårtensson 1959, Schuster 1974, Grolle 1976, Geissler & Bischler 1985, Frisvoll & Blom 1992, Potemkin

1994, Frisvoll & Elvebakk 1996, **Frisvoll & Blom 1997**, **Damsholt 2002, 2013**, Konstantinova & Savchenko 2008a. HAAKON VII LAND: **Arnell & Mårtensson 1959**, **Frisvoll & Blom 1992**. NORDENSKIÖLD LAND: **Konstantinova & Savchenko 2008a**. OSCAR II LAND: Frisvoll & Elvebakk 1996, **Frisvoll & Blom 1997**. WEDEL JARLSBERG LAND: **Rejment-Grochowska 1967**, Frisvoll & Elvebakk 1996, **Frisvoll & Blom 1997**.

*** *Scapania subalpina* (Nees ex Lindenb.) Dumort. SVALBARD: Kaalaas 1893b, Düll 1983, Smith 1990, Söderström 1995, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. WEDEL JARLSBERG LAND: **Rejment-Grochowska 1967**, **Karczmarz & Świąś 1989**, **Frisvoll & Blom 1992, 1997**, Frisvoll & Elvebakk 1996.

*** *Scapania tundrae* (Arnell) H.Buch [*Scapania hyperborea* var. *tundrae* (Arnell) Potemkin]. SVALBARD: Jørgensen 1934, Arnell 1956, Müller 1956b, Schuster & Damsholt 1974, Schljakov 1981, Düll 1983, Söderström 1995, Konstantinova 2000, Damsholt 2002, Söderström *et al.* 2002a, 2002b, **Vilnet et al. 2010**, **Heinrichs et al. 2012**, Hodgetts 2015, Hodgetts & Lockhart 2020. NORDAUSTLANDET: Konstantinova & Savchenko 2015. PRINS OSCARS LAND: **This publication**. ALBERT I LAND: **TYPE** of *Scapania berggrenii*, **Arnell & Mårtensson 1959**, **Schuster 1974**, Frisvoll & Elvebakk 1996, **Potemkin 1999**, **Thinggaard & Damsholt 2007**. HAAKON VII LAND: **This publication**. NORDENSKIÖLD LAND: **Buch 1928**, Frisvoll & Elvebakk 1996, **Konstantinova & Savchenko 2007, 2008a, 2008b**, **Damsholt 2013**, **Konstantinova et al. 2020b**. OSCAR II LAND: **Arnell & Mårtensson 1959**. PRINS KARLS FORLAND: **Konstantinova & Savchenko 2020a**. SÖRKAPP LAND: **Dubiel & Olech 1990**, Frisvoll & Elvebakk 1996. WEDEL JARLSBERG LAND: **Rejment-Grochowska 1967**, **Eurola 1968**, **Karczmarz & Świąś 1989**, Frisvoll & Elvebakk 1996.

*** *Scapania uliginosa* (Lindenb.) Dumort. SVALBARD: Söderström *et al.* 2002a, Konstantinova 2003, Damsholt 2013, Ellis *et al.* 2015b, Hodgetts 2015, Stotler & Crandall-Stotler 2017, Hodgetts & Lockhart 2020. NY-FRIESLAND: **Karlsson 1993**, Frisvoll & Elvebakk 1996, **Frisvoll & Blom 1997**.

Schistochilopsis (N.Kitag.) Konstant.

* *Schistochilopsis hyperarctica* Konstant. et L.Söderstr. [*Lophozia hyperarctica* R.M.Schust. *nom. inval.*]. SVALBARD: Düll 1983, Söderström 1995, Grolle & Long 2000, Konstantinova 2000, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Ellis *et al.* 2013a, Hodgetts 2015, Hodgetts & Lockhart 2020. SPITSBERGEN: Frisvoll & Elvebakk 1996 [Dicksonfjorden]. JAMES LAND: **Frisvoll 1981**, Bisang 1991 [with some doubt], **Frisvoll & Blom 1992, 1997**.

*** *Schistochilopsis incisa* (Schrad.) Konstant. [*Lophozia incisa* (Schrad.) Dumort.]. SVALBARD: Schuster 1969, Worley 1972, Düll 1983, Gradstein & Våña 1987, Smith 1990, Söderström 1995, Damsholt 2002. BARENTSØYA: **Philippi 1973**, **Konstantinova & Savchenko 2018**. ALBERT I LAND: **Arnell & Mårtensson 1959**. HEER LAND: **Philippi 1973**.

* *Schistochilopsis opacifolia* (Culm. ex Meyl.) Konstant. [*Lophozia opacifolia* (Culm. ex Meyl.) Meyl., *Lophozia incisa* subsp. *opacifolia* (Culm. ex Meyl.) R.M.Schust. et Damsh. *nom. inval.*]. SVALBARD: Düll 1983, Bisang 1991, Söderström 1995, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, 2002b, **Vilnet et al. 2010**, Damsholt 2013, Hodgetts

2015, Hodgetts & Lockhart 2020. BARENTSØYA: Frisvoll & Elvebakk 1996. ALBERT I LAND: Frisvoll & Elvebakk 1996. DICKSON LAND: **Frisvoll 1981**. HAAKON VII LAND: **Frisvoll 1978, 1981**, Frisvoll & Elvebakk 1996. HEER LAND: Frisvoll & Elvebakk 1996. JAMES LAND: **Frisvoll 1981**, Frisvoll & Elvebakk 1996. NORDENSKIÖLD LAND: **Konstantinova & Savchenko 2007, 2008a, 2008b**, **Konstantinova et al. 2020b**. NOTE: We are not aware of any primary report from Barentsøya, Albert I Land and Heer Land. Frisvoll & Elvebakk (1996) only assumed that the reports of *Lophozia incisa* belongs to *Schistochilopsis opacifolia*.

Schizophyllopsis Våña et L.Söderstr.

*** *Schizophyllopsis sphenoloboides* (R.M.Schust.) Våña et L.Söderstr. [*Anastrophyllum sphenoloboides* R.M.Schust., *Schizophyllum sphenoloboides* (R.M.Schust.) Våña et L.Söderstr.]. SVALBARD: **Vilnet et al. 2010, 2012a**, Damsholt 2013, **Mamontov & Vilnet 2013**, Hodgetts 2015, Hodgetts & Lockhart 2020. NORDENSKIÖLD LAND: **Konstantinova & Savchenko 2008a, 2008b**, **Konstantinova & Savchenko 2020b**.

Schljakovia Konstant. et Vilnet

*** *Schljakovia kunzeana* (Huebener) Konstant. et Vilnet. [*Lophozia kunzeana* (Huebener) A. Evans, *Orthocaulis kunzeanus* (Huebener) H.Buch, *Barbilophozia kunzeana* (Huebener) Müll.Frib.]. SVALBARD: Berggren 1875b as *Jungermannia plicata* γ *gracilis*, Kaalaas 1893c as *Jungermannia kunzei* var. *plicata*, Bryhn 1906, Frye & Clark 1945, Müller 1954a, Arnell 1956, Düll 1983, Smith 1990, Söderström 1995, Frisvoll & Elvebakk 1996, Paton 1999, Damsholt 2002, 2013, Söderström *et al.* 2002a, Hodgetts 2015, Hodgetts & Lockhart 2020. ALBERT I LAND: **TYPE** of *Jungermannia plicata* var. *gracilis*, **Berggren 1875a** as *Jungermannia plicata* var. *gracilis*, **Geissler & Bischler 1987** as *Jungermannia plicata* var. *gracilis*. DICKSON LAND: **This publication**. NATHORST LAND: **This publication**. NORDENSKIÖLD LAND: **Hagen 1952**, **Konstantinova & Savchenko 2008b**, **Virtanen et al. 2013**, **Konstantinova et al. 2020b**. OSCAR II LAND: **Watson 1922**, **Summerhayes & Elton 1923a, 1923b**. SÖRKAPP LAND: **This publication**. WEDEL JARLSBERG LAND: **This publication**.

Schljakovianthus Konstant. et Vilnet

*** *Schljakovianthus quadrilobus* (Lindb.) Konstant. et Vilnet [*Jungermannia quadriloba* Lindb., *Barbilophozia quadriloba* (Lindb.) Loeske, *Lophozia quadriloba* (Lindb.) A.Evans, *Orthocaulis quadrilobus* (Lindb.) H.Buch]. SVALBARD: Evans 1900, Bryhn 1906, Müller 1910b, Arnell 1928, Jørgensen 1934, Frye & Clark 1945, Müller 1954a, Arnell 1956, Schuster 1969, Worley 1972, Düll 1983, Smith 1990, Söderström 1995, Söderström 1995 as *Lophozia quadriloba* var. *glareosa*, Frisvoll & Elvebakk 1996, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Hodgetts 2015, Hodgetts & Lockhart 2020. GUSTAV V LAND: **Konstantinova & Savchenko 2012** also as *Schljakovianthus quadrilobus* var. *glareosus*, **Konstantinova et al. 2014**. PRINS OSCARS LAND: **Konstantinova et al. 2014**. BARENTSØYA: **Philippi 1973**, **Konstantinova & Savchenko 2018**. EDGEØYA: **Philippi 1973**. KONG KARLS LAND: **Arnell 1900**. SPITSBERGEN: **Arnell & Mårtensson 1959** also as *Orthocaulis quadrilobus* var. *glareosa* [W. Spitsbergen]. ALBERT I LAND: **TYPE** of *Jungermannia floerkei* F.Weber et D.Mohr δ *gemmaipara*, **Lindberg 1866** as *Jungermannia floerkei* F.Weber et D.Mohr ä *gemmaipara*. ANDRÉE LAND: **This publication**. DICKSON LAND:

Konstantinova & Savchenko 2008c, Konstantinova & Savchenko 2011, Belkina *et al.* 2015. HAAKON VII LAND: Konstantinova & Savchenko 2006, Newsham & Goodall-Copestake 2021. HEER LAND: Konstantinova *et al.* 2020b. JAMES LAND: This publication. NATHORST LAND: This publication. NORDENSKIÖLD LAND: Persson 1942, Hagen 1952, Eurola 1971, Konstantinova & Savchenko 2007, 2008b, Konstantinova *et al.* 2020b. OSCAR II LAND: Kobayashi *et al.* 1990 as *Barbilophozia quadriloba* var. *glareosa*, Newsham & Goodall-Copestake 2021. PRINS KARLS FORLAND: Müller 1910b, Konstantinova & Savchenko 2020a as *Schljakovianthus quadrilobus* var. *glareosus*. SABINE LAND: Philippi 1973, Konstantinova *et al.* 2014. SØRKAPP LAND: This publication. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Karczmarsz & Świąc 1989.

Solenostoma Mitt.

*** *Solenostoma confertissimum* (Nees) Schljakov [*Jungermannia confertissima* Nees]. SVALBARD: Schljakov 1981, Smith 1990, Söderström 1995, Damsholt 2002, Söderström *et al.* 2002a, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. NORDENSKIÖLD LAND: This publication. OSCAR II LAND: Våna 1974, Frisvoll & Blom 1992, 1997, Frisvoll & Elvebakk 1996, Minami *et al.* 1997b.

*** *Solenostoma obovatum* (Nees) C.Massal. [*Jungermannia obovata* Nees, *Plectocolea obovata* (Nees) Mitt.]. SVALBARD: Buch & Fagerström 1946, Schuster 1969, Schuster 1969 as *Solenostoma subellipticum*, Worley 1972, Schuster & Damsholt 1974 as *Solenostoma subellipticum*, Våna 1975, Schljakov 1981, Düll 1983 also as *Jungermannia subelliptica*, Smith 1990 as *Jungermannia subelliptica*, Söderström 1995 also as *Jungermannia obovata* subsp. *minor*, Frisvoll & Elvebakk 1996, Paton 1999 as *Jungermannia subelliptica*, Damsholt 2002 also as *Jungermannia obovata* subsp. *minor*, Söderström *et al.* 2002a as *Jungermannia subelliptica*, Söderström *et al.* 2002a [rejecting earlier reports], Söderström and *Jungermannia subelliptica*, Damsholt 2013 also as *Jungermannia obovata* subsp. *minor*, Hodgetts 2015 as *Solenostoma subellipticum*, Hodgetts & Lockhart 2020 as *Solenostoma subellipticum*, Kusnetsova *et al.* 2020 as *Plectocolea subelliptica*. DICKSON LAND: This publication. HAAKON VII LAND: Arnell & Mårtensson 1959 also as *Plectocolea subelliptica*. NATHORST LAND: This publication. NORDENSKIÖLD LAND: Arnell & Mårtensson 1959 as *Plectocolea subelliptica*, Våna 1975 as *Jungermannia subelliptica*, Frisvoll & Blom 1992, Frisvoll & Elvebakk 1996 as *Jungermannia subelliptica*, Konstantinova & Savchenko 2007, 2008a, 2008b all as *Plectocolea subelliptica*. OSCAR II LAND: Arnell & Mårtensson 1959 also as *Plectocolea subelliptica*, Våna 1975 as *Jungermannia subelliptica*, Frisvoll & Blom 1992, Frisvoll & Elvebakk 1996 as *Jungermannia subelliptica*. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a as *Solenostoma subellipticum*. SØRKAPP LAND: This publication. WEDEL JARLSBERG LAND: This publication. NOTE: All reports of *Solenostoma obovatum* from Svalbard can be referred to *Solenostoma subellipticum* which we here regard as a synonym.

*** *Solenostoma sphaerocarpum* (Hook.) Steph. [*Jungermannia sphaerocarpa* Hook.]. SVALBARD: Buch & Fagerström 1946 as *Jungermannia jenseniana*, Våna 1974 also as *Jungermannia jenseniana*, Schljakov 1981, Smith 1990, Söderström 1995 also as *Jungermannia jenseniana*, Frisvoll & Elvebakk 1996 as *Jungermannia jenseniana*, Paton 1999, Damsholt

2002 also as *Jungermannia jenseniana*, Söderström *et al.* 2002a, 2002b, Damsholt 2013, Hodgetts 2015 as *Solenostoma pusillum*, Hodgetts 2015, Hodgetts & Lockhart 2020, Kusnetsova *et al.* 2020. GUSTAV V LAND: Konstantinova & Savchenko 2012 as *Solenostoma* cf. *sphaerocarpum* var. *nanum*. DICKSON LAND: This publication. NORDENSKIÖLD LAND: This publication. OSCAR II LAND: Arnell & Mårtensson 1959 as *Jungermannia pusilla* [rejected as *Jungermannia confertissima* by Frisvoll & Elvebakk 1996]. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. SØRKAPP LAND: Dubiel & Olech 1990 as *Solenostoma* 'sphaerocarpa' var. *nana*, Frisvoll & Blom 1992, 1997 both as *Jungermannia sphaerocarpa* var. *nana*, Frisvoll & Elvebakk 1996. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967 as *Solenostoma sphaerocarpum* var. 'nana', Karczmarsz & Świąc 1988, 1989 both as *Solenostoma sphaerocarpum* var. *nanum*, Świąc & Karczmarsz 1991a, 1991b as *Solenostoma sphaerocarpum* var. 'nana', Frisvoll & Blom 1992, 1997 both as *Jungermannia sphaerocarpa* var. *nana*, Frisvoll & Elvebakk 1996. NOTE: We are not aware of any correctly identified report from Oscar II Land and only reported with some doubt from Gustav V Land.

Sphenolobus (Lindb.) Berggr.

*** *Sphenolobus minutus* (Schreb.) Berggr. [*Jungermannia minuta* Schreb., *Anastrophyllum minutum* (Schreb.) R.M.Schust.]. SVALBARD: Stephani 1902, Bryhn 1906, Müller 1909c, Herzog 1926 as *Sphenolobus saccatulus*, Harmsen & Seidenfaden 1932, Jørgensen 1934 as *Sphenolobus minutus* var. *grandis*, Frye & Clark 1945 as *Sphenolobus minutus* var. *grandis*, Frye & Clark 1945, Müller 1954b, Arnell 1956, Schuster 1969 as *Anastrophyllum minutum* var. *weberi*, Worley 1972, Smith 1990, Söderström 1995 also as *Anastrophyllum minutum* var. *weberi*, Frisvoll & Elvebakk 1996, Paton 1999, Damsholt 2002 also as *Anastrophyllum minutum* var. *weberi*, Söderström *et al.* 2002a, 2002b both also as *Anastrophyllum minutum* var. *weberi*, Schill & Long 2003, Hentschel *et al.* 2006, Heinrichs *et al.* 2007, Hentschel *et al.* 2007, Feldberg *et al.* 2009, 2010, 2013, Vilnet *et al.* 2010, 2012a, Damsholt 2013 as *Anastrophyllum minutum* var. *weberi*, Mamontov & Vilnet 2013, 2017, Stotler & Crandall-Stotler 2017, Hodgetts & Lockhart 2020. GUSTAV V LAND: Hooker 1828, Berggren 1875a, 1875b, Konstantinova & Savchenko 2012. PRINS OSCARS LAND: Konstantinova & Savchenko 2008a. BARENTSOYA: Philippi 1973, Konstantinova & Savchenko 2018. EDGEØYA: Philippi 1973. Kvitøya: This publication. SPITSBERGEN: Gottsche *et al.* 1847 [Bellsund], Arnell & Mårtensson 1959 as *Sphenolobus minutus* var. *grandis* [W. Spitsbergen]. ALBERT I LAND: Lindberg 1866 as *Jungermannia minuta* 1 fasciculata, Berggren 1875a, Thinggaard & Damsholt 2007. DICKSON LAND: This publication. HAAKON VII LAND: Wegener *et al.* 1992, Thinggaard & Damsholt 2007, Newsham & Goodall-Copestake 2021. JAMES LAND: This publication. NORDENSKIÖLD LAND: Berggren 1875a, Hagen 1952, Eurola 1968, Hadač 1989, Konstantinova & Savchenko 2007, 2008a, 2008b, Stebel *et al.* 2018 as *Sphenolobus minutus* var. *grandis*. NY-FRIESLAND: This publication. OSCAR II LAND: Kobayashi *et al.* 1990, Newsham & Goodall-Copestake 2021. PRINS KARLS FORLAND: Hagen 1908, Watson 1922, Summerhayes & Elton 1923a, 1923b, Konstantinova & Savchenko 2020a. SABINE LAND: Philippi 1973. TORRELL LAND: Rejment-Grochowska 1967. WEDEL JARLSBERG LAND: Rejment-

Grochowska 1967, Karczmarz & Świąs 1988, 1989, 1990a, 1990b, Świąs & Karczmarz 1991a, 1991b, 1993b.

***Tetralophozia* (R.M.Schust.) Schljakov**

*** *Tetralophozia setiformis* (Ehrh.) Schljakov [*Jungermannia setiformis* Ehrh., *Chandonanthus setiformis* (Ehrh.) Lindb., *Temnoma setiforme* (Ehrh.) M.Howe, *Blepharostoma setiforme* (Ehrh.) Schiffn.]. SVALBARD: Bryhn 1906, Müller 1914a, Arnell 1928, Harmsen & Seidenfaden 1932, Frye & Clark 1945, Müller 1954a, Steere 1954, Arnell 1956, Bird & Ogilvie 1964, Schuster 1969, Worley 1972, Schuster & Damsholt 1974, Düll 1983, Söderström 1995, Frisvoll & Elvebakk 1996, Paton 1999, Damsholt 2002, 2013, Söderström *et al.* 2002a, 2002b, Hodgetts 2015, Hodgetts & Lockhart 2020, Konstantinova & Savchenko 2020b. GUSTAV V LAND: Lindberg 1866 as *Jungermannia setiformis* var. *alpinus*, Berggren 1875a, Berggren 1875b. PRINS OSCARS LAND: This publication. BARENTSØYA: Philippi 1973, Konstantinova & Savchenko 2018. ALBERT I LAND: Gottsche *et al.* 1847 as *Jungermannia setiformis* var. *alpinus*, Livesay 1870, Berggren 1875a, Arnell & Mårtensson 1959, Thinggaard & Damsholt 2007. HAAKON VII LAND: Lindberg 1866 as *Jungermannia setiformis* var. *alpinus*, Berggren 1875a, Arnell & Mårtensson 1959, Inoue 1988, Wegener *et al.* 1992. NORDENSKIÖLD LAND: Hadač 1946, Eurola 1968. OSCAR II LAND: Arnell & Mårtensson 1959. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. SÖRKAPP LAND: Dubiel & Olech 1990. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Bednarek-Ochyra *et al.* 1987a, Karczmarz & Świąs 1988, 1991a, Kuc 1998.

***Trilophozia* (R.M.Schust.) Bakalin**

*** *Trilophozia quinqueidentata* (Huds.) Bakalin [*Jungermannia quinqueidentata* Huds., *Lophozia quinqueidentata* (Huds.) Cogn., *Tritomaria quinqueidentata* (Huds.) H.Buch]. SVALBARD: Bryhn 1906, Frye & Clark 1945, Arnell 1956, Schuster 1958, Schuster 1969, Worley 1972, Düll 1983, Persson & Viereck 1983 as *Tritomaria quinqueidentata* subsp. *turgida*, Geissler & Bischler 1987 of *Jungermannia attenuata* β* *laxifolia*, Smith 1990, Söderström 1995 also as *Tritomaria quinqueidentata* subsp. *turgida*, Paton 1999, Damsholt 2002 also as *Tritomaria quinqueidentata* subsp. *turgida*, Söderström *et al.* 2002a, 2002b both also as *Tritomaria quinqueidentata* subsp. *turgida*, Vilnet *et al.* 2010, 2012a both as *Tritomaria quinqueidentata* f. *gracilis*, Damsholt 2013 as *Tritomaria quinqueidentata* subsp. *turgida*, Hodgetts 2015, Bakalin & Vilnet 2019 as *Tritomaria quinqueidentata* f. *gracilis*, Hodgetts & Lockhart 2020, Konstantinova & Savchenko 2020b, Konstantinova *et al.* 2020a as *Trilophozia quinqueidentata* f. *gracilis*. BJØRNØYA: Berggren 1875a, Watson 1922, Summerhayes & Elton 1923a, Söderström 1995, Frisvoll & Elvebakk 1996, Damsholt 2002, Söderström *et al.* 2002b. GUSTAV V LAND: Lindberg 1866, Berggren 1875a, Konstantinova & Savchenko 2012. PRINS OSCARS LAND: Konstantinova & Savchenko 2008a, Konstantinova *et al.* 2014. BARENTSØYA: Hoffman 1968, Philippi 1973, Konstantinova & Savchenko 2018 also as *Trilophozia quinqueidentata* var. *turgida*. EDGEØYA: Philippi 1973, Heinemeijer 1979, Heinemeijer & van Dijk 2004. KONG KARLS LAND: Arnell 1900, Hoffman 1968. Kvitøya: Hoffman 1968. SPITSBERGEN: Arnell & Mårtensson 1959. ALBERT I LAND: TYPE of *Jungermannia attenuata* β* *laxifolia*, Lindberg 1866 of *Jungermannia attenuata* β* *laxifolia*, Thinggaard & Damsholt 2007 as *Tritomaria quinqueidentata* f. *gracilis*, Konstanti-

nova & Savchenko 2008a. DICKSON LAND: Konstantinova & Savchenko 2008c, 2011, Belkina *et al.* 2015, Konstantinova *et al.* 2020b. HAAKON VII LAND: Lindberg 1866, Berggren 1875a, Wegener *et al.* 1992, Konstantinova & Savchenko 2006, 2008a, Thinggaard & Damsholt 2007 as *Tritomaria quinqueidentata* subsp. *turgida*, Newsham & Goodall-Copestake 2021. HEER LAND: Philippi 1973. NORDENSKIÖLD LAND: Watson 1922, Hadač 1946, 1989, Hagen 1952, Konstantinova & Savchenko 2007, 2008a, 2008b, Thinggaard & Damsholt 2007 as *Tritomaria quinqueidentata* f. *gracilis*, Virtanen *et al.* 2013, Stebel *et al.* 2018 as *Trilophozia quinqueidentata* var. *turgida*, Konstantinova *et al.* 2020b. OSCAR II LAND: Watson 1922 as *Lophozia quinqueidentata* var. *turgida*, Summerhayes & Elton 1923a, 1923b, Arnell & Mårtensson 1959 as *Tritomaria quinqueidentata* var. *turgida*, Kobayashi *et al.* 1990, Frisvoll & Elvebakk 1996 as *Tritomaria quinqueidentata* var. *turgida*, Newsham & Goodall-Copestake 2021. PRINS KARLS FORLAND: Hagen 1908, Watson 1922, Summerhayes & Elton 1923a, 1923b, Harmsen & Seidenfaden 1932, Konstantinova & Savchenko 2020a. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Eurola 1968, Karczmarz & Świąs 1988, 1989, Świąs & Karczmarz 1991a, 1991b, Kuc 1998.

***Tritomaria* Schiffn. ex Loeske**

*** *Tritomaria exsectiformis* (Bridl.) Schiffn. ex Loeske. SVALBARD: Düll 1983, Söderström 1995, Paton 1999, Söderström *et al.* 2002a, 2002b, Konstantinova 2003. OSCAR II LAND: Arnell & Mårtensson 1959 [‘may represent ssp. *arctica*’ fide Schuster 1969], Frisvoll & Blom 1992, 1997, Frisvoll & Elvebakk 1996 [‘probably subsp. *exsectiformis*’].

** — subsp. *exsectiformis*. SVALBARD: Schuster 1969, Söderström 1995, Damsholt 2002, Hodgetts 2015, Hodgetts & Lockhart 2020.

*** *Tritomaria scitula* (Taylor) Jørg. SVALBARD: Düll 1983, Söderström 1995, Frisvoll & Elvebakk 1996, Damsholt 2002, Söderström *et al.* 2002a, 2002b, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. GUSTAV V LAND: Konstantinova & Savchenko 2012. SPITSBERGEN: Thinggaard & Damsholt 2007. DICKSON LAND: Konstantinova & Savchenko 2008c, 2011. HAAKON VII LAND: Arnell & Mårtensson 1959, Konstantinova & Savchenko 2006, 2008a. HEER LAND: Konstantinova *et al.* 2020b. JAMES LAND: This publication. NATHORST LAND: This publication. NORDENSKIÖLD LAND: Hagen 1952, Eurola 1968, Hadač 1989. OSCAR II LAND: Arnell & Mårtensson 1959, Brattbakk *et al.* 1978, Kobayashi *et al.* 1990, Koroleva & Borovichev 2014. PRINS KARLS FORLAND: Konstantinova & Savchenko 2020a. SÖRKAPP LAND: This publication. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967, Karczmarz & Świąs 1988, 1989, Świąs & Karczmarz 1991a, 1991b.

TAXA ONLY DOUBTFULLY OCCURRING ON SVALBARD

***Anthelia* (Dumort.) Dumort.**

*** *Anthelia julacea* (L.) Dumort. [*Jungermannia julacea* L.]. SVALBARD: Phipps 1774, Phips 1777, Berggren 1875b, Spruce 1882, Harmsen & Seidenfaden 1932, Frye & Clark 1943, Le Gallo 1951, Steere 1954, Schuster 1974, Düll 1983, Smith 1990, Söderström 1995, Frisvoll & Elvebakk 1996, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, Söderström *et al.* 2002b [with a ‘?’], Konstantinova 2003 [with doubt], Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. BJØRNØYA: Berggren 1875a. KONG KARLS LAND: Arnell 1900. ALBERT I LAND: Berggren 1875a. PRINS KARLS

FORLAND: Berggren 1875a. **WEDEL JARLSBERG LAND:** Rejment-Grochowska 1967, Karczmarz & Świąś 1989, Frisvoll & Blom 1992, Frisvoll & Blom 1997. NOTE: Mostly, especially in earlier literature, reported as s. lat. and should be rejected as *Anthelia juratzkana*. Only possibly reliable report is by Rejment-Grochowska (1967; cf. Frisvoll & Elvebakk, 1996).

Barbilophozia Loeske

*** *Barbilophozia lycopodioides* (Wallr.) Loeske [*Jungermannia lycopodioides* Wallr., *Lophozia lycopodioides* (Wallr.) Cogn.]. **SVALBARD:** Berggren 1875b, Schiffner 1898, Frye & Clark 1945, Schuster 1969, Worley 1972, Düll 1983, Söderström 1995, Frisvoll & Elvebakk 1996, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. **BJØRNØYA:** Berggren 1875a, Söderström 1995, Frisvoll & Elvebakk 1996 [doubting report], Damsholt 2002. **GUSTAV V LAND:** Berggren 1875a [rejected as *B. hatcheri* by Arnell & Mårtensson 1959]. **ALBERT I LAND:** Lindberg 1866, Berggren 1875a [rejected as *Barbilophozia hatcheri* by Arnell & Mårtensson 1959]. **HAAKON VII LAND:** Arnell & Mårtensson 1959, Wegener *et al.* 1992. **NORDENSKIÖLD LAND:** Berggren 1875a, Hagen 1952, Prestø *et al.* 2014. **OSCAR II LAND:** Watson 1922 as *Lophozia lycopodioides* var. *obliqua*. NOTE: Many, especially older, reports refer to *Barbilophozia hatcheri* (cf. Frisvoll & Elvebakk, 1996). We are not aware of any confirmed report from Svalbard although several specimens in TRH is named *Barbilophozia lycopodioides*, but they are in need of revision. Specimens in TRH that we have seen seem to deviate morphologically from what is found in boreal and alpine areas of Scandinavia. Further studies are needed to clarify the taxonomic status of these specimens.

Blepharostoma (Dumort.) Dumort.

*** *Blepharostoma trichophyllum* (L.) Dumort. [*Jungermannia trichophylla* L.]. **SVALBARD:** Berggren 1875b, Müller 1914a, Arnell 1928, Harmsen & Seidenfaden 1932, Frye & Clark 1943, Le Gallo 1951, Worley 1972, Miller *et al.* 1983, Smith 1990, Söderström 1995, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, Söderström *et al.* 2002b, Hodgetts 2015, Bakalin *et al.* 2020c, Hodgetts & Lockhart 2020. **BJØRNØYA:** Watson 1922, Summerhayes & Elton 1923a, Söderström 1995, Damsholt 2002, Söderström *et al.* 2002b. **GUSTAV V LAND:** Wulff 1902. **EDGEØYA:** Heinemeijer 1979. **KONG KARLS LAND:** Arnell 1900, Lindberg 1866 [Isfjorden], Nilsen & Elvebakk 2014 [“Sassendalen”]. **ALBERT I LAND:** Gottsche *et al.* 1847, Berggren 1875a, Frisvoll 1978. **BUNDSOW LAND:** Watson 1922, Summerhayes & Elton 1923a, Acock 1940. **DICKSON LAND:** Frisvoll 1981. **HAAKON VII LAND:** Frisvoll 1978, Wegener *et al.* 1992, Newsham & Goodall-Copestake 2021. **NORDENSKIÖLD LAND:** Watson 1922, Summerhayes & Elton 1923b, Hadač 1946, Hagen 1952, Eurla 1968, Hadač 1989, Konstantinova & Savchenko 2007 [s.lat.], Virtanen *et al.* 2013, Prestø *et al.* 2014. **NY-FRIESLAND:** Wulff 1902. **OSCAR II LAND:** Watson 1922, Summerhayes & Elton 1923a, 1923b, Brattbakk *et al.* 1978, Gugnacka-Fiedor & Nryśkiewicz 1982, Boinśka & Gugnacka-Fiedor 1983, Kobayashi *et al.* 1990, Koroleva & Borovichev 2014, Newsham & Goodall-Copestake 2021. **PRINS KARLS FORLAND:** Hagen 1908. **SØRKAPP LAND:** Dubiel & Olech 1990. **WEDEL JARLSBERG LAND:** Karczmarz & Świąś 1990a, 1990b, Świąś & Karczmarz 1991a, 1991b, 1993b, Kuc 1998. NOTE: Only reported s.lat. and probably only *Blepharostoma brevirete* occurs on Svalbard.

Harpanthus Nees

*** *Harpanthus flotowianus* (Nees) Nees. **SVALBARD:** Müller 1911, Arnell 1928 [‘flotowianus’], Jørgensen 1934 as *Harpanthus flotowianus* var. *retusa* [‘flotowianus’], Frye & Clark 1945, Arnell 1956 [‘flotowianus’], Grolle 1965, Worley 1972, Steere & Inoue 1978, Schljakov 1979, Schuster 1980, Smith 1990, Söderström 1995, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, Söderström *et al.* 2002b, Konstantinova 2003, Damsholt 2013, Hodgetts 2015, Hodgetts & Lockhart 2020. **KONG KARLS LAND:** Arnell 1900, Frisvoll & Blom 1992, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997. **SPITSBERGEN:** Wulff 1902 as *Harpanthus Flotowii* [Wijde bay], Frisvoll & Blom 1992 [Wijdefjorden], Frisvoll & Elvebakk 1996 [Wijdefjorden]. NOTE: The taxon is not seen after 1902 but we have not seen the specimens that the reports are based on.

Jungermannia L.

*** *Jungermannia borealis* Damsh. et Våña. **SVALBARD:** Schuster 1969 as *Solenostoma oblongifolium*, Düll 1983, Söderström *et al.* 2002a, Ellis *et al.* 2013b, Hodgetts 2015, Hodgetts & Lockhart 2020 [with doubt]. **GUSTAV V LAND:** Konstantinova & Savchenko 2012 as *Jungermannia* cf. *borealis*. **NORDENSKIÖLD LAND:** Arnell & Mårtensson 1959 as *Jungermannia oblongifolia*. NOTE: Arnell & Mårtensson’s report was rejected as *Jungermannia polaris* by Våña (1973) and later only reported with some hesitation.

Lophoziopsis Konstant. et Vilnet

** *Lophoziopsis longidens* (Lindb.) Konstant. et Vilnet subsp. *arctica* (R.M.Schust.) Våña et L.Söderstr. [*Lophozia longidens* subsp. *arctica* R.M.Schust.]. **SVALBARD:** Düll 1983 [with a ‘?’], Söderström *et al.* 2002a [with a ‘?’], Damsholt 2013, Hodgetts 2015 [with a ‘?’], Hodgetts & Lockhart 2020 [with a ‘?’]. NOTE: *Lophoziopsis longidens* subsp. *arctica* has never been confirmed for Svalbard and the existing secondary reports seem to be based only on the possibility that the subspecies occurs there. However, there is a specimen in TRH identified by A.A. Frisvoll as this subspecies, but the specimen is not available to re-study at the moment.

Tritomaria Schiffn. ex Loeske

** *Tritomaria exsectiformis* (Breidl.) Schiffn. ex Loeske subsp. *arctica* R.M.Schust. **SVALBARD:** Söderström 1995, Damsholt 2002, 2013, Söderström *et al.* 2002b, Hodgetts 2015, Hodgetts & Lockhart 2020. NOTE: Subspecies *arctica* has not been confirmed to occur on Svalbard.

TAXA REJECTED FROM SVALBARD

Barbilophozia Loeske

*** *Barbilophozia rubescens* (R.M.Schust. et Damsh.) Kartt. et L.Söderstr. **OSCAR II LAND:** Arnell & Mårtensson 1959 as *Barbilophozia hatcheri* var. *grandiretis* [‘approaching var. *grandiretis*’]. NOTE: Only reported with doubt and the report is rejected by Frisvoll & Elvebakk (1996).

Cephaloziella (Spruce) Schiffn.

*** *Cephaloziella divaricata* (Sm.) Schiffn. [*Jungermannia divaricata* Sm.]. **SVALBARD:** Harmsen & Seidenfaden 1932 as *Cephaloziella ‘starkii’*, Frye & Clark 1945 as *Cephaloziella byssacea*, Schuster 1980 as *Cephaloziella byssacea* var. *byssacea*, Düll 1983, Smith 1990, Konstantinova 2003, Damsholt 2013. **BJØRNØYA:** Summerhayes & Elton 1923a as *Cephaloziella byssacea*. **SPITSBERGEN:** Armitage 1937 as *Cephaloziella ‘Starkii’* [“King’s Heaven”]. **ALBERT I LAND:** Gottsche *et al.* 1847. **PRINS KARLS FORLAND:** Watson 1922 as *Cephaloziella byssacea*, Summerhayes & Elton 1923a, 1923b both as *Cephaloziella byssacea*. NOTE: *Cephaloziel-*

la divaricata has been reported from Svalbard many times, but they are all rejected by Frisvoll & Elvebakk (1996) as probably mostly *Cephaloziella uncinata*.

*** *Cephaloziella grimsulana* (J.B.Jack ex Gottsche et Rabenh.) Lacout. SVALBARD: Frye & Clark 1945, Schuster 1980, Düll 1983, Damsholt 2002 [with a “?”], Damsholt 2013. WEDEL JARLSBERG LAND: **Karcmarz & Świąś 1990b**, **Świąś & Karcmarz 1991a, 1991b, 1993b**. NOTE: All reports was rejected by Frisvoll & Elvebakk (1996).

*** *Cephaloziella hampeana* (Nees) Schiffn. ex Loeske. SVALBARD: Herzog 1926 as *Cephaloziella biloba*, Frye & Clark 1945 as *Cephaloziella biloba*. NORDENSKIÖLD LAND: **Müller 1913a** as *Cephaloziella biloba*. NOTE: Müller’s report of *Cephaloziella biloba* (= *Cephaloziella hampeana*) was apparently overlooked by Frisvoll & Elvebakk (1996) but the occurrence must be rejected as was done in Hodgetts (2015).

*** *Cephaloziella rubella* (Nees) Warnst. SVALBARD: Hodgetts 2015, Stebel *et al.* 2018,. KONG KARLS LAND: **Arnell 1900** as *Cephalozia bifida*. ALBERT I LAND: **Wulff 1902** as *Cephalozia bifida*. NORDENSKIÖLD LAND: **Ellis *et al.* 2017** [rejected by Konstantinova in litt. 2019-01-25]. OSCAR II LAND: **Summerhayes & Elton 1923a, 1923b** both as *Cephaloziella bifida* var. *bifida* and var. *erosa*. NOTE: All reports were rejected by Frisvoll & Elvebakk (1996). The “new” record in Ellis *et al.* (2017) is also a mis-identification (re-examined by N. Konstantinova).

*** *Cephaloziella spinigera* (Lindb.) Warnst. SVALBARD: HAAKON VII LAND: **Thingsgaard & Damsholt 2007**. NORDENSKIÖLD LAND: **Persson 1942** as *Cephaloziella striatula*, **Hadač 1946** as *Cephalozia striatula*. OSCAR II LAND: **Arnell & Mårtensson 1959** as *Cephaloziella subdentata* [rejected by Schuster 1980 as mostly *C. uncinata*]. WEDEL JARLSBERG LAND: **Rejment-Grochowska 1967** as *Cephaloziella subdentata*. NOTE: All reports of *Cephaloziella spinigera* was rejected by Frisvoll & Elvebakk (1996).

*** *Cephaloziella stellulifera* (Taylor ex Carrington et Pearson) Croz. SVALBARD: Smith 1990, Schäfer-Verwimp & Giannotti 1993, Damsholt 2002 [“doubtfully”]. NOTE: There seems not to be any primary report and all other reports must be rejected as done by Söderström *et al.* (2007).

*** *Cephaloziella verrucosa* Steph. SVALBARD: Steere 1954. NORDENSKIÖLD LAND: **Bryhn 1909**. NOTE: The report of *Cephaloziella verrucosa*, a Southern Hemisphere species, is probably an error of synonymy.

Chiloscyphus Corda NOTE: All reports of *Chiloscyphus* (under various names) probably originate from a single specimen said to be collected by Vahl in Bellsund, but this is probably an error in labelling as the expedition also visited northern Norway (cf. Frisvoll & Elvebakk, 1996).

*** *Chiloscyphus pallescens* (Ehrh. ex Hoffm.) Dumort. [*Chiloscyphus polyanthos* var. *pallescens* (Ehrh. ex Hoffm.) Hartm.]. SVALBARD: Arnell 1956, Worley 1972, Smith 1990, Damsholt 2002 [with a “?”]. SPITSBERGEN: **Gottsche *et al.* 1847**.

*** *Chiloscyphus polyanthos* (L.) Corda. SVALBARD: Arnell 1928, Frye & Clark 1943, Le Gallo 1951, Arnell 1956, Schuster 1980, Smith 1990. SPITSBERGEN: **Berggren 1875a**, **Schiffner 1912** as *Chiloscyphus polyanthos* f. *luxurians*.

Eremonotus Lindb. et Kaal. ex Pearson

*** *Eremonotus myriocarpus* (Carrington) Lindb. et Kaal. ex Pearson. SVALBARD: Düll 1983, Paton 1999. NOTE: The reference to Svalbard in Düll (1983) is an error (cf. Frisvoll & Elvebakk 1996).

Fuscocephaloziopsis Fulford

*** *Fuscocephaloziopsis catenulata* (Huebener) Vána et L.Söderstr. [*Cephalozia catenulata* (Huebener) Lindb.]. SVALBARD: Frye & Clark 1945, Le Gallo 1951, Schuster 1974 [with doubt]. BJØRNØYA: **Watson 1922** as *Cephalozia reclusa*, **Summerhayes & Elton 1923a** as *Cephalozia serriflora*, Söderström 1995. NOTE: All reports was rejected by Frisvoll & Elvebakk (1996).

*** *Fuscocephaloziopsis leucantha* (Spruce) Vána et L.Söderstr. [*Cephalozia leucantha* Spruce]. SVALBARD: Frye & Clark 1945, BJØRNØYA: **Watson 1922** as *Cephalozia leucantha*, **Summerhayes & Elton 1923a**. NORDENSKIÖLD LAND: Eurola 1971 as *Cephalozia* cf. *leucantha*. NOTE: All reports of *Fuscocephaloziopsis leucantha* was rejected by Frisvoll & Elvebakk (1996).

Gymnocolea (Dumort.) Dumort.

* *Gymnocolea inflata* (Huds.) Dumort. subsp. *acutiloba* (Schiffn.) R.M.Schust. et Damsh. ex L.Söderstr. et Vána [*Gymnocolea acutiloba* (Schiffn.) Müll.Frib.]. SVALBARD: Düll 1983. NOTE: *Gymnocolea inflata* subsp. *acutiloba* is a problematic taxon which sometimes has been treated as conspecific with *Gymnocolea inflata*, sometimes as a separate species. Düll’s (1983) report of *Gymnocolea acutiloba* was regarded as an error by Frisvoll & Elvebakk (1996).

Harpanthus Nees

*** *Harpanthus scutatus* (F.Weber et D.Mohr) Spruce. SVALBARD: Frye & Clark 1945, Le Gallo 1951, Grolle 1965, Schuster 1980 [with doubt], Söderström 1995, Paton 1999, Damsholt 2002, Söderström *et al.* 2002a, Söderström *et al.* 2002b, Hodgetts 2015, Hodgetts & Lockhart 2020 [rejecting earlier reports]. BJØRNØYA: **Watson 1922**, **Summerhayes & Elton 1923a**, Söderström 1995, Frisvoll & Elvebakk 1996, **Frisvoll & Blom 1997**, Damsholt 2002, Söderström *et al.* 2002b. OSCAR II LAND: **Watson 1922**, **Frisvoll & Blom 1997**. PRINS KARLS FORLAND: **Watson 1922**, Frisvoll & Elvebakk 1996, **Frisvoll & Blom 1997**. NOTE: Both reports were considered doubtful by Frisvoll & Elvebakk (1996) and we here exclude this mainly boreal species as highly unlikely to occur on Svalbard.

Heterogemma (Jørg.) Konstant. et Vilnet

*** *Heterogemma capitata* (Hook.) Konstant. et Vilnet. [*Lophozia capitata* (Hook.) Macoun]. SVALBARD: Söderström *et al.* 2002a. NOTE: *Heterogemma capitata* was excluded from Svalbard by Söderström *et al.* (2002). However, it seems never have been reported to occur there so the exclusion was, although correct, an error.

Hygrobiella Spruce

*** *Hygrobiella laxifolia* (Hook.) Spruce. SVALBARD: Herzog 1926. NOTE: Although mentioned under the heading “Spitzbergen” it is not clear if Herzog actually meant that *Hygrobiella laxifolia* occurred there. However, it is never found in the Arctic and thus rejected here.

Jungermannia L.

*** *Jungermannia atrovirens* Dumort. [*Aplozia atrovirens* (Dumort.) Dumort. ‘*Haplozia*’, *Solenostoma atrovirens* (Dumort.) Müll.Frib. *hom. illeg.*]. SVALBARD: **Stephani 1901b**, Müller 1909c, Lorenz 1915, Frye & Clark 1943, Amakawa 1960, Schuster 1969, Worley 1972, Smith 1990. BARENTSØYA: **Philippi 1973**. EDGEØYA: **Philippi 1973** as *Solenostoma atrovirens*. NORDENSKIÖLD LAND: **Persson 1942**. SABINE LAND: **Philippi 1973**. NOTE: Rejected as *Jungermannia polaris* by Vána (1973).

** *Jungermannia eucordifolia* Schljakov. SVALBARD: Düll 1983 as *Jungermannia exsertifolia*. NOTE: Düll's (1983) report is erroneous (cf. Frisvoll & Elvebakk, 1996).

***Lophozia* (Dumort.) Dumort.**

*** *Lophozia guttulata* (Lindb. et Arnell) A. Evans. SVALBARD: Frye & Clark 1945 as *Lophozia porphyroleuca*, Smith 1990 as *Lophozia longiflora*. BJØRNØYA: Watson 1922 as *Lophozia porphyroleuca*, Summerhayes & Elton 1923a as *Lophozia porphyroleuca*. NOTE: The occurrence of this almost strictly xylicolous species is highly unlikely and Frisvoll & Elvebakk (1996) rejects it. Some reports are probably due to nomenclature confusions (cf. Söderström *et al.*, 2013).

* *Lophozia schusteriana* Schljakov. SVALBARD: Schuster 1969 as *Lophozia groenlandica*. HAAKON VII LAND: Arnell & Mårtensson 1959 as *Lophozia groenlandica*. OSCAR II LAND: Arnell & Mårtensson 1959 as *Lophozia groenlandica*. NOTE: The name *Lophozia groenlandica* is in a few cases connected with *Lophozia schusteriana* but this should probably not be the case of any European material, which instead should go to *Lophozia murmanica* or *Lophozia wenzelii*.

***Lophozopsis* Konstant. et Vilnet**

* *Lophozopsis propagulifera* (Gottsche) Konstant. et Vilnet. SVALBARD: Hodgetts 2015, Stotler & Crandall-Stotler 2017, Ellis *et al.* 2019b. GUSTAV V LAND: Konstantinova & Savchenko 2012. NOTE: The Southern Hemisphere *Lophozia propagulifera* has been synonymized with *Lophozopsis latifolia* (= *Lophozopsis jurensis*) for some time, but this is rejected by Hodgetts *et al.* (2020).

***Mannia* Corda**

*** *Mannia pilosa* (Hornem.) Frye et L. Clark [*Duvalia pilosa* (Hornem.) Lindb., *Grimaldia pilosa* (Hornem.) Lindb., *Neesiella pilosa* (Hornem.) Schiffn.]. SVALBARD: Kaalaas 1893a, Schiffner 1893, Bryhn 1906, Evans 1911, Jørgensen 1934, Müller 1952, Düll 1983 [with a '?'], Schuster 1992. GUSTAV V LAND: Berggren 1875a. SPITSBERGEN: Müller 1907b [Nordfjorden]. WEDEL JARLSBERG LAND: Świąś & Karczmarsz 1993b. NOTE: *Mannia pilosa* was rejected from Svalbard by Frisvoll & Elvebakk (1996).

***Marsupella* Dumort.**

*** *Marsupella sphacelata* (Giesecke ex Lindenb.) Dumort. SVALBARD: Mohr 1901. NOTE: The mention in a list of Alabama bryophytes is certainly an error.

***Mesoptychia* (Lindb.) A. Evans**

*** *Mesoptychia bantriensis* (Hook.) L. Söderstr. et Våna [*Lophozia bantriensis* (Hook.) Steph., *Leiocolea bantriensis* (Hook.) Jørg.]. SVALBARD: Müller 1954b, Arnell 1956, Schuster 1969, Schuster 1981, Smith 1990. NOTE: There seems not to be any primary report and Frisvoll & Elvebakk (1996) rejected it.

***Mylia* Gray**

*** *Mylia anomala* (Hook.) Gray. SVALBARD: Müller 1956a, Smith 1990. NOTE: There seems not to exist any primary report and Frisvoll & Elvebakk (1996) rejected the occurrence.

***Nardia* Gray**

*** *Nardia breidlerii* (Limpr.) Lindb. SVALBARD: Konstantinova 2000, Söderström *et al.* 2002a, Hodgetts 2015. NOTE: *Nardia breidlerii* is only reported from Svalbard on a map without supporting data, but this is an error for Jan Mayen.

*** *Nardia compressa* (Hook.) Gray. NOTE: *Nardia compressa* was rejected from Svalbard by Hodgetts (2015); also

Hodgetts & Lockhardt 2020) but we are not aware of any reports at all.

*** *Nardia scalaris* Gray [*Jungermannia scalaris* (Gray) Hook., *Alicularia scalaris* (Gray) Corda]. SVALBARD: Müller 1909c, Damsholt 2002, 2013, Hodgetts 2015. GUSTAV V LAND: Hooker 1828. BÜNSÖW LAND: Acocck 1940. NOTE: Old reports are unreliable and it was rejected by Frisvoll & Elvebakk (1996).

***Neoorthocaulis* L. Söderstr., De Roo et Hedd.**

*** *Neoorthocaulis attenuatus* (Mårt.) L. Söderstr., De Roo et Hedd. [*Jungermannia attenuata* (Mårt.) Lindenb., *Lophozia attenuata* (Mårt.) Dumort.]. SVALBARD: Berggren 1875b, Kaalaas 1893c as *Jungermannia gracilis*, Harmsen & Seidenfaden 1932, Frye & Clark 1945 as *Orthocaulis gracilis*, Schuster 1969, Worley 1972. BJØRNØYA: Berggren 1875a. GUSTAV V LAND: Wulff 1902 as *Jungermannia gracilis*. KONG KARLS LAND: Arnell 1900 as *Jungermannia gracilis*. ALBERT I LAND: Berggren 1875a. NORDENSKIÖLD LAND: Hagen 1952. PRINS KARLS FORLAND: Watson 1922, Summerhayes & Elton 1923a, 1923b. NOTE: A mainly boreal species and the many reports from Svalbard were all rejected by Frisvoll & Elvebakk (1996). The varieties described from Svalbard must belong to other species.

*** *Neoorthocaulis binsteadii* (Kaal.) L. Söderstr., De Roo et Hedd. [*Barbilophozia binsteadii* (Kaal.) Loeske, *Lophozia binsteadii* (Kaal.) A. Evans, *Orthocaulis binsteadii* (Kaal.) H. Buch]. SVALBARD: Damsholt 2002, Söderström *et al.* 2002a, Konstantinova 2003, Ellis *et al.* 2012, Damsholt 2013, Hodgetts 2015. EDGEØYA: Heinemeijer 1979 as *Orthocaulis* cf. *binsteadii*. WEDEL JARLSBERG LAND: Konstantinova & Koroleva 2003. NOTE: Frisvoll & Elvebakk (1996) rejected it as all specimens they had seen could be referred to other species, mostly *Barbilophozia hatcheri*.

*** *Neoorthocaulis floerkei* (F. Weber et D. Mohr) L. Söderstr., De Roo et Hedd. [*Jungermannia floerkei* F. Weber et D. Mohr, *Barbilophozia floerkei* (F. Weber et D. Mohr) Loeske, *Lophozia floerkei* (F. Weber et D. Mohr) Schiffn., *Orthocaulis floerkei* (F. Weber et D. Mohr) H. Buch]. SVALBARD: Berggren 1875b, Bryhn 1906, Jørgensen 1934, Frye & Clark 1945, Gradstein & Våna 1987, Ellis *et al.* 2017. BJØRNØYA: Watson 1922. GUSTAV V LAND: Berggren 1875a. KONG KARLS LAND: Arnell 1900. ALBERT I LAND: Berggren 1875a, Arnell & Mårtensson 1959. HAAKON VII LAND: Arnell & Mårtensson 1959. NORDENSKIÖLD LAND: Ellis *et al.* 2016b. Olav V Land: Berggren 1875a. OSCAR II LAND: Gugnacka-Fiedor & Nryśkiewicz 1982, Boińska & Gugnacka-Fiedor 1983, Virtanen *et al.* 2013. PRINS KARLS FORLAND: Arnell 1900, Hagen 1908. NOTE: All reports of were rejected as other species by Frisvoll & Elvebakk (1996), many as *Barbilophozia hatcheri* and *Tritomaria quinqueidentata*. The reports from Nordenskiöld Land and Oscar II Land are here rejected as *Neoorthocaulis hyperboreus* (re-identified by N. Konstantinova).

***Obtusifolium* S.W. Arnell**

*** *Obtusifolium obtusum* (Lindb.) S.W. Arnell [*Lophozia obtusa* (Lindb.) A. Evans]. SVALBARD: Bisang 1991, Söderström 1995, Bisang 1999, Paton 1999, Damsholt 2002. NOTE: There seems not to exist any primary report and the report was considered an error by Frisvoll & Elvebakk (1996).

***Odontoschisma* (Dumort.) Dumort.**

*** *Odontoschisma denudatum* (Mårt.) Dumort. WEDEL JARLSBERG LAND: Świąś & Karczmarsz 1991b. NOTE: Rejected by Frisvoll & Elvebakk (1996).

*** *Odontoschisma sphagni* (Dicks.) Dumort. OSCAR II LAND: Summerhayes & Elton 1923a, 1923b, Ellis et al. 2016a. NOTE: Rejected by Frisvoll & Elvebakk (1996). The report in Ellis et al. (2016a) is also certainly wrong.

***Orthocaulis* H.Buch**

* *Orthocaulis cavifolius* H.Buch et S.W.Arnell [*Sphenolobus cavifolius* (H.Buch et S.W.Arnell) Müll.Frib.]. SVALBARD: Düll 1983 [with a '?'], Konstantinova & Savchenko 2020b. HEER LAND: Philippi 1973. NOTE: Rejected as *Sphenolobus minutus* by Frisvoll & Elvebakk (1996).

***Pellia* Raddi**

*** *Pellia neesiana* (Gottsche) Limpr. SVALBARD: Lindberg & Arnell 1889 as *Marsilea neesii*. NOTE: This old report must be rejected.

***Plagiochila* (Dumort.) Dumort.**

*** *Plagiochila porelloides* (Torr. ex Nees) Lindenb. SVALBARD: Düll 1983. NOTE Rejected as an error by Frisvoll & Elvebakk (1996).

*** *Plagiochila spinulosa* (Dicks.) Dumort. SVALBARD: Phips 1774 as *Lichenastrum ramosius, foliis trifidis*. NOTE: Only mentioned through a doubtful indirect synonym and rejected by Frisvoll & Elvebakk (1996).

***Pleurozia* Dumort.**

*** *Pleurozia purpurea* Lindb. NOTE: Rejected from Svalbard by Söderström et al. (2007) as it has only been reported from Jan Mayen, and the occurrence there is also highly questionable.

***Protolophozia* (R.M.Schust.) Schljakov**

*** *Protolophozia elongata* (Steph.) Schljakov [*Lophozia elongata* Steph., *Orthocaulis elongatus* (Steph.) A.Evans]. SVALBARD: Herzog 1926, Ladyzhenskaja & Zhukova 1972, Lammes 1977, Düll 1983, Hodgetts 2015. NORDENSKIÖLD LAND: Arnell & Mårtensson 1959. WEDEL JARLSBERG LAND: Rejment-Grochowska 1967. NOTE: Rejected by Frisvoll & Elvebakk (1996).

***Ptilidium* Nees**

*** *Ptilidium pulcherrimum* (Weber) Vain. SVALBARD: Frye & Clark 1943, Söderström 1995. HAAKON VII LAND: Polunin 1945. NORDENSKIÖLD LAND: Hagen 1952. PRINS KARLS FORLAND: Watson 1922. NOTE: Rejected by Frisvoll & Elvebakk (1996).

***Riccia* L.**

*** *Riccia sorocarpa* Bisch. SVALBARD: Müller 1952, Smith 1990, Damsholt 2002 [with a "?"], Damsholt 2013. NOTE: It is unclear what Müller based his report on and Söderström et al. (2007) rejected it.

***Scapania* (Dumort.) Dumort.**

*** *Scapania aspera* M.Bernet et Bernet. SVALBARD: Smith 1990. NOTE: We do not know what Smith based his reference on, but *Scapania aspera* do not occur on Svalbard.

*** *Scapania calcicola* (Arnell et J.Perss.) Ingham. SVALBARD: Schuster 1974, Schljakov 1981, Düll 1983 [with a '?'], Smith 1990, Söderström 1995, Paton 1999, Damsholt 2002, Söderström et al. 2002a, Söderström et al. 2002b [with a '?'], Hodgetts 2015, Hodgetts & Lockhart 2020, Unan et al. 2021. DICKSON LAND: Konstantinova & Savchenko 2008c. HAAKON VII LAND: Arnell & Mårtensson 1959, Frisvoll & Elvebakk 1996. JAMES LAND: Frisvoll & Blom 1992. OSCAR II LAND: Arnell & Mårtensson 1959, Frisvoll & Elvebakk 1996, Frisvoll & Blom 1997. NOTE: All reports are s.lat. (including "subsp. *ligulifolia*") and is here rejected as *Scapania*

ligulifolia as only the latter is reported s.str. from the Arctic.

*** *Scapania helvetica* Gottsche. OSCAR II LAND: Watson 1922 as *Scapania curta* var. *geniculata*. NOTE: Rejected by Frisvoll & Elvebakk (1996).

*** *Scapania lingulata* H.Buch. NOTE: Rejected from Svalbard by Söderström et al. (2002) but there seems not to be any earlier report at all to reject.

*** *Scapania mucronata* H.Buch. SVALBARD: Düll 1983, Söderström 1995, Frisvoll & Elvebakk 1996, Söderström et al. 2002a, Konstantinova 2003, Hodgetts 2015, Hodgetts & Lockhart 2020. NORDENSKIÖLD LAND: Hagen 1952, Hadač 1989, Frisvoll & Blom 1997. OSCAR II LAND: Frisvoll & Blom 1997. NOTE: All reports are s. lat. or with doubt and we assume all refer to *Scapania praetervisa* or the very variable *Scapania obcordata*.

*** *Scapania nemorea* (L.) Grolle. SVALBARD: Berggren 1875b as *Scapania nemorosa*. ALBERT I LAND: Livesay 1870 as *Jungermannia nemorosa*, Berggren 1875a as *Scapania nemorosa*. NOTE: The old reports are rejected by Frisvoll & Elvebakk (1996).

*** *Scapania scandica* (Arnell et H.Buch) Macvicar. SVALBARD: Schljakov 1981, Söderström 1995, Damsholt 2002, Konstantinova 2003. WEDEL JARLSBERG LAND: Świąś & Karczmarsz 1991a. NOTE: Only reported s.lat. and we think all belong to *Scapania parvifolia*.

*** *Scapania undulata* (L.) Dumort. SVALBARD: Berggren 1875b, Müller 1901, 1915a, Bryhn 1906, Jørgensen 1934, Smith 1990. BJØRNØYA: Berggren 1875a. GUSTAV V LAND: Berggren 1875a as *Scapania nemorosa* var. *purpurascens*. ALBERT I LAND: Berggren 1875a also as *Scapania undulata* var. *integrifolia* and *Scapania nemorosa* var. *purpurascens*. OSCAR II LAND: Newsham & Goodall-Copestake 2021. NOTE: Rejected as partly *Scapania tundrae* and partly *Scapania hyperborea* by Frisvoll & Elvebakk (1996).

***Solenostoma* Mitt.**

*** *Solenostoma gracillimum* (Sm.) R.M.Schust. [*Jungermannia gracillima* Sm.]. SVALBARD: Buch & Fagerström [rejecting earlier reports], Váňa 1974. NORDENSKIÖLD LAND: Berggren 1875a as *Jungermannia genthiana*. WEDEL JARLSBERG LAND: Świąś & Karczmarsz 1991b as *Solenostoma crenulatum* var. *nana*. NOTE: Rejected from Svalbard already by Buch & Fagerström (1946; see also Frisvoll & Elvebakk, 1976).

NAMES WITH UNCLEAR AFFINITIES

Jungermannia alpestris Schleich. ex F.Weber NOTE: *Jungermannia alpestris* was used in the sense of *Barbilophozia sudetica* by Lindberg, but the identity of the two infrataxa is unknown to us.

— α **** *julacea* Nees. ALBERT I LAND: Lindberg 1866.

— γ * *subintegra* Nees. ALBERT I LAND: Lindberg 1866.

Lophozia attenuata (Mårt.) Dumort. f. *biloba* A.Hagen, nom. inval. NORDENSKIÖLD LAND: Original material, Hagen 1952. NOTE: *Lophozia attenuata* is now *Neoorthocaulis attenuatus*, a species excluded from Svalbard. However, the identity of the specimen named f. *biloba* by Hagen is unknown to us.

Scapania undulata Bβ1 *gemmaipara* Lindb. ALBERT I LAND: TYPE, Lindberg 1866. NOTE: *Scapania undulata* is rejected from Svalbard but the identity of Lindberg's taxon is unknown to us.

SYNONYMS

- Alicularia scalaris* (Gray) Corda = *Nardia scalaris*
Anastrophyllum cavifolium (H.Buch et S.W.Amell) Lammes =
Orthocaulis cavifolius
A. minutum (Schreb.) R.M.Schust. = *Sphenolobus minutus*
A. minutum var. *weberi* (Mårt.) Kartt. = *Sphenolobus minutus*
A. sphenoloboides R.M.Schust. = *Schizophyllopsis sphenoloboides*
Aneura pinguis α 2 *minor* Nees = *Aneura pinguis*
A. pinguis α 3 *tenuis* Nees = *Aneura pinguis*
Aplozia atrovirens (Dumort.) Dumort. = *Jungermannia atrovirens*
A. polaris (Lindb.) Bryhn et Kaal. = *Jungermannia polaris*
Athalamia hyalina (Sommerf.) S.Hatt. = *Clevea hyalina*
Barbilophozia attenuata (Mårt.) Loeske = *Neoorthocaulis attenuatus*
B. binsteadii (Kaal.) Loeske = *Neoorthocaulis binsteadii*
B. floerkei (F.Weber et D.Mohr) Loeske = *Neoorthocaulis floerkei*
B. hatcheri var. *grandiretis* H.Buch ex Lammes = *Barbilophozia rubescens*
B. kunzeana (Huebener) Müll.Frib. = *Schljakovia kunzeana*
B. quadriloba (Lindb.) Loeske = *Schljakovianthus quadrilobus*
B. quadriloba var. *glareosa* (Jørg.) Lammes = *Schljakovianthus quadrilobus*
Blepharostoma setiforme (Ehrh.) Schiffn. = *Tetralophozia setiformis*
B. trichophyllum subsp. *brevirete* (Bryhn et Kaal.) R.M.Schust. = *Blepharostoma brevirete*
B. trichophyllum var. *brevirete* Bryhn et Kaal. = *Blepharostoma brevirete*
Blepharozia ciliaris (L.) Dumort. = *Ptilidium ciliare*
Bucegia romanica Radian = *Marchantia romanica*
Cephalozia bicuspidata subsp. *ambigua* (C.Massal.) R.M.Schust. = *Cephalozia ambigua*
C. bifida Lindb. = *Cephaloziella rubella*
C. catenulata (Huebener) Lindb. = *Fuscocephaloziopsis catenulata*
C. divaricata var. *incurva* (Lindb.) Arnell et C.E.O.Jensen nom. illeg. = *Cephaloziella varians*
C. leucantha Spruce = *Fuscocephaloziopsis leucantha*
C. lunulifolia (Dumort.) Dumort. = *Fuscocephaloziopsis lunulifolia*
C. media Lindb. = *Fuscocephaloziopsis lunulifolia*
C. pleniceps (Austin) Lindb. = *Fuscocephaloziopsis pleniceps*
C. reclusa (Taylor) Dumort. = *Fuscocephaloziopsis catenulata*
C. serriflora Lindb. = *Fuscocephaloziopsis catenulata*
C. striatula C.E.O.Jensen = *Cephaloziella spinigera*
Cephaloziella alpina Douin = *Cephaloziella varians*
C. arctica Bryhn et Douin = *Cephaloziella varians*
C. bifida var. *erosa* Summerh. et Elton nom. inval. = *Cephaloziella rubella*
C. biloba (Lindb.) Müll.Frib. = *Cephaloziella hampeana*
C. byssacea (Roth) Schiffn. = *Cephaloziella hampeana*
C. starkei (Dumort. ex Cogn.) Schiffn. = *Cephaloziella divaricata*
C. striatula (C.E.O.Jensen) Douin = *Cephaloziella spinigera*
C. subdentata Warnst. = *Cephaloziella spinigera*
Cesius concinnatus (Lightf.) Gray = *Gymnomitrium concinnatum*
C. corallioides (Nees) Carruth. = *Gymnomitrium corallioides*
Chandonanthus setiformis (Ehrh.) Lindb. = *Tetralophozia setiformis*
C. setiformis var. *alpinus* (Hook.) Kaal. = *Tetralophozia setiformis*
Chiloscyphus polyanthos var. *pallidus* (Ehrh. ex Hoffm.) Hartm. = *Chiloscyphus pallidus*
Chomiocarpon commutatum (Lindenb.) Lindb. = *Marchantia quadrata*
C. quadratum (Scop.) Lindb. = *Marchantia quadrata*
Cladopodiella francisci (Hook.) Jørg. = *Odontoschisma francisci*
Clevea hyalina f. *rufescens* S.W.Amell, nom. inval. = *Clevea hyalina*
C. hyalina var. *rufescens* (S.W.Amell) Konstant. nom. inval. = *Clevea hyalina*
Dichiton integerrimum (Lindb.) H.Buch = *Cephaloziella integerrima*
Diplophyllum taxifolium var. *macrostictum* H.Buch = *Diplophyllum taxifolium*
Duvalia pilosa (Hornem.) Lindb. = *Mannia pilosa*
Eucephalozia bicuspidata (L.) Schiffn. = *Cephalozia bicuspidata*
Grimaldia pilosa (Hornem.) Lindb. = *Mannia pilosa*
Gymnocolea acutiloba (Schiffn.) Müll.Frib. = *Gymnocolea inflata* subsp. *acutiloba*
Gymnomitrium apiculatum (Schiffn.) Müll.Frib. = *Marsupella apiculata*
G. condensatum Ångstr. ex C.Hartm. = *Marsupella condensata*
Harpanthus flotovianus var. *retusa* Jørg. = *Harpanthus flotovianus*
Jungermannia acuta Lindenb. nom. illeg. = *Mesoptychia collaris*
J. albicans L. = *Diplophyllum albicans*
J. alpestris Schleich. nom. inval. = *Mesoptychia collaris*
J. alpestris Schleich. ex F.Weber = *Mesoptychia collaris*
J. alpestris auct. plur. = *Barbilophozia sudetica*
J. attenuata (Mårt.) Lindenb. = *Neoorthocaulis attenuatus*
J. attenuata β* *laxifolia* Lindb. = *Trilophozia quinqueidentata*
J. barbata Schmidel ex Schreb. = *Barbilophozia barbata*
J. bicuspidata A β* *gracillima* Nees = *Cephalozia ambigua*
J. bicuspidata L. = *Cephalozia bicuspidata*
J. ciliaris L. = *Ptilidium ciliare*
J. confertissima Nees = *Solenostoma confertissimum*
J. divaricata Sm. = *Cephaloziella divaricata*
J. divaricata var. *ε incurva* Lindb. = *Cephaloziella varians*
J. exsertifolia subsp. *cordifolia* (Dumort.) Vána = *Jungermannia eucordifolia*
J. floerkei F.Weber et D.Mohr = *Neoorthocaulis floerkei*
J. floerkei var. *arcuata* (Nees) Berggr. = *Barbilophozia barbata*
J. floerkei F.Weber et D.Mohr ä *gemma* Lindb. = *Schljakovianthus quadrilobus*
J. gentiana Huebener = *Solenostoma gracillimum*
J. gracilis Schleich. nom. inval. = *Neoorthocaulis attenuatus*
J. gracillima Sm. = *Solenostoma gracillimum*
J. inflata Huds. = *Gymnocolea inflata*
J. inflata var. *rigidiuscula* Berggr. = *Gymnocolea inflata*
J. islandica Nees = *Fuscocephaloziopsis albescens* var. *islandica*
J. jenseniana (C.E.O.Jensen) Grolle = *Solenostoma sphaerocarpum*
J. julacea L. = *Anthelia julacea*
J. julacea β *clavuligera* (Nees) Nees = *Anthelia juratzkana*
J. kunzei var. *plicata* (C.Hartm.) Lindb. nom. inval. = *Schljakovia kunzeana*
J. longidens Lindb. = *Lophozia longidens*
J. lycopodioides Wallr. = *Barbilophozia lycopodioides*
J. lycopodioides Wallr. var. *cavifolia* Berggr. = *Barbilophozia hatcheri*
J. minuta 1 *fasciculata* Nees = *Sphenolobus minutus*
J. minuta Schreb. = *Sphenolobus minutus*

- J. muelleri* Nees ex Lindenb. = *Mesoptychia collaris*
J. nemorosa L. nom. illeg. = *Scapania nemorea*
J. oblongifolia (Müll.Frib.) H.Buch, A.Evans et Verd. nom. illeg. = *Jungermannia pumila*
J. obovata Nees = *Solenostoma obovatum*
J. obovata subsp. *minor* (Carrington) Damsh. = *Solenostoma obovatum*
J. obovata subsp. *minor* (Carrington) Schljakov ex L.Söderstr. nom. inval. = *Solenostoma obovatum*
J. plicata C.Hartm. = *Schljakovia kunzeana*
J. plicata var. *gracilis* Berggr. nom. illeg. = *Schljakovia kunzeana*
J. plicata γ *gracilis* Nees = *Schljakovia kunzeana*
J. polita Nees = *Saccobasis polita*
J. pumila * *polaris* (Lindb.) Berggr. = *Jungermannia polaris*
J. pumila subsp. *polare* (Lindb.) R.M.Schust. = *Jungermannia polaris*
J. pusilla (C.E.O.Jensen) H.Buch nom. illeg. = *Solenostoma sphaerocarpum*
J. quadriloba Lindb. = *Schljakovianthus quadrilobus*
J. quinquentata Huds. = *Trilophozia quinquentata*
J. scalaris (Gray) Hook. nom. illeg. = *Nardia scalaris*
J. schiffneri (Loitl.) A.Evans = *Jungermannia polaris*
J. setiformis Ehrh. = *Tetralophozia setiformis*
J. setiformis var. β *alpinus* Hook. = *Tetralophozia setiformis*
J. sphaerocarpa Hook. = *Solenostoma sphaerocarpum*
J. sphaerocarpa var. *nana* (Nees ex Flot.) Frye et L.Clark nom. illeg. = *Solenostoma sphaerocarpum*
J. subelliptica (Lindb. ex Heeg) Levier = *Solenostoma obovatum*
J. taxifolia Wahlenb. = *Diplophyllum taxifolium*
J. taylorii Hook. = *Mylia taylorii*
J. tessellata (Berggr.) Berggr. = *Odontoschisma macounii*
J. trichophylla L. = *Blepharostoma trichophyllum*
J. ventricosa b *laxa* Lindenb. = *Lophozia ventricosa*
J. ventricosa Dicks. = *Lophozia ventricosa*
J. ventricosa α * *gemmipara* Nees nom. illeg. = *Lophozia ventricosa*
J. ventricosa β * *pulchella* (Nees) C.Massal. et Carestia = *Lophozia ventricosa*
J. wenzelii Nees = *Lophozia wenzelii*
Leiocolea *alpestris* (Schleich. ex F.Weber) Isoy. nom. inval. = *Mesoptychia collaris*
L. badensis (Gottsche ex Rabenh.) Jørg. = *Mesoptychia badensis*
L. badensis var. *apiculata* (R.M.Schust.) Konstant. et A.N.Savchenko nom. inval. = *Mesoptychia badensis*
L. bantriensis (Hook.) Jørg. = *Mesoptychia bantriensis*
L. collaris (Nees) Schljakov = *Mesoptychia collaris*
L. gillmanii (Austin) A.Evans = *Mesoptychia gillmanii*
L. gillmanii f. *orbiculata* (R.M.Schust.) Konstant. = *Mesoptychia gillmanii*
L. heterocolpos (Thed. ex Hartm.) H.Buch = *Mesoptychia heterocolpos*
L. heterocolpos var. *arctica* (S.W.Arnell) Mårt. = *Mesoptychia heterocolpos* var. *arctica*
L. heterocolpos var. *harpanthoides* (Bryhn et Kaal.) R.M.Schust. ex S.W.Arnell = *Mesoptychia heterocolpos* var. *harpanthoides*
L. muelleri (Nees ex Lindenb.) Jørg. = *Mesoptychia collaris*
L. rutheana (Limpr.) Müll.Frib. = *Mesoptychia rutheana*
Leiomylia *anomala* (Hook.) J.J.Engel et Braggins = *Mylia anomala*
Lophozia *alpestris* (Schleich. ex F.Weber) A.Evans = *Mesoptychia collaris*
L. alpestris auct. plur. = *Barbilophozia sudetica*
L. arctica (S.W.Arnell) Świąś et Karczm. nom. inval. = *Mesoptychia heterocolpos* var. *arctica*
L. attenuata (Mårt.) Dumort. = *Neoorthocaulis attenuatus*
L. badensis (Gottsche ex Rabenh.) Schiffn. = *Mesoptychia badensis*
L. bantriensis (Hook.) Steph. = *Mesoptychia bantriensis*
L. barbata (Schmidel ex Schreb.) Dumort. = *Barbilophozia barbata*
L. bicrenata (Schmidel ex Hoffm.) Dumort. = *Isopaches bicrenatus*
L. bicrenata var. *bicrenata* = *Isopaches bicrenatus* var. *bicrenatus*
L. binsteadii (Kaal.) A.Evans = *Neoorthocaulis binsteadii*
L. capitata (Hook.) Macoun = *Heterogemma capitata*
L. cavifolia (H.Buch et S.W.Arnell) R.M.Schust. = *Orthocaulis cavifolius*
L. collaris (Nees) Dumort. = *Mesoptychia collaris*
L. elongata Steph. = *Protolophozia elongata*
L. excisa (Dicks.) Dumort. = *Lophozipsis excisa*
L. excisa var. *cylindracea* (Dumort.) Müll.Frib. = *Lophozipsis excisa* var. *excisa*
L. excisa var. *elegans* R.M.Schust. = *Lophozipsis excisa* var. *elegans*
L. floerkei (F.Weber et D.Mohr) Schiffn. = *Neoorthocaulis floerkei*
L. gillmanii (Austin) R.M.Schust. = *Mesoptychia gillmanii*
L. grandiretis (Lindb. ex Kaal.) Schiffn. = *Protochilopsis grandiretis*
L. grandiretis subsp. *proteidea* (Arnell) Damsh. = *Protochilopsis grandiretis*
L. groenlandica (Nees) Macoun = *Lophozia murmanica*
L. hatcheri (A.Evans) Steph. = *Barbilophozia hatcheri*
L. heterocolpos (Thed. ex Hartm.) M.Howe = *Mesoptychia heterocolpos*
L. heterocolpos var. *arctica* (S.W.Arnell) R.M.Schust. et Damsh. = *Mesoptychia heterocolpos* var. *arctica*
L. hyperarctica R.M.Schust. nom. inval. = *Schistochilopsis hyperarctica*
L. incisa (Schräd.) Dumort. = *Schistochilopsis incisa*
L. incisa subsp. *opacifolia* (Culm. ex Meyl.) R.M.Schust. et Damsh. nom. inval. = *Schistochilopsis opacifolia*
L. jurensis Meyl. ex Müll.Frib. = *Lophozipsis jurensis*
L. kiaerii Jørg. = *Lophozipsis excisa*
L. kunzeana (Huebener) A.Evans = *Schljakovia kunzeana*
L. latifolia R.M.Schust. = *Lophozipsis jurensis*
L. longidens (Lindb.) Macoun = *Lophozipsis longidens*
L. longidens subsp. *arctica* R.M.Schust. = *Lophozipsis longidens* subsp. *arctica*
L. longiflora (Nees) Schiffn. = *Lophozia ventricosa* var. *longiflora*
L. lycopodioides (Wallr.) Cogn. = *Barbilophozia lycopodioides*
L. lycopodioides var. *obliqua* Müll.Frib. = *Barbilophozia lycopodioides*
L. major (C.E.O.Jensen) Schljakov = *Lophozipsis excisa* var. *excisa*
L. muelleri (Nees ex Lindenb.) Dumort. = *Mesoptychia collaris*
L. obtusa (Lindb.) A.Evans = *Obtusifolium obtusum*
L. opacifolia (Culm.) Culm. ex Meyl. = *Schistochilopsis opacifolia*
L. pellucida R.M.Schust. nom. inval. = *Lophozipsis pellucida*
L. pellucida R.M.Schust. = *Lophozipsis pellucida*
L. pellucida var. *minor* R.M.Schust. = *Lophozipsis pellucida* var. *minor*
L. perssonii H.Buch et S.W.Arnell = *Oleolophozia perssonii*
L. polaris (R.M.Schust.) R.M.Schust. et Damsh. = *Lophozipsis polaris*

- L. polaris* var. *sphagnorum* (R.M.Schust.) R.M.Schust. et Damsh. = *Lophozia polaris* var. *sphagnorum*
L. polita (Nees) Macoun = *Saccobasis polita*
L. porphyroleuca (Nees) Schiffn. nom. illeg. = *Lophozia guttulata*
L. quadriloba (Lindb.) A.Evans = *Schljakovianthus quadrilobus*
L. quadriloba var. *glareosa* (Jørg.) Jørg. = *Schljakovianthus quadrilobus*
L. quinquedentata (Huds.) Cogn. = *Trilophozia quinquedentata*
L. quinquedentata f. *turgida* (Lindb.) Summerh. et Elton = *Trilophozia quinquedentata*
L. quinquedentata var. *turgida* (Lindb.) Müll.Frib. = *Trilophozia quinquedentata*
L. rubescens R.M.Schust. et Damsh. = *Barbilophozia rubescens*
L. rubrigemma R.M.Schust. = *Lophozia rubrigemma*
L. rufescens Schljakov = *Barbilophozia sudetica*
L. rutheana (Limpr.) M.Howe = *Mesoptychia rutheana*
L. silvicoloides var. *paroica* Vilnet, Milyutina, A.V.Troitsky et Konstant. nom. inval. = *Lophozia silvicoloides*
L. spitsbergensis Konstant. et Vilnet nom. inval. = *Lophozia svalbardensis*
L. sudetica (Nees ex Huebener) Grolle = *Barbilophozia sudetica*
L. sudetica var. *anomala* (Schljakov) Schljakov = *Barbilophozia sudetica*
L. ventricosa var. *silvicola* (H.Buch) E.W.Jones = *Lophozia silvicola*
L. wenzelii var. *groenlandica* (Nees) Bakalin = *Lophozia murmanica*
Marchantia *alpestris* (Nees) Burgeff = *Marchantia polymorpha* subsp. *montivagans*
M. hyalina Sommerf. = *Clevea hyalina*
M. latifolia Gray = *Marchantia polymorpha* subsp. *ruderalis*
M. polymorpha B. *alpestris* Nees = *Marchantia polymorpha* subsp. *montivagans*
Marsilea *neesii* Lindb. = *Pellia neesiana*
Marsupella *emarginata* var. *arctica* (Berggr.) Frye et L.Clark = *Marsupella arctica*
M. groenlandica C.E.O.Jensen = *Marsupella arctica*
M. obcordata (Berggr.) Steph. = *Scapania obcordata*
Martinellius *curtus* (Mårt.) Lindb. = *Scapania curta*
M. hyperboreus (Jørg.) H.A.Möller = *Scapania hyperborea*
M. irriguus (Nees) Lindb. = *Scapania irrigua*
M. paludicola (Loeske et Müll.Frib.) C.E.O.Jensen = *Scapania paludicola*
M. spitsbergensis Lindb. = *Scapania spitsbergensis*
Massula *grandiretis* (Lindb. ex Kaal.) Schljakov = *Protochilopsis grandiretis*
Mesoptychia *badensis* var. *apiculata* (R.M.Schust.) Potemkin = *Mesoptychia badensis*
Neesiella *pilosa* (Hornem.) Schiffn. = *Mannia pilosa*
Orthocaulis *binsteadii* (Kaal.) H.Buch = *Neoorthocaulis binsteadii*
O. elongatus (Steph.) A.Evans = *Protolophozia elongata*
O. floerkei (F.Weber et D.Mohr) H.Buch = *Neoorthocaulis floerkei*
O. gracilis (Lindenb.) H.Buch nom. illeg. = *Neoorthocaulis attenuatus*
O. kunzeanus (Huebener) H.Buch = *Schljakovia kunzeana*
O. quadrilobus (Lindb.) H.Buch = *Schljakovianthus quadrilobus*
O. quadrilobus var. *glareosa* (Jørg.) S.W.Arnell nom. inval. = *Schljakovianthus quadrilobus*
Plectocolea *obovata* (Nees) Mitt. = *Solenostoma obovatum*
P. subelliptica (Lindb. ex Heeg) A.Evans = *Solenostoma obovatum*
Pleurocladula *albescens* (Hook.) Spruce = *Fuscocephaloziopsis albescens*
P. albescens (Hook.) Grolle = *Fuscocephaloziopsis albescens*
P. albescens var. *islandica* (Nees) L.Söderstr. et Våña = *Fuscocephaloziopsis albescens* var. *islandica*
P. islandica (Nees) Grolle = *Fuscocephaloziopsis albescens* var. *islandica*
Preissia *commutata* (Lindenb.) Nees = *Marchantia quadrata*
P. quadrata (Scop.) Nees = *Marchantia quadrata*
P. quadrata subsp. *hyperborea* R.M.Schust. = *Marchantia quadrata* subsp. *hyperborea*
Pseudolophozia *debiliformis* (R.M.Schust. et Damsh.) Konstant. et Vilnet = *Barbilophozia sudetica*
P. sudetica (Nees ex Huebener) Konstant. et Vilnet = *Barbilophozia sudetica*
Ptilidium *ciliare* f. *inundatum* (Schiffn.) Macvicar = *Ptilidium ciliare*
Riccardia *pinguis* (L.) Gray = *Aneura pinguis*
Sarcocypophos *emarginatus* var. *arcticus* Berggr. = *Marsupella arctica*
S. obcordatus Berggr. = *Scapania obcordata*
Sauteria *hyalina* (Sommerf.) Lindb. = *Clevea hyalina*
Scapania *bartlingii* (Hampe ex Nees) Nees = *Scapania cuspiduligera* var. *cuspiduligera*
S. bartlingii var. β *elongata* Lindb. = *Scapania cuspiduligera*
S. bartlingii var. γ *obtusata* Lindb. = *Scapania cuspiduligera*
S. berggrenii Warnst. = *Scapania tundrae*
S. calcicola subsp. *ligulifolia* (R.M.Schust.) Damsh. et D.G.Long = *Scapania ligulifolia*
S. carestiae De Not. = *Scapania cuspiduligera* var. *cuspiduligera*
S. curta var. *geniculata* (C.Massal.) Müll.Frib. = *Scapania helvetica*
S. gymnostomophila f. *incurva* (Bryhn et Kaal.) R.M.Schust. = *Scapania gymnostomophila*
S. hyperborea var. *tundrae* (Arnell) Potemkin = *Scapania tundrae*
S. irrigua γ *globulifera* (Nees) Gottsche, Lindenb. et Nees = *Scapania irrigua*
S. mucronata subsp. *praetervisa* (Meyl.) R.M.Schust. = *Scapania praetervisa*
S. nemorosa (Dumort.) Dumort. nom. illeg. = *Scapania nemorea*
S. nemorosa var. β *purpurascens* (Hook.) Gottsche, Lindenb. et Nees = *Scapania undulata*
S. scandica f. *parvifolia* (Warnst.) Schljakov = *Scapania parvifolia*
S. scandica var. *parvifolia* (Warnst.) Konstant. et Czernjad. nom. inval. = *Scapania parvifolia*
S. undulata var. *integrifolia* Lindb. = *Scapania undulata*
Schistochilopsis *grandiretis* (Lindb. ex Kaal.) Konstant. = *Protochilopsis grandiretis*
S. grandiretis var. *parviretis* (R.M.Schust.) R.M.Schust. ex Konstant. et A.N.Savchenko nom. inval. = *Protochilopsis grandiretis*
Schizophyllum *sphenoloboides* (R.M.Schust.) Våña et L.Söderstr. = *Schizophyllopsis sphenoloboides*
Schljakovianthus *quadrilobus* var. *glareosus* (Jørg.) Konstant. et Vilnet = *Schljakovianthus quadrilobus*
Solenostoma *atrovirens* (Dumort.) Müll.Frib. nom. illeg. = *Jungermannia atrovirens*
S. crenulatum var. *nana* Müll.Frib. = *Solenostoma gracillimum*
S. polare (Lindb.) R.M.Schust. = *Jungermannia polaris*
S. pumilum (With.) Müll.Frib. = *Jungermannia pumila*
S. pumilum subsp. *polaris* (Lindb.) R.M.Schust. = *Jungermannia*

- nia polaris*
S. pusillum (C.E.O.Jensen) Steph. = *Solenostoma sphaerocarpum*
S. sphaerocarpum var. *nanum* (Nees ex Flot.) Müll.Frib. = *Solenostoma sphaerocarpum*
S. sphaerocarpum var. *nanum* (Nees ex Flot.) R.M.Schust. = *Solenostoma sphaerocarpum*
S. subellipticum (Lindb. ex Heeg) R.M.Schust. = *Solenostoma obovatum*
Southbya fennica (Gottsche) Gottsche ≡ *Arnellia fennica*
Sphagnoecetis communis var. *tessellata* Berggr. = *Odontoschisma macounii*
Sphenolobus cavifolius (H.Buch et S.W.Arnell) Müll.Frib. = *Orthocaulis cavifolius*
S. groenlandicus (Nees) Steph. = *Lophozia murmanica*
S. minutus var. *grandis* (Gottsche ex Lindb.) Jørg. = *Sphenolobus minutus*
S. politus (Nees) Steph. ≡ *Saccobasis polita*
S. saccatulus (Lindb.) Müll.Frib. = *Sphenolobus minutus*
Temnoma setiforme (Ehrh.) M.Howe ≡ *Tetralophozia setiformis*
Trilophozia quinquedentata f. *gracilis* (R.M.Schust.) Konstant. = *Trilophozia quinquedentata*
T. quinquedentata var. *turgida* (Lindb.) Konstant. = *Trilophozia quinquedentata*
Tritomaria polita (Austin) Schiffn. nom. inval. = *Saccobasis polita*
T. polita (Nees) Jørg. = *Saccobasis polita*
T. polita subsp. *polymorpha* R.M.Schust. ≡ *Saccobasis polymorpha*
T. quinquedentata (Huds.) H.Buch ≡ *Trilophozia quinquedentata*
T. quinquedentata f. *gracilis* (C.E.O.Jensen) R.M.Schust. = *Trilophozia quinquedentata*
T. quinquedentata f. *gracilis* (C.E.O.Jensen) S.W.Arnell nom. inval. = *Trilophozia quinquedentata*
T. quinquedentata subsp. *turgida* (Lindb.) Damsh. = *Trilophozia quinquedentata*
T. quinquedentata var. *turgida* (Lindb.) Weim. = *Trilophozia quinquedentata*
- ACKNOWLEDGEMENTS
- The project “Mapping bryophytes on Svalbard as the basis for monitoring and conservation” was funded by the Norwegian Research Council (Project number: 246728/E10), making the Norwegian-Russian collaboration possible with project meetings in Longyearbyen and Trondheim, and a week field expedition to Svalbard. The company Svalbard Explorer and the crew is thanked for making it possible to use the boat Ulla Rinman for the 2018 expedition. Xiaolan He and Sanna Laaka Lindberg, Helsinki, are thanked for the assistance in finding type material in Lindberg’s herbarium in H. The work of N.A. Konstantinova was carried out partly in the framework of the State Research Program of the Polar-Alpine Botanical Garden and Institute KSC RAS (AAAA-A18-1021032422551-2-1.6.11).
- LITERATURE CITED
- ACIA. 2005. Arctic Climate Impact Assessment. Cambridge University Press, 1042 pp. ISBN 978-0-521-86509.
- ACOCK, A.M. 1940. Vegetation of a calcareous inner fjord region in Spitsbergen. – *Journal of Ecology* **28** (1): 81–106. <http://dx.doi.org/10.2307/2256164>
- AMAKAWA, T. 1960. Family Jungermanniaceae of Japan, II. – *Journal of the Hattori Botanical Laboratory* **22**: 1–90.
- ARLOV, T.B. 1994. A short history of Svalbard. – Norwegian Polar Institute, Oslo, 95 pp. ISBN 82-90307-55-1.
- ARMITAGE, E. 1937. Some Spitzbergen mosses. – *Bryologist* **40** (4): 74–78. <http://dx.doi.org/10.2307/3239120>
- ARNELL, H.W. 1900. Beiträge zur Moosflora der Spitzbergischen Inselgruppe. – *Öfversigt af Kongliga Vetenskaps-Akademiens Förhandlingar* **57**: 99–130.
- ARNELL, H.W. 1922. Die Schwedischen Arten der Gattungen *Diplophyllum* und *Martinellia*. – *Göteborgs Kungliga Vetenskaps- och Vitterhets Samhälles handlingar* (ser. 4) **26**: 1–82.
- ARNELL, H.W. 1928. Levermossor (in: Hartmans Handbok i Skandinavien flora vol. 2a edited by Otto R. Holmberg). – P. A. Norstedt & Söner Förlag: Stockholm. 224 pp.
- ARNELL, S.W. 1950. *Scapania degenii* and *S. simmonsii* found on the North American continent. – *Bryologist* **53** (4): 299–300. <http://dx.doi.org/10.2307/3239997>
- ARNELL, S.W. 1951. *Blepharostoma trichophyllum* (L.) Dum. var. *brevire* Bryhn & Kaal. – *Botaniska Notiser* **104** (1): 61–63.
- ARNELL, S.W. 1956. Illustrated moss flora of Fennoscandia. I. Hepaticae. – Nordic Bryological Society: Lund. 314 pp.
- ARNELL, H. W. & C. JENSEN. 1907. Die Moose des Sarekgebietes. Erste Abteilung – In: *Hamberg, A., Ed. Naturwissenschaftliche Untersuchungen des Sarekgebietes in Schwedisch-Lappland Bd. 3. Botanik. Stockholm: C. E. Fritzes, pp. 71–132.*
- ARNELL, S.W. & O. MÅRTENSSON. 1959. A contribution to the knowledge of the bryophyte flora of W. Spitsbergen, and Kongsfjorden (King’s Bay, 79°N.) in particular. – *Arkiv för Botanik (n.ser.)* **4** (6): 105–164.
- ARTS, T. 1986. *Lophozia perssonii* Buch & S. Arnell (Hepaticae) nieuw voor België. – *Dumortiera* **36**: 2–6.
- BAKALIN, V.A. 2004. Notes on *Lophozia* V. Comments on sect. *Sudeticae*, *Longidentatae* and *Savicziae*. – *Arctoa* **13**: 229–240. <http://dx.doi.org/10.15298/arctoa.13.16>
- BAKALIN, V.A. 2005. Monograph of the genus *Lophozia* (Dumort.) Dumort. s. str. – Nauka: Moscow. 240 pp.
- BAKALIN, V.A. 2011. Notes on *Lophozia* VI. Taxonomy and distribution of *Lophozia* and *Schistochilopsis* (Lophoziaaceae) in North America north of Mexico. – *Bryologist* **114** (2): 298–315. <http://dx.doi.org/10.1639/0007-2745.114.2.298>
- BAKALIN, V.A. & A.A. VILNET. 2014. Two new species of the liverwort genus *Hygrobiella* Spruce (Marchantiophyta) described from the North Pacific based on integrative taxonomy. – *Plant Systematics and Evolution* **300** (10): 2277–2291. <http://dx.doi.org/10.1007/s00606-014-1050-8>
- BAKALIN, V.A. & A.A. VILNET. 2018. A review of the genus *Diplophyllum* (Marchantiophyta) in North and East Asia with the description of a new species (*D. sibiricum*) based on integrative taxonomy. – *Plant Systematics and Evolution* **304** (10): 1269–1287. <http://dx.doi.org/10.1007/s00606-018-1547-7>
- BAKALIN, V.A. & A.A. VILNET. 2019. *Lophozia fuscovirens* sp. nov. (Lophoziaaceae, Marchantiophyta): the second taxon with brown gemmae within *Lophozia* s.s. – *Nordic Journal of Botany* **37** (4): e02294: 1–10. <http://dx.doi.org/10.1111/njb.02294>
- BAKALIN, V.A., A.A. VILNET & Y. XIONG. 2015. *Mesoptychia chinensis* Bakalin, Vilnet & Xiong sp. nov. (Jungermanniaceae, Marchantiophyta) and comments on the distribution of *Mesoptychia* south of the boreal zone in Asia. – *Journal of Bryology* **37** (3): 192–201. <http://dx.doi.org/10.1179/1743282015Y.0000000009>
- BAKALIN, V.A., A.A. VILNET, K. KLIMOVA, W.Z. MA & V.S. NGUYEN. 2020a. *Diplophyllum purpurascens* (Scapaniaceae, Marchantiophyta) — a new species from Sino-Himalaya (China). – *Phytotaxa* **447** (2): 116–126. <http://dx.doi.org/10.11646/phytotaxa.447.2.4>
- BAKALIN, V.A., V.E. FEDOSOV, Y.D. MALTSEVA, I.A. MILYUTINA, K.G. KLIMOVA, H.M. NGUYEN & A.V. TROITSKY. 2020b. Over-

- view of *Schistochilopsis* (Hepaticae) in Pacific Asia with the description *Protochilopsis* gen. nov. – *Plants* **9** (7: 850): 1–33. <http://dx.doi.org/10.3390/plants9070850>
- BAKALIN, V.A., A.A. VILNET, S.S. CHOI & V.S. NGUYEN. 2020c. *Blepharostoma trichophyllum* s.l. (Marchantiophyta): The complex of sibling species and hybrids. – *Plants* **9** (11: 1423): 1–28. <http://dx.doi.org/10.3390/plants9111423>
- BAKALIN, V.A., A.A. VILNET, K. KLIMOVA, W.-Z. MA, S.-S. CHOI & J. HENTSCHEL. 2021. Hidden in plain view: an example from *Ptilidium* (Ptilidiaceae, Marchantiophyta). – *Phytotaxa* **510** (1): 29–42. <http://dx.doi.org/10.11646/PHYTOTAXA.510.1.3>
- BAPNA, K. R. & P. KACHROO. 2000a. Hepaticology in India – I. – Himanshu Publications: Udaipur. 439 pp.
- BAPNA, K. R. & P. KACHROO. 2000b. Hepaticology in India – II. – Himanshu Publications: Udaipur. 491 pp.
- BARTHOLOMEW-BEGAN, S.E. 1991. A morphogenetic re-evaluation of *Haplomitrium* Nees (Hepaticopsida). – *Bryophytorum Bibliotheca* **41**: 1–297.
- BEDNAREK-UCHYRA, H., B. GODZIK & K. GRODZINSKA. 1987a. Bryophyta svalbardensis exsiccata, fasc. I (No. 1–20). – Polish Academy of Science: Krakow. 13 pp.
- BEDNAREK-UCHYRA, H., B. GODZIK & K. GRODZINSKA. 1987b. Bryophyta svalbardensis exsiccata, fasc. II (No. 21–40). – Polish Academy of Science: Krakow. 13 pp.
- BEDNAREK-UCHYRA, H., B. GODZIK & K. GRODZINSKA. 1987c. Bryophyta svalbardensis exsiccata, fasc. III (No. 41–60). – Polish Academy of Science: Krakow. 11 pp.
- BEDNAREK-UCHYRA, H., J. VÁŇA, R. UCHYRA & R.I. LEWIS SMITH. 2000. The liverwort flora of Antarctica. – Polish Academy of Science: Krakow. 236 pp.
- BELKINA, O.A., N.A. KONSTANTINOVA, N. KOROLEVA, L. KONOREVA, D. DAVYDOV, A. SAVCHENKO & A. LIKHACHEV. 2015. Bryophytes, lichens and cyanoprokaryotes in surroundings of Pyramiden (Svalbard): a concise guide-book. – Russian Academy of Science, Kola Science Centre, Polar-Alpine Botanical Garden Institute: Apatity. 201 pp.
- BERGGREN, S. 1875a. Musci et Hepaticae spetsbergenses. – *Kongliga Svenska Vetenskaps-Akademiens Handlingar (n. ser.)* **13** (7): 1–103.
- BERGGREN, S. 1875b. Undersökning af mossfloran vid Disko-Bugten og Auleitsvikfjorden i Grönland. – *Kungliga Svenska Vetenskapsakademiens Handlingar (n.ser.)* **13** (8): 1–46.
- BIRD, C.D. & R.T. OGILVE. 1964. New bryophytes for Alberta. – *Bryologist* **67** (3): 360–363. <http://dx.doi.org/10.2307/3240901>
- BISANG, I. 1991. Biosystematische Studien an *Lophozia* subgen. *Schistochilopsis* (Hepaticae). – *Bryophytorum Bibliotheca* **43**: 1–187.
- BISANG, I. 1999. Die Verbreitung von Moosen in der Schweiz und in Liechtenstein. II. *Lophozia* subg. *Schistochilopsis*. – *Haussknechtia, Beiheft* **9**: 45–56.
- BISANG I, P. GEISSLER, N. MÜLLER, N. SCHNYDER, C. SCHUBIGER-BOSSARD & E. URMI. 1998. Die Verbreitung von Moosen in der Schweiz und in Liechtenstein [Distribution of bryophytes in Switzerland and Liechtenstein]. – *Botanica Helvetica* **108** (2): 197–216. <http://dx.doi.org/10.5169/seals-73024>
- BISCHLER, H. 1984. *Marchantia* L. The New World species. – *Bryophytorum Bibliotheca* **26**: 1–228.
- BISCHLER-CAUSSE, H. 1989. *Marchantia* L. The Asiatic and Oceanic taxa. – *Bryophytorum Bibliotheca* **38**: 1–317.
- BOŃSKA, U. & W. GUGNACKA-FIEDOR. 1983. Bryophytes and their distribution in the tundra communities of the Kaffiöyra Plain (NW Spitsbergen). – *Fragmenta Floristica et Geobotanica* **29**: 401–413.
- BONNER, C. E. B. 1976. Index hepaticarum. Pars VIII. *Jungermannia*. – J. Cramer: Vaduz.
- BONNER, C. E. B. 1977. Index hepaticarum. Pars VIIa. Supplementum A-C. – J. Cramer: Vaduz
- BOROVICHEV, E.A. 2010. New liverwort records from Svalbard. 1. – *Arctoa* **19**: 280–281. <http://dx.doi.org/10.15298/arctoa.19.24>
- BOROVICHEV, E.A. & V.A. BAKALIN. 2016. On *Mannia triandra* (Aytoniaceae, Marchantiophyta) in eastern Asia. – *Herzogia* **29** (1): 59–65. <http://dx.doi.org/10.13158/heia.29.1.2016.59>
- BOROVICHEV, E.A., V.A. BAKALIN & A.A. VILNET. 2015. Revision of the Russian Marchantiales. II. A review of the genus *Asterella* P. Beauv. (Aytoniaceae, Hepaticae). – *Arctoa* **24** (2): 294–313. <http://dx.doi.org/10.15298/arctoa.24.26>
- BOROVICHEV, E.A., V. FEDOSOVA & A.A. VILNET. 2016. An unexpected record of the European liverwort *Scapania aspera* (Scapaniaceae, Marchantiophyta) in East Siberia. – *Cryptogamie, Bryologie* **37** (4): 445–454. <http://dx.doi.org/10.7872/cryb/v37.iss4.2016.445>
- BRATTBAKK, I., O.I. RØNNING & E. SENDSTAD. 1978. Økologiske studier på Svalbard. I. Økologiske effekter og nedbrytning av et simulert råoljeutslipp i strandsonen på Svalbard 1976–1977. – *SINTEF Rapport STF21 A78064*: 1–31.
- BRYHN, N. 1906. Bryophyta in itinere polari norvagorum secundo collecta. – *Report of the Second Norwegian Arctic Expedition in the "Fram" 1898–1902* **11**: 1–260.
- BRYHN, N. 1909. Bryophyta pro flora Spitsbergensi nova. – *Nyt Magazin for Naturvidenskaberne* **47** (2): 207–208.
- BUCH, H. 1928. Die Scapanien Nordeuropas und Sibiriens – Systematischer Teil. – Akademische Buchhandlung: Helsingfors. 177 pp.
- BUCH, H. 1933. *Scapania simmonsii* Bryhn et Kaal., ein für das Festland Europas neues Lebermoos. – *Memoranda Societatis pro Fauna et Flora Fennica* **9**: 142.
- BUCH, H. & L. FAGERSTRÖM. 1946. *Scapaniella glaucocephala* (Tayl.) Evans, ny för Gamla Världens flora. – *Memoranda Societatis pro Fauna et Flora Fennica* **22**: 17–18.
- BUCH, H. & R. TUOMIKOSKI. 1955. Contribution to the hepatic flora of Newfoundland. – *Archivum Societatis Zoologicae Botanicae Fennicae "Vanamo", suppl.* **9**: 1–29.
- CRUNDWELL, A.C. 1978. *Cephaloziella uncinata* Schust. in Spitsbergen. – *Lindbergia* **4** (3/4): 297–298.
- DAMSHOLT, K. 1993. Notiser om nordiska levermossor 1–5. – *Svensk Botanisk Tidskrift* **87**: 187–191.
- DAMSHOLT, K. 2002. Illustrated flora of Nordic liverworts and hornworts. – Nordic Bryological Society: Lund. 837 pp.
- DAMSHOLT, K. 2003. Notes on Nordic hepatics 6–17. – *Lindbergia* **28** (3): 120–128.
- DAMSHOLT, K. 2013. The liverworts of Greenland. – Nordic Bryological Society: Lund. 626 pp.
- DANIËLS, F.J.A., L. J. GILLESPIE & M. POULIN. 2013. Plants. – in: *Meltofte, H., Ed. Arctic Biodiversity Assessment. Status and trends in Arctic biodiversity. Conservation of Arctic Flora and Fauna, Akureyri*, pp. 310–353. <https://www.caff.is/assessment-series/233-arctic-biodiversity-assessment-2013>
- DAVISON, P.G. 1993. Floristic and phytogeographic studies of the hepatics of the Aleutian Islands. – PhD Thesis, University of Tennessee. 385 pp.
- DUBIEL, E. & M. OLECH. 1990. Plant communities of NW Sørkapp Land (Spitsbergen). – *Zeszyty Naukowe Uniwersytetu Jagiellońskiego. Prace Botaniczne* **21**: 35–74.
- DUBIEL, E. & M. OLECH. 1992. Ornithocrophilous plant communities on the southern slope of Arikammen (Hornsund, Spitsbergen) – in: *Opaliński, K.W. & R.Z. Klekowski, Eds. Spitsbergen '84. Landscape, life, world and man in high Arctic*. Warszawa: Polish Academy of Science, pp. 167–175.
- DUCKETT, J.G. & N.G. SLACK. 2013. The first twenty-first century record for the liverwort *Haplomitrium hookeri* in north eastern North America with notes on its fungal endophyte and snowbed communities. – *Evansia* **30** (2): 53–56. <http://dx.doi.org/10.1639/079.030.0203>
- DÜLL, R. 1983. Distribution of the European and Macaronesian liverworts (Hepaticophytina). – *Bryologische Beiträge* **2**: 1–114.

- ELLIS, L.T., A.K. ASTHANA, V. SAHU, A. SRIVASTAVA, H. BEDNAREK-UCHYRA, R. UCHYRA, J. CHLACHULA et al. 2011. New national and regional bryophyte records, 28. – *Journal of Bryology* **33** (3): 237–247. <http://dx.doi.org/10.1179/1743282011Y.0000000022>
- ELLIS, L.T., A. ALEGRO, H. BEDNAREK-UCHYRA, R. UCHYRA, A. BERGAMINI, A. COGONI, P. ERZBERGER et al. 2012. New national and regional bryophyte records, 31. – *Journal of Bryology* **34** (2): 123–134. <http://dx.doi.org/10.1179/1743282012Y.0000000009>
- ELLIS, L.T., H. BEDNAREK-UCHYRA, R. UCHYRA, M.J. BENJUMEA, L.V. SAÐS, R. CAPARRÓS, F. LARA et al. 2013a. New national and regional bryophyte records, 35. – *Journal of Bryology* **35** (2): 129–139. <http://dx.doi.org/10.1179/1743282013Y.0000000049>
- ELLIS, L.T., V.A. BAKALIN, E. BAISHEVA, H. BEDNAREK-UCHYRA, R. UCHYRA, E.A. BOROVICHEV, S.S. CHOI et al. 2013b. New national and regional bryophyte records, 36. – *Journal of Bryology* **35** (3): 228–238. <http://dx.doi.org/10.1179/1743282013Y.0000000064>
- ELLIS, L.T., O.M. AFONINA, A.K. ASTHANA, R. GUPTA, V. SAHU, V. NATH, N. BATAN et al. 2014a. New national and regional bryophyte records, 39. – *Journal of Bryology* **36** (2): 134–151. <http://dx.doi.org/10.1179/1743282014Y.0000000100>
- ELLIS, L.T., M. ALEFFI, A.K. ASTHANA, A. SRIVASTAVA, V.A. BAKALIN, N. BATAN, T. ÖZDEMİR et al. 2014b. New national and regional bryophyte records, 40. – *Journal of Bryology* **36** (3): 223–244. <http://dx.doi.org/10.1179/1743282014Y.0000000115>
- ELLIS, L.T., A. ALEGRO, V. ŠEGOTA, V.A. BAKALIN, R. BARONE, E.A. BOROVICHEV, V. HUGONNOT, M. LÉBOUVIER et al. 2015a. New national and regional bryophyte records, 44. – *Journal of Bryology* **37** (3): 228–241. <http://dx.doi.org/10.1179/1743282015Y.0000000014>
- ELLIS, L.T., C. AH-PENG, S.C. ARANDA, H. BEDNAREK-UCHYRA, E.A. BOROVICHEV, B. CYKOWSKA-MARZENCKA et al. 2015b. New national and regional bryophyte records, 45. – *Journal of Bryology* **37** (4): 308–329. <http://dx.doi.org/10.1179/1743282015Y.0000000035>
- ELLIS, L.T., M. ALEFFI, A. ALEGRO, V. ŠEGOTA, A.K. ASTHANA, R. GUPTA, V.J. SINGH et al. 2016a. New national and regional bryophyte records, 48. – *Journal of Bryology* **38** (3): 235–259. <http://dx.doi.org/10.1080/03736687.2016.1206685>
- ELLIS, L.T., E. AGCAGIL, M. KÝRMÁČY, M. ALEFFI, V.A. BAKALIN, H. BEDNAREK-UCHYRA, B. CYKOWSKA-MARZENCKA et al. 2016b. New national and regional bryophyte records, 49. – *Journal of Bryology* **38** (4): 327–347. <http://dx.doi.org/10.1080/03736687.2016.1225777>
- ELLIS, L.T., O.M. AFONINA, R.L. ANDRIAMIARISOA, H. BEDNAREK-UCHYRA, B. CYKOWSKA-MARZENCKA, M. STRYJAK-BOGACKA, N.E. BELL et al. 2017. New national and regional bryophyte records, 53. – *Journal of Bryology* **39** (4): 368–387. <http://dx.doi.org/10.1080/03736687.2017.1384204>
- ELLIS, L.T., O.M. AFONINA, G.YA. DOROSHINA, C. AGUDELO, R.L. ANDRIAMIARISOA, A.K. ASTHANA, D. GUPTA et al. 2019a. New national and regional bryophyte records, 58. – *Journal of Bryology* **41** (1): 63–84. <http://dx.doi.org/10.1080/03736687.2018.1559636>
- ELLIS, L.T., M. ALEFFI, A. BĄCZKIEWICZ, K. BUCZKOWSKA, B. BAMBE, M. BOIKO, N. ZAGORODNIUK et al. 2019b. New national and regional bryophyte records, 60. – *Journal of Bryology* **41** (3): 285–299. <http://dx.doi.org/10.1080/03736687.2019.1643117>
- ELLIS, L.T., O.M. AFONINA, I.V. CZERNYADJEVA, T.G. IVCHENKO, S.S. HOLOD, V.M. KOTKOVA, E.Y. KUZMINA et al. 2019c. New national and regional bryophyte records, 61. – *Journal of Bryology* **41** (4): 364–384. <http://dx.doi.org/10.1080/03736687.2019.1673601>
- ELLIS, L.T., C. AH-PENG, G. ASLAN, V.A. BAKALIN, A. BERGAMINI, D.A. CALLAGHAN, P. CAMPISI et al. 2021. New national and regional bryophyte records, 65. – *Journal of Bryology* **43** (1): 67–91. <http://dx.doi.org/10.1080/03736687.2021.1878804>
- ELVEBAKK, A. 1999. Bioclimatic delimitation and subdivision of the Arctic. – in: Nordal, I. & Razzhivin, V.Y. (eds.) *The species concept in the High North – A Panarctic Flora Initiative. The Norwegian Academy of Science and Letters, Oslo*, pp. 81–112.
- ENGEL, J.J. 1981. *Haplomitrium monoicum*, a remarkable new species of Calobryales (Hepaticae) from New Caledonia, together with a reclassification of subg. *Haplomitrium*. – *Annals of the Missouri Botanical Garden* **68** (4): 668–676.
- ENGEL, J. J. & D. GLENNY. 2008. A flora of the liverworts and hornworts of New Zealand, Volume 1. – Missouri Botanical Garden: St. Louis. 897 pp.
- ENGEL, J. J. & G. L. MERRILL. 1998. Austral Hepaticae. 25. *Krunodiplophyllum* Grolle and a revision of the Australasian species of *Diplophyllum* (Dum.) Dum. (Scapaniaceae, Jungermanniales). – *Journal of the Hattori Botanical Laboratory* **84**: 241–283.
- EUROLA, S. 1968. Über die Fjeldheidevegetation in den Gebieten von Isfjorden und Hornsund in Westspitzbergen. – *Aquilo. Ser. Botanica* **7**: 1–56.
- EUROLA, S. 1971. The middle arctic mire vegetation in Spitsbergen. – *Acta Agraria Fennica* **123**: 87–107.
- EVANS, A.W. 1900. Notes on Hepaticae collected in Alaska. – *Proceedings of the Washington Academy of Sciences* **2**: 287–314.
- EVANS, A.W. 1903. *Odontoschisma macounii* and its North American allies. – *Botanical Gazette* **36** (5): 321–348.
- EVANS, A.W. 1911. Notes on North American Hepaticae. II. – *Bryologist* **14** (5): 84–88. <http://dx.doi.org/10.2307/3237443>
- FEDOSOV, V.E., E.A. BOROVICHEV, E.A. IGNATOVA & V.A. BAKALIN. 2015. The bryophyte flora of Eriechka River upper course (SE Taimyr), with comments on the first record of *Pseudoditrichum mirabile* in Asia. – *Arctoa* **24** (1): 165–186. <http://dx.doi.org/10.15298/arctoa.24.17>
- FELDBERG, K., J. HENTSCHER, A. BOMBOSCH, D.G. LONG, J. VÁÑA & J. HEINRICHS. 2009. Transfer of *Gottschelia grollei*, *G. patoniae* and *Scaphophyllum speciosum* to *Solenostoma* based on chloroplast DNA rbcL sequences. – *Plant Systematics and Evolution* **280** (3/4): 243–250. <http://dx.doi.org/10.1007/s00606-009-0187-3>
- FELDBERG, K., J. VÁÑA, D.G. LONG, A.J. SHAW, J. HENTSCHER & J. HEINRICHS. 2010. A phylogeny of Adelanthaceae (Jungermanniales, Marchantiophyta) based on nuclear and chloroplast DNA markers, with comments on classification, cryptic speciation and biogeography. – *Molecular Phylogenetics and Evolution* **55** (1): 293–304. <http://dx.doi.org/10.1016/j.ympev.2009.11.009>
- FELDBERG, K., J. HEINRICHS, A.R. SCHMIDT, J. VÁÑA & H. SCHNEIDER. 2013. Exploring the impact of fossil constraints on the divergence time estimates of derived liverworts. – *Plant Systematics and Evolution* **299** (3): 585–681. <http://dx.doi.org/10.1007/s00606-012-0745-y>
- FELDBERG, K., J. VÁÑA, J. KRUSCHE, J. KRETSCHMANN, S.D.F. PATZAK, O.A. PÉREZ-ESCOBAR, N.R. RUDOLF, N. SEEFELDER, A. SCHÄFER-VERWIMP, D.G. LONG, H. SCHNEIDER & J. HEINRICHS. 2016. A phylogeny of Cephaloziaceae (Jungermanniopsida) based on nuclear and chloroplast DNA markers. – *Organisms, Diversity and Evolution* **16** (4): 727–742. <http://dx.doi.org/10.1007/s13127-016-0284-4>
- FØRLAND, E.J., R. BENESTAD, I. HANSEN-BAUER, J.E. HAUGEN & T. ENGEN SKAUGEN. 2011. Temperature and Precipitation Development at Svalbard 1900–2100. – *Advances in Meteorology* **2011** (893790): 1–14. <http://dx.doi.org/10.1155/2011/893790>
- FRISVOLL, A.A. 1978. Twenty-eight bryophytes new to Svalbard. – *Bryologist* **81** (1): 122–136. <http://dx.doi.org/10.2307/3242276>
- FRISVOLL, A.A. 1981. Fifteen bryophytes new to Svalbard, including notes on some rare and interesting species. – *Lindbergia* **7** (2): 91–102.
- FRISVOLL, A.A. & H.H. BLOM. 1992. Trua moser i Norge med Svalbard: raud liste. – *Norsk Institutt for Naturforskning (NINA) Utredning* **42**: 1–55.

- FRISVOLL, A.A. & H.H. BLOM. 1997. Trua moser i Noreg med Svalbard. Forebelse ark. – *NTNU Vitenskapsmuseet, Botaniske Notat* **1997-3**: 1–170.
- FRISVOLL, A.A. & A. ELVEBAKK. 1996. A catalogue of Svalbard plants, fungi, algae and cyanobacteria. Part 2. Bryophytes. – *Norsk Polarinstitutt Skrifter* **198**: 57–172.
- FRYE, T. C. & L. CLARK. 1943. Hepaticae of North America, part II. – *University of Washington Publications in Biology* **6**: 163–336.
- FRYE, T. C. & L. CLARK. 1945. Hepaticae of North America part III. – *University of Washington Publications in Biology* **6** (3): 337–564.
- FRYE, T. C. & L. CLARK. 1946. Hepaticae of North America, part IV. – *University of Washington Publications in Biology* **6** (4): 565–733.
- GEISSLER, P. & H. BISCHLER. 1985. Index hepaticarum vol. 10. *Lembidium* to *Mytilopsis*. – J. Cramer: Berlin. 352 pp.
- GEISSLER, P. & H. BISCHLER. 1987. Index hepaticarum vol. 8/9. *Jungermannia* to *Lejeunites*. – J. Cramer: Berlin. 310 pp.
- GEISSLER, P. & H. BISCHLER. 1990. Index hepaticarum vol. 12. *Racemigemma* to *Zoopsis*. – J. Cramer: Berlin. 337 pp.
- GODFREY, J.D. 1977. Hepaticae and Anthocerotae of southwestern British Columbia. – PhD thesis, University of British Columbia: Vancouver. 433 pp.
- GODFREY, J.D. & G.A. GODFREY. 1978. *Scapania hians* in Shensi, China and British Columbia, Canada. – *Bryologist* **81** (3): 357–367. <http://dx.doi.org/10.2307/3242238>
- GODFREY, J.D. & W.B. SCHOFIELD. 1979. New and interesting hepatics from British Columbia, Canada, and northern Washington State, USA, 2. – *Bryologist* **82** (2): 162–170. <http://dx.doi.org/10.2307/3242075>
- GOTTSCHKE, C. M., J. B. G. LINDENBERG & S. G. NEES VON ESSENBECK. 1845. Synopsis hepaticarum, fasc. 2. – Meissner: Hamburg. 304 pp. <http://dx.doi.org/10.5962/bhl.title.15221>
- GOTTSCHKE, C. M., J. B. G. LINDENBERG & S. G. NEES VON ESSENBECK. 1846. Synopsis hepaticarum, fasc. 4. – Meissner: Hamburg. 624 pp. <http://dx.doi.org/10.5962/bhl.title.15221>
- GOTTSCHKE, C. M., J. B. G. LINDENBERG & S. G. NEES VON ESSENBECK. 1847. Synopsis hepaticarum, fasc. 5. – Meissner: Hamburg. 834 pp. <http://dx.doi.org/10.5962/bhl.title.15221>
- GRADSTEIN, S.R. & A.L. ILKIU-BORGES. 2015. A taxonomic revision of the genus *Odontoschisma* (Marchantiophyta: Cephaloziaceae). – *Nova Hedwigia* **100** (1/2): 15–100. http://dx.doi.org/10.1127/nova_hedwigia/2014/0219
- GRADSTEIN, S. R. & J. VÁÑA. 1987. On the occurrence of Laurasian liverworts in the Tropics. – *Memoirs of the New York Botanical Garden* **45**: 388–425.
- GROLLE, R. 1960. Beitrag zur Kenntnis von *Barbilophozia*, insbesondere *B. floerkei* und *B. hatcheri*. – *Nova Hedwigia* **2**: 555–566.
- GROLLE, R. 1964. Miscellanea hepaticologica 1–10. – *Österreichische Botanische Zeitschrift* **111** (2/3): 185–192. <http://dx.doi.org/10.1007/BF01373763>
- GROLLE, R. 1965. *Harpanthus drummondii* – ein Lebermoosendemit des östlichen Nordamerika. – *Österreichische Botanische Zeitschrift* **112** (3): 268–284. <http://dx.doi.org/10.1007/BF01372951>
- GROLLE, R. 1967. Miscellanea hepaticologica 71–80. – *Transactions of the British Bryological Society* **5** (2): 271–282. <http://dx.doi.org/10.1179/006813867804804179>
- GROLLE, R. 1976. Verzeichnis der Lebermoose Europas und benachbarter Gebiete. – *Feddes Repertorium* **87** (3/4): 171–279. <http://dx.doi.org/10.1002/fedr.19760870303>
- GROLLE, R. & D.G. LONG. 2000. An annotated check-list of the Hepaticae and Anthocerotae of Europe and Macaronesia. – *Journal of Bryology* **22** (2): 103–140. <http://dx.doi.org/10.1179/jbr.2000.22.2.103>
- GUGNACKA-FIEDOR, W. & B. NORÝÚKIWICZ. 1982. The vegetation of Kaffiøyra, Oscar II Land, NW Spitsbergen. – *Acta Universitatis Nicolai Copernici. Nauki matematyczno-przyrodnicze, Geographia* **51**: 203–238.
- HADAČ, E. 1946. The plant-communities of Sassen Quarter, Vestspitsbergen. – *Studia Botanica Cechoslovaca* **7**: 127–164.
- HADAČ, E. 1989. Notes on plant communities of Spitsbergen. – *Folia Geobotanica et Phytotaxonomica* **24** (2): 131–169.
- HAGEN, I. 1908. The mosses and hepatics of Prince Charles Foreland, Spitsbergen. – *Transactions and Proceedings of the Botanical Society of Edinburgh* **23** (1/4): 326–330. <http://dx.doi.org/10.1080/03746600809469176>
- HAGEN, A. 1952. Plants collected in Vestspitsbergen in the summer of 1933. – *Norsk Polarinstitutt meddelelser* **70**: 1–14.
- HARMSSEN, L. & G. SEIDENFADEN. 1932. Mosses of the Godthaab expedition, 1928. – *Meddelelser om Grønland* **82** (2): 1–42.
- HÄSSEL, G.G. & M.F. RUBIES. 2009. Catalogue of Marchantiophyta and Anthocerotophyta of southern South America. – *Nova Hedwigia Beiheft* **134**: 1–672.
- HEINEMEIJER, H.D. 1979. De vegetatie van het westelijk gedeelte van Rosenbergdalen, Edgeøya, Svalbard. Results Reindeer Environment Expedition Svalbard. – *Univ. Amsterdam, Research groep Oecologie van Cormophyta en Vegetatiekunde, Intern Rapp.* **67**: 1–63.
- HEINEMEIJER, H.D. & A.J. VAN DIJK. 2004. Rosenbergdalen, green valley in the barrenland of Edgeøya, Spitsbergen – in: *Boschman, L. & L. Haquebord, Eds. Permanence in diversity. Netherlands ecological research on Edgeøya Spitsbergen. Circumpolar Studies 1. Groningen: Barkhuis Publishing*, pp. 46–69.
- HEINRICHS, J., J. HENTSCHEL, R. WILSON, K. FELDBERG & H. SCHNEIDER. 2007. Evolution of leafy liverworts (Jungermanniaceae, Marchantiophyta): estimating divergence times from chloroplast DNA sequences using penalized likelihood with integrated fossil evidence. – *Taxon* **56** (1): 31–44. <http://dx.doi.org/10.2307/25065733>
- HEINRICHS, J., A. BOMBOSCH, K. FELDBERG, H.-P. KREIER, J. HENTSCHEL, J. ECKSTEIN, D.G. LONG, R.-L. ZHU, A. SCHÄFER-VERWIMP, A.R. SCHMIDT, B. SHAW, A.J. SHAW & J. VÁÑA. 2012. A phylogeny of the northern temperate leafy liverwort genus *Scapania* (Scapaniaceae, Jungermanniales). – *Molecular Phylogenetics and Evolution* **62** (3): 973–985. <http://dx.doi.org/10.1016/j.ympev.2011.11.029>
- HENTSCHEL, J., R. WILSON, M. BURGHARDT, H.-J. ZÜNDORF, H. SCHNEIDER & J. HEINRICHS. 2006. Reinstatement of Lophocoleaceae (Jungermanniolesida) based on chloroplast gene *rbcl* data: exploring the importance of female involucre for the systematics of Jungermanniales. – *Plant Systematics and Evolution* **258** (2): 211–226. <http://dx.doi.org/10.1007/s00606-006-0408-y>
- HENTSCHEL, J., J.A. PATON, H. SCHNEIDER & J. HEINRICHS. 2007. Acceptance of *Lioclaena* Nees and *Solenostoma* Mitt., the systematic position of *Eremonotus* Pearson and notes on *Jungermannia* L. s. l. (Jungermanniaceae) based on chloroplast DNA sequence data. – *Plant Systematics and Evolution* **268** (1/4): 147–157. <http://dx.doi.org/10.1007/s00606-007-0549-7>
- HERZOG, T. 1926. Die Geographie der Moose. – Gustav Fischer: Jena. 439 pp.
- HODGETTS, N.G. 2015. Checklist and country status of European bryophytes – towards a new Red List for Europe. – *Irish Wildlife Manual* **84**: 1–125.
- HODGETTS, N.G. & N. LOCKHART. 2020. Checklist and country status of European bryophytes—update 2020. – *Irish Wildlife Manual* **123**: 1–214.
- HODGETTS, N.G., L. SÖDERSTRÖM, T.L. BLOCKEEL, S. CASPARI, M.S. IGNATOV, N.A. KONSTANTINOVA, N. LOCKHART, B. PAPP, C. SCHRÖCK, M. SIM-SIM, D. BELL, N.E. BELL, H.H. BLOM, M.A. BRUGGEMAN-NANNENGA, M. BRUGUÉS, J. ENROTH, K.I. FLATBERG, R. GARILLETI, L. HEDENÄS, D.T. HOLYOAK, V. HUGONNOT, I. KARIYAWASAM, H. KÖCKINGER, J. KUČERA, F. LARA & R.D. PORLEY. 2020. An annotated checklist of bryophytes of Europe, Macaronesia and Cyprus. – *Journal of Bryology* **42** (1): 1–116. <http://dx.doi.org/10.1080/03736687.2019.1694329>

- HOFFMAN, W. 1968. Geobotanische Untersuchungen in Südost-Spitzbergen 1960. – Franz Steiner Verlag: Wiesbaden. 83 pp.
- HOOKE, W.J. 1828. Botanical appendix – in: Parry, W.E., Ed. *Narrative of an attempt to reach the North Pole in boats fitted for the purpose, and attached to His Majesty's ship Hecla, in the year MDC-CCXXVII, under the command of captain William Edward Parry*. London: John Murray, pp. 207–220.
- HORIKAWA, Y. 1950. Symbolae florae Bryophytae Orientali-Asiae et Micronesiae XI. – *Hikobia* 1: 30–36.
- INOUE, H. 1988. Bryophyta Selecta Exsiccata Fasc. XIX (No. 901–950). – Natural Science and Museum: Tokyo. 6 pp.
- JØRGENSEN, E. 1934. Norges levermossor. – *Bergens Museums Skrifte-r (n.ser.)* 16: 1–343.
- KAALAAS, B. 1893a. Levermosernes udbredelse i Norge. – *Nyt Maga-zin for Naturvidenskaberne* 33 (1/2): 1–192.
- KAALAAS, B. 1893b. Levermosernes udbredelse i Norge. – *Nyt Maga-zin for Naturvidenskaberne* 33 (3): 193–288.
- KAALAAS, B. 1893c. Levermosernes udbredelse i Norge. – *Nyt Maga-zin for Naturvidenskaberne* 33 (4/5): 289–490.
- KALINAUSKAITĖ, N. & M. VON CRÄUTLEIN. 2010. *Lophozia mur-manica* Kaal. – a new species found in Finland. – *Bryobrotherella* 13: 119–121.
- KARCZMARZ, K. & F. ŚWIEŚ. 1988. Bryophyte flora of south Bellsund Bay coast (western Spitsbergen) – in: *Repelewska-Pekalowa, J., K. Pekala & M. Harasimiuk, Eds. Polar Session "Natural environment research Bellsund, Spitsbergen"*. Lublin: Maria Curie-Skłodowska Univ., pp. 229–235.
- KARCZMARZ, K. & F. ŚWIEŚ. 1989. Mosses (Bryophyta) of regions of Lognedalsflya, Dyrstadflya and northern part of Chamberlindalen on south-east shore of Bellsund (West Spitsbergen) – in: *Repelewska-Pekalowa, J. & K. Pekala, Eds. Polar session. Arctic environment re-search*. Lublin: Maria Curie-Skłodowska Univ., pp. 89–96.
- KARCZMARZ, K. & F. ŚWIEŚ. 1990a. Bryophytes collected in arctic tundra of the eastern slopes of Activekammen (Western Spitsbergen) in 1987–1988 – in: *Repelewska-Pekalowa, J. & K. Pekala, Eds. Polar session. "Periglacial phenomena of Western Spitsbergen"*. Lublin, Poland., pp. 175–183.
- KARCZMARZ, K. & F. ŚWIEŚ. 1990b. Bryophyte collected in Arctic Tundra of Dyrstad Region (Western Spitsbergen) in 1988. – *Annales Universitatis Mariae Curie-Skłodowska, C Biologia* 45 (12): 127–139.
- KARLSSON, T. 1993. Mossor. – *Svensk Botanisk Tidskrift* 87: 104–106.
- KLIMOVA, K.G. & V.A. BAKALIN. 2017. Two *Scapania* species (Scapaniaceae) newly recorded from Kamchatka. – *Arctoa* 26 (2): 125–131. <http://dx.doi.org/10.15298/arctoa.26.12>
- KOBAYASHI, K., H. KASHIWADANI & H. DEGUCHI. 1990. Vegetation of Bohemanflya in Spitsbergen – in: *Tatsumi, T., Ed. The Japanese scientific expeditions to Svalbard 1983–1988*. Tokyo, pp. 29–70.
- KONSTANTINOVA, N.A. 2000. Distribution patterns of the north hol-arctic hepatics. – *Arctoa* 9: 29–94. <http://dx.doi.org/10.15298/arctoa.09.06>
- KONSTANTINOVA, N.A. 2003. On phytogeography of hepatics Spitzbergen archipelago – in: *Matishov, G.G. & G.A. Tarasov, Eds. Complex investigations of Spitzbergen nature, issue 3. Apatiti*, pp. 163–165.
- KONSTANTINOVA, N.A. & N.E. KOROLEVA. 2003. On some dwarf forms of hepatics new for Spitzbergen archipelago – in: *Matishov, G.G. & G.A. Tarasov, Eds. Complex investigations of Spitzbergen nature, issue 3. Apatiti*, pp. 156–161.
- KONSTANTINOVA, N.A. & A.N. SAVCHENKO. 2006. Findings of some rare hepatics in Spitsbergen in western coast of Bockfjorden – in: *Matishov, G.G. & G.A. Tarasov, Eds. Complex investigations of Spitzbergen nature, issue 6. Apatiti*, pp. 330–336.
- KONSTANTINOVA, N.A. & A.N. SAVCHENKO. 2007. New for archi-pelago and rare in Spitsbergen hepatics in vicinities of Barentsburg – in: *Matishov, G.G. & G.A. Tarasov, Eds. Complex investigations of Spitzbergen nature, issue 7. Apatiti*, pp. 265–278.
- KONSTANTINOVA, N.A. & A.N. SAVCHENKO. 2008a. Contributions to the hepatic flora of Svalbard. – *Lindbergia* 33 (1): 13–22.
- KONSTANTINOVA, N.A. & A.N. SAVCHENKO. 2008b. Hepatics – in: *Koroleva, N.E., N.A. Konstantinova, O.A. Belkina, D.A. Davydov, A.J. Lihachev, A.N. Savchenko & I.N. Urbanavichene., Eds. Flora and vegetation of Grønfjord area (Spitsbergen archipelago). Apatiti*, pp. 54–80.
- KONSTANTINOVA, N.A. & A.N. SAVCHENKO. 2008c. Distribution of liverworts, rare for the Svalbard Archipelago, around Piramida (Pyra-miden) Settlement. – in: *Matishov, G.G. & G.A. Tarasov, Eds. Nature of the shelf and archipelagos of the European Arctic. Iss. 8. Proceed-ings of the International Scientific Conference (Murmansk, Novem-ber 9–11, 2008). Geos, Moscow*, pp. 177–181.
- KONSTANTINOVA, N.A. & A.N. SAVCHENKO. 2011. On distribu-tion of *Scapania ligulifolia* R.M.Schust. (Hepaticae) on Svalbard – in: *Matishov, G.G., Ed. Global climate processes and their impact on the ecosystems of the Arctic and subarctic regions 11. Apatiti*, pp. 96–97.
- KONSTANTINOVA, N.A. & A.N. SAVCHENKO. 2012. Contribution to the hepatic flora of the Nordaustlandet (Svalbard). I. Hepatics of the north coast of Murchisonfjorden. – *Polish Botanical Journal* 57 (1): 181–195.
- KONSTANTINOVA, N.A. & A.N. SAVCHENKO. 2015. Preliminary results of study Hepatic diversity of the Nordaustlandet (Svalbard). – in: *History of development of Spitsbergen and northern Eurasia*, pp. 19–20.
- KONSTANTINOVA, N.A. & A.N. SAVCHENKO. 2018. Contribution to the hepatic flora of the Svalbard: Hepatics of the Barents Island. – *Folia Cryptogamica Estonica* 55: 105–115. <http://dx.doi.org/10.12697/fce.2018.55.11>
- KONSTANTINOVA, N.A. & A.N. SAVCHENKO. 2020a. Contribution to the hepatic flora of Svalbard III: Hepatics of Prins Karls Forland (Forlandet nasjonalpark). – *Nova Hedwigia Beiheft* 150: 179–192. <http://dx.doi.org/10.1127/nova-suppl/2020/179>
- KONSTANTINOVA, N.A. & A.N. SAVCHENKO. 2020b. On the spread of liverworts included in the Red Book of Europe on Svalbard – in: *Makarevich, P.R., D.V. Moiseev, A.S. Bulavina & N.N. Panteleeva, Eds. Complex investigations of Spitsbergen and offshore nature: Pro-ceedings of the XV scientific conference (Murmansk). Apatiti: FRC Kola Science Centre RAS*, pp. 50–52.
- KONSTANTINOVA, N.A. & A.A. VILNET. 2016. A new species of the genus *Jungermannia* (Jungermanniales, Marchantiophyta) from the Caucasus with notes on taxa delimitation and taxonomy of *Junger-mannia* s. str. – *Phytotaxa* 255 (3): 227–239. <http://dx.doi.org/10.11646/phytotaxa.255.3.4>
- KONSTANTINOVA, N.A., N.E. KOROLEVA & A.N. SAVCHENKO. 2009. Study of the vegetation of Spitzbergen – in: *Kalinnikov, V.T. Ed. Nauka na Shpitsbergene. Istoriya Rossijskikh issledovanij, St. Peters-burg, Gamas*, pp. 190–205.
- KONSTANTINOVA, N.A., A.A. VILNET & S. ȘTEFĂNUȚ. 2014. On the distribution and variability of *Bucegia romanica* Radian. – *Arctoa* 23: 137–144. <http://dx.doi.org/10.15298/arctoa.23.11>
- KONSTANTINOVA, N.A., A.A. VILNET & YU.S. MAMONTOV. 2020a. A new species of the genus *Lophozia* (Lophoziaceae) from Sval-bard Archipelago. – *Arctoa* 29 (2): 124–134. <http://dx.doi.org/10.15298/arctoa.29.10>
- KONSTANTINOVA, N.A., A.N. SAVCHENKO & A.A. VILNET. 2020b. Hepaticae svalbardensia exsiccatae, fasciculus I. (nos. 1–25). – *Arctoa* 29 (1): 101–104. <http://dx.doi.org/10.15298/arctoa.29.08>
- KONSTANTINOVA, N.A., A.N. SAVCHENKO & A.A. VILNET. 2020c. Contribution to the liverwort flora of Franz Josef Land Archi-pelago I. Liverworts (Marchantiophyta) of Ziegler Island. – *Arctoa* 29 (1): 63–71. doi: <http://dx.doi.org/10.15298/arctoa.29.04>

- KOROLEVA, N.E. & E.A. BOROVICHEV. 2014. Rare plant communities with abundance of *Sauteria alpina* (Nees) Nees in the arctic tundra of Svalbard. – *Arctoa* **23**: 5–10. <http://dx.doi.org/10.15298/arctoa.23.02>
- KOSOVICH-ANDERSON, Y.I. 2014. An annotated checklist of bryophytes of the east slope of the Wind River Range, Wyoming / preliminary results of bryophyte inventory. – U.S.D.A. Forest Service General Technical Report PNW. 129 pp.
- KREIER, H.-P., K. FELDBERG, F. MAHR, A. BOMBOSCH, A.R. SCHMIDT, R.-L. ZHU, M. VON KONRAT, B. SHAW, A.J. SHAW & J. HEINRICHS. 2010. Phylogeny of the leafy liverwort *Ptilidium*: Cryptic speciation and shared haplotypes between the Northern and Southern. – *Molecular Phylogenetics and Evolution* **57** (3): 1260–1267. <http://dx.doi.org/10.1016/j.ympev.2010.10.002>
- KUC, M. 1998. Environs of the Polish Polar Station (Isbjörnhamna, north Hornsund, Spitsbergen) as surveyed in 1958 by vegetation mapping and related methods – in: Glowacki, P. & J. Bednarek, Eds. *Polish polar studies, 25th International Polar Symposium*. Warsaw: Polish Academy of Sciences, pp. 141–157.
- KUSNETSOVA, O.I., N.A. KONSTANTINOVA, A.A. VILNET, E.D. LAPSHINA, O.M. AFONINA, A.I. MAKSIMOV, T.A. MAKSIMOVA & M.S. IGNATOV. 2020. Bryophyte molecular barcoding records. 3. – *Arctoa* **29** (2): 216–218. <http://dx.doi.org/10.15298/arctoa.29.15>
- LADYZHENSKAJA, K.I. & A.L. ZHUKOVA. 1972. *Orthocaulis elongatus* (Lindb.) Evans - species rara primum in flora hepaticarum URSS inventa. – *Novosti sistematiki nizshikh rastenii* **9**: 304–307.
- LAMMES, T. 1977. Additions to the hepatic flora of Finland. – *Annales Botanici Fennici* **14** (1): 17–20.
- LE GALLO, P.C. 1951. Florule bryologique des Îles Saint-Pierre et Miquelon. – *Revue Bryologique et Lichénologique* **20** (1/2): 43–93.
- LINDBERG, S.O. 1866. Förteckning öfver mossor, insamlade under de svenska expeditionerna till Spitsbergen 1858 och 1861. – *Öfversigt af Kongliga Vetenskaps-Akademiens Förhandlingar* **23** (10): 535–561.
- LINDBERG, S.O. 1877. Utredning af de under namn af *Sauteria alpina* sammanblandade former. – *Botaniska Notiser* **30**: 73–78.
- LINDBERG, S.O. 1882. Monographia praecursoria *Peltolipidi*, *Sauteriae* et *Cleveae*. – *Acta Societatis pro Fauna et Flora Fennica* **2** (3): 1–15.
- LINDBERG, S.O. & H.W. ARNELL. 1889. Musci asiae borealis. Beschreibung der von den Schwedischen Expeditionen nach Sibirien in den Jahren 1875 und 1876 gesammelten Moose mit Berücksichtigung aller früheren bryologischen Angaben für das russische Nord-Asien. Erster Theil: Lebermoose. – *Kongliga Svenska Vetenskaps-Akademiens Handlingar* (n. ser.) **23** (5): 1–69.
- LIVESAY, W. 1870. Notice of plants collected in Spitzbergen and Nova Zembla in the summer of 1869. – *Transactions of the Botanical Society of Edinburgh* **10**: 333–341.
- LONG, D.G. & B.J. CRANDALL-STOTLER. 2020. *Marchantia platycarpa* (Marchantiopsida, Marchantiaceae), a new species from China. – *Nova Hedwigia Beiheft* **150**: 109–116.
- LONG, D.G., J.A. PATON & G.P. ROTHERO. 1990. *Marsupella arctica* (Berggr.) Bryhn & Kaal. in Scotland, new to the British Isles. – *Journal of Bryology* **16** (2): 163–171. <http://dx.doi.org/10.1179/jbr.1990.16.2.163>
- LONG, D.G., G. PROTHERO & J.A. PATON. 2003. *Athalamia hyalina* (Sommerf.) S.Hatt. in Scotland, new to the British Isles. – *Journal of Bryology* **25** (4): 253–257. <http://dx.doi.org/10.1179/037366803225013119>
- LORENZ, A. 1915. List of Hepaticae to be expected in New England. – *Bryologist* **18** (2): 24–26. <http://dx.doi.org/10.2307/3237857>
- MAMONTOV, Y.S. & A.A. VILNET. 2013. *Anastrophylum ellipticum* Inoue (Jungermanniales, Marchantiophyta), a new species for Russian liverwort flora. – *Arctoa* **22**: 151–158. <http://dx.doi.org/10.15298/arctoa.22.24>
- MAMONTOV, Y.S. & A.A. VILNET. 2017. *Cephaloziella konstantinova* (Cephaloziellaceae, Marchantiophyta), a new liverwort species from Russia and Mongolia identifies by integrative taxonomy. – *Polish Botanical Journal* **62** (1): 1–19. <http://dx.doi.org/10.1515/pbj-2017-0001>
- MAMONTOV, Y.S., N.A. KONSTANTINOVA, A.A. VILNET, A.D. POTEKIN, E.V. SOFRONOVA & N.S. GAMOVA. 2018. On resurrection of *Marsupella parvireta* Steph. (Gymnomitriaceae, Marchantiophyta) as a semi cryptic species of the genus *Gymnomitrium*. – *Nova Hedwigia* **106** (1/2): 81–101. http://dx.doi.org/10.1127/nova_hedwigia/2017/0466
- MAMONTOV, Y.S., A.A. VILNET, N.A. KONSTANTINOVA & V.A. BAKALIN. 2019. Two more species of Gymnomitriaceae (Marchantiophyta) in the North Pacific. – *Botanica Pacifica* **8** (1): 67–80. <http://dx.doi.org/10.17581/bp.2019.08113>
- MILLER, H. A., H. O. WHITTIER & B. A. WHITTIER. 1983. Prodromus florae hepaticarum Polynesiae. Catalogue of Hepaticae and Anthocerotae. – *Bryophytorum Bibliotheca* **25**: 1–423.
- MINAMI, Y., S. OKITSU & H. KANDA. 1997b. Relationship between plant community and topographic factor on the moraine at deglaciated Arctic Terrain in Ny-Ålesund, Svalbard. – *Bulletin of faculty of agriculture, Tamagawa University* **37**: 21–30.
- MOHR, C. 1901. Plant life of Alabama. – *Contributions from the United States National Herbarium* **6**: 1–921.
- MÜLLER, K. 1900. Vorläufige Bemerkungen zu einer Monographie der *Scapania*-Arten. – *Botanisches Centralblatt* **82** (13): 401–411.
- MÜLLER, K. 1901. Vorarbeiten zu einer Monographie der Gattung *Scapania*. – *Bulletin de l'Herbier Boissier* (sér. 2) **1** (6): 593–614.
- MÜLLER, K. 1905. Monographie der Lebermoosgattung *Scapania* Dum. – *Nova Acta Academiae Caesareae Leopoldino-Carolinae Germanicae Naturae Curiosorum* **83**: 1–312.
- MÜLLER, K. 1907a. Die Lebermoose (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Oesterreich und der Schweiz, 2 Aufl., 6 Band), 1 Abth., 4. – Eduard Kummer: Leipzig.
- MÜLLER, K. 1907b. Die Lebermoose (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Oesterreich und der Schweiz, 2 Aufl., 6 Band), 1 Abth., 5. – Eduard Kummer: Leipzig.
- MÜLLER, K. 1909a. Die Lebermoose (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Oesterreich und der Schweiz, 2 Aufl., 6 Band), 1 Abth., 7. – Eduard Kummer: Leipzig.
- MÜLLER, K. 1909b. Die Lebermoose (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Oesterreich und der Schweiz, 2 Aufl., 6 Band), 1 Abth., 8. – Eduard Kummer: Leipzig.
- MÜLLER, K. 1909c. Die Lebermoose (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Oesterreich und der Schweiz, 2 Aufl., 6 Band), 1 Abth., 9. – Eduard Kummer: Leipzig.
- MÜLLER, K. 1910a. Die Lebermoose (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Oesterreich und der Schweiz, 2 Aufl., 6 Band), 1 Abth., 10. – Eduard Kummer: Leipzig.
- MÜLLER, K. 1910b. Die Lebermoose (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Oesterreich und der Schweiz, 2 Aufl., 6 Band), 1 Abth., 11. – Eduard Kummer: Leipzig.
- MÜLLER, K. 1911. Die Lebermoose (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Oesterreich und der Schweiz, 2 Aufl., 6 Band), 1 Abth., 14. – Eduard Kummer: Leipzig.
- MÜLLER, K. 1913a. Die Lebermoose (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Oesterreich und der Schweiz, 2 Aufl., 6 Band), 2 Abth., 17. – Eduard Kummer: Leipzig.
- MÜLLER, K. 1913b. Die Lebermoose (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Oesterreich und der Schweiz, 2 Aufl., 6 Band), 2 Abth., 18. – Eduard Kummer: Leipzig.
- MÜLLER, K. 1914a. Die Lebermoose (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Oesterreich und der Schweiz, 2 Aufl., 6 Band), 2 Abth., 19. – Eduard Kummer: Leipzig.
- MÜLLER, K. 1914b. Die Lebermoose (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Oesterreich und der Schweiz, 2 Aufl., 6 Band), 2 Abth., 20. – Eduard Kummer: Leipzig.

- MÜLLER, K. 1915a. Die Lebermoose (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Oesterreich und der Schweiz, 2 Aufl., 6 Band), 2 Abth., 21. – Eduard Kummer: Leipzig.
- MÜLLER, K. 1915b. Die Lebermoose (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Oesterreich und der Schweiz, 2 Aufl., 6 Band), 2 Abth., 22. – Eduard Kummer: Leipzig.
- MÜLLER, K. 1952. Die Lebermoose Europas (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Österreich und der Schweiz, 3 Aufl., 6 Band), 1 Abth., 3 Lieferung. – Akademische Verlagsgesellschaft: Leipzig.
- MÜLLER, K. 1954a. Die Lebermoose Europas (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Österreich und der Schweiz, 3 Aufl., 6 Band), 1 Abth., 4 Lieferung. – Akademische Verlagsgesellschaft: Leipzig.
- MÜLLER, K. 1954b. Die Lebermoose Europas (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Österreich und der Schweiz, 3 Aufl., 6 Band), 1 Abth., 5 Lieferung. – Akademische Verlagsgesellschaft: Leipzig.
- MÜLLER, K. 1956a. Die Lebermoose Europas (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Österreich und der Schweiz, 3 Aufl., 6 Band), 2 Abth., 6 Lieferung. – Akademische Verlagsgesellschaft: Leipzig.
- MÜLLER, K. 1956b. Die Lebermoose Europas (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Österreich und der Schweiz, 3 Aufl., 6 Band), 2 Abth., 7 Lieferung. – Akademische Verlagsgesellschaft: Leipzig.
- MÜLLER, K. 1956c. Die Lebermoose Europas (Dr. L. Rabenhorst's Kryptogamen-Flora von Deutschland, Österreich und der Schweiz, 3 Aufl., 6 Band), 2 Abth., 8 Lieferung. – Akademische Verlagsgesellschaft: Leipzig.
- NEWSHAM, K.K. & W.P. GOODALL-COPESTAKE. 2021. Liverworts frequently form mycothalli on Spitsbergen in the High Arctic — *Polar Research*, n.s. 40 (7727): 1–13.
- NILSEN, L. & A. ELVEBAKK. 2014. Vegetation of exposed calcareous ridges in central Spitsbergen, Svalbard, Norway. – *Phytocoenologia* 44 (1/2): 19–29. <http://dx.doi.org/10.1127/0340-269X/2013/0043-0470>
- NORWEGIAN POLAR INSTITUTE. 2003. The place names of Svalbard. – *Norsk polarinstitutt Rapportserie* 122: 1–537.
- NUTH, C., J. KOHLER, M. KÖNIG, A. VON DESCHWANDEN, J.O. HAGEN, A. KÄÄB, G. MOHOLDT & R. PETTERSSON. 2013. Decadal changes from a multi-temporal glacier inventory of Svalbard. – *The Cryosphere* 7: 1603–1621. DOI: <https://doi.org/10.5194/tc-7-1603-2013>
- OCHYRA, R. & J. VÁŇA. 1989. The hepatics of King George Island, South Shetland Islands, Antarctica, with particular reference to the Admiralty Bay region. – *Polish Polar Research* 10 (2): 183–210.
- OLSON, D.M., E. DINERSTEIN, E.D. WIKRAMANAYAKE, N.D. BURGESS, G.V.N. POWELL, E.C. UNDERWOOD, J.A. D'AMICO, I. ITOUA, H.E. STRAND, J.C. MORRISON, C.J. LOUCKS, T.F. ALLNUTT, T.H. RICKETTS, Y. KURA, J.F. LAMOREUX, W.W. WETTENGEL, P. HEDAO & K.R. KASSEM. 2001. Terrestrial ecoregions of the world: a new map of life on earth — *BioScience* 51 (11): 933–938.
- PARIHAR, N.S., B. LAL & N. KATIYAR. 1994. Hepatics and Anthocerotites of India. A new annotated checklist. – Indian Universities Press: Allahabad.
- PATON, J.A. 1999. The liverwort flora of the British Isles. – Harley Books: Colchester. 626 pp.
- PATZAK, S.D.F., J. VÁŇA, M.A.M. RENNER & J. HEINRICHS. 2016a. Transfer of the leafy liverwort *Xenochila* from Plagioclilaceae (Lophocoleineae) to Jungermanniaceae. – *Plant Systematics and Evolution* 302 (7): 891–899. <http://dx.doi.org/10.1007/s00606-016-1305-7>
- PATZAK, S.D.F., A. SCHÄFER-VERWIMP, J. VÁŇA, M.A.M. RENNER, D.F. PERALTA & J. HEINRICHS. 2016b. Chonecoleaceae (Lophocoleineae) is a synonym of Cephaloziellaceae (Cephaloziineae) and *Rivulariella* (Jungermanniineae) belongs to Scapaniaceae s.l. (Cephaloziineae). – *Phytotaxa* 267 (2): 91–102. <http://dx.doi.org/10.11646/phytotaxa.267.2.1>
- PERSSEON, H. 1942. Arctic bryophytes mainly collected by rev. J. Lagerkrantz. – *Svensk Botanisk Tidskrift* 36: 444–450.
- PERSSEON, H. 1946. Some Alaskan and Yukon bryophytes. – *Bryologist* 49 (2): 41–58. <http://dx.doi.org/10.2307/3239692>
- PERSSEON, H. 1952. Critical or otherwise interesting bryophytes from Alaska-Yukon. – *Bryologist* 55 (1): 1–25. <http://dx.doi.org/10.2307/3240270>
- PERSSEON, H. 1962. Bryophytes from Alaska collected by E. Hultén and others. – *Svensk Botanisk Tidskrift* 56: 1–35.
- PERSSEON, H. & O. GJAEREVOLL. 1961. New records of Alaskan bryophytes. – *Det Kongelige Norske Videnskabers Selskabs Forhandling* 1961-2: 1–26.
- PERSSEON, H. & L.A. VIERECK. 1983. Collections and discussions of some bryophytes from Alaska. – *Lindbergia* 9 (1): 5–20.
- PHILIPPI, G. 1973. Moosflora und Moosvegetation des Freeman-Sund-Gebietes (Südost-Spitzbergen). – Franz Steiner Verlag: Wiesbaden. 83 pp.
- PHIPPS, C.J. 1774. A voyage towards the north pole undertaken by his Majesty's command. – J. Nourse: London. 253 pp.
- PHIPS, C.I. 1777. Reise nach dem Nordpol. Auf Befehl Ihro Königl. Grossbritannischen Majestät. Unternommen im Jahr 1773. – Bern. 304 pp. <http://dx.doi.org/10.3931/e-rara-28783>
- POLUNIN, N. 1945. Plant life in Kongsfjord, West Spitsbergen. – *Journal of Ecology* 33 (1): 82–108. <http://dx.doi.org/10.2307/2256560>
- POTEMKIN, A.D. 1994. Studies on *Scapania*, Hepaticae sectio *Rufidulae* and section *Nemorosae*. – *Journal of the Hattori Botanical Laboratory* 77: 273–285.
- POTEMKIN, A.D. 1999. An analysis of the practical taxonomy of some critical northern species of *Scapania* (Scapaniaceae, Hepaticae). – *Bryologist* 102 (1): 32–38. <http://dx.doi.org/10.2307/3244456>
- POTEMKIN, A.D. 2014. Contribution to the liverwort flora of the Russian Arctic: Champ, Heiss, Vize, Troynoy and Vaygach islands. – *Novosti sistematiki nizshikh rastenii* 48: 374–379.
- PRESTØ, T., M. LÜTH & K. HASSEL. 2014. Bryophytes of the Longyearbyen area. – *NTNU Vitenskapsmuseet Naturhistorisk Notat* 1994-10: 1–68.
- PREY, T., BOUDIER, P. & J. WERNER. 2014. *Cephaloziella uncinata* (Cephaloziellaceae, Marchantiophyta) en Haute-Normandie, une hépatique arctique nouvelle. – *Cryptogamie, Bryologie* 35 (3): 313–320. <http://dx.doi.org/10.7872/cryb.v35.iss3.2014.313>
- REJMENT-GROCHOWSKA, I. 1967. Contribution to the hepatic flora of the north coast of Hornsund (S. W. Svalbard). – *Acta Societatis Botanicorum Poloniae* 36 (3): 531–544.
- RØNNING, O.I. 1996. The flora of Svalbard. Polarhåndbok No. 10. – Norsk polarinstitutt. 184 pp.
- RUBASINGHE, S.C.K. 2011. Phylogeny and taxonomy of the complex thalloid liverwort family Cleveaceae Cavers. – Royal Botanic Garden: Edinburgh. 264 pp.
- SANIEWSKI, M., P. WIETRZYK-PEŁKA, T. ZALEWSKA, M.A. OLECH, M. HUBERT WĘGRZYN. 2020. Bryophytes and lichens as fallout originated radionuclide indicators in the Svalbard Archipelago (high Arctic). – *Polar Science* 25 (100536): 1–6. <http://dx.doi.org/10.1016/j.polar.2020.100536>
- SCHÄFER-VERWIMP, A. & C. GIANCOTTI. 1993. New or interesting records of Brazilian bryophytes, IV. – *Hikobia* 11: 285–293.
- SCHÄFER-VERWIMP, A., P. MAIR & I. VERWIMP. 2019. Neue und bemerkenswerte Moosfunde für Südtirol (Provinz Bozen, Italien). – *Gredleriana, Veröffentlichungen des Naturmuseums Südtirol* 19: 5–14. <http://dx.doi.org/10.5281/zenodo.3565279>

- SCHIFFNER, V. 1893. Hepaticae – in: Engler, A. & K. Prantl, Eds. *Die Natürlichen Pflanzenfamilien, Teil. I, Abt. 3. Leipzig: Engelmann*, pp. 1–141. <http://dx.doi.org/10.5962/bhl.title.4635>
- SCHIFFNER, V. 1898. Conspectus hepaticarum archipelagi indici. – Staatsdruckerei: Batavia. 382 pp.
- SCHIFFNER, V. 1912. Kritik der Europäischen Formen der Gattung *Chiloscyphus* auf phylogenetischer Grundlage. – *Beihefte zum Botanischen Centralblatt. Abt. 2, Systematik, Pflanzengeographie, angewandte Botanik* **29**: 74–116.
- SCHILL, D.B. & D.G. LONG. 2003. A revision of *Anastrophyllum* (Spruce) Steph. (Jungermanniales, Lophoziaceae) in the Himalayan region and western China. – *Journal of the Hattori Botanical Laboratory* **94**: 115–157.
- SCHLJAKOV, R.N. 1976. Pečenočnye Mchi Severa SSSR. 1. – Nauka: Leningrad. 91 pp.
- SCHLJAKOV, R.N. 1979. Pečenočnye Mchi Severa SSSR. 2. – Nauka: Leningrad. 191 pp.
- SCHLJAKOV, R.N. 1980. Pečenočnye Mchi Severa SSSR. 3. – Nauka: Leningrad. 188 pp.
- SCHLJAKOV, R.N. 1981. Pečenočnye Mchi Severa SSSR. 4. – Nauka: Leningrad. 221 pp.
- SCHOFIELD, W.B. & H. CRUM. 1972. Disjunctions in bryophytes. – *Annals of the Missouri Botanical Garden* **59**: 174–202.
- SCHUMACKER, R., Z. SOLDÁN & L. MISERERE. 1999. *Haplomitrium hookeri* (Sm.) Nees (Calobryales, Marchantiophyta), new for Italy in Valsoera (Gran Paradiso National Park). – *Bollettino del Museo Regionale di Scienze Naturali, Torino* **16**: 89–96.
- SCHUSTER, R.M. 1950. Notes on nearctic Hepaticae. II. The Hepaticae in east coast of Hudson Bay. – *Bulletin of the National Museum of Canada* **122**: 1–62.
- SCHUSTER, R.M. 1958. Notes on nearctic Hepaticae. XIII. *Tritomaria* (Lophoziaceae) in Arctic. – *Canadian Journal of Botany* **36** (2): 269–288. <http://dx.doi.org/10.1139/b58-023>
- SCHUSTER, R.M. 1961. Notes on nearctic Hepaticae. XVIII. New Lophoziaceae from the arctic archipelago of Canada. – *Canadian Journal of Botany* **39** (4): 965–992. <http://dx.doi.org/10.1139/b61-081>
- SCHUSTER, R.M. 1966. The Hepaticae and Anthocerotae of North America. I. – Columbia University Press: New York. 802 pp.
- SCHUSTER, R.M. 1967. Studies on Hepaticae. XV. Calobryales. – *Nova Hedwigia* **13** (1/2): 1–76.
- SCHUSTER, R.M. 1969. The Hepaticae and Anthocerotae of North America. II. – Columbia University Press: New York. 1062 pp.
- SCHUSTER, R.M. 1974. The Hepaticae and Anthocerotae of North America. III. – Columbia University Press: New York. 880 pp.
- SCHUSTER, R.M. 1980. The Hepaticae and Anthocerotae of North America. IV. – Columbia University Press: New York. 1334 pp.
- SCHUSTER, R.M. 1981. Late Pleistocene bryological relicts in Western Massachusetts. – *Rhodora* **83**: 441–448.
- SCHUSTER, R.M. 1983. Phytogeography of the Bryophyta – in: Schuster, R.M., Ed. *New Manual of Bryology, vol. 1. Nichinan: Hattori Botanical Laboratory*, pp. 463–626.
- SCHUSTER, R.M. 1992. The Hepaticae and Anthocerotae of North America. VI. – Columbia University Press: New York. 937 pp.
- SCHUSTER, R.M. & K. DAMSHOLT. 1974. The Hepaticae of west Greenland from ca. 66° N to 72° N. – *Meddelelser om Grønland* **199** (1): 1–373.
- SCHUSTER, R.M. & N.A. KONSTANTINOVA. 1996. Studies on the distribution of critical arctic/subarctic Hepaticae with special reference to taxa found in Russia. – *Lindbergia* **21** (1): 26–48.
- SCHUSTER, R.M., W.C. STEERE & J.W. THOMSON. 1959. The terrestrial cryptogams of northern Ellesmere Island. – *Bulletin of the National Museum of Canada* **164**: 1–132.
- SHAW, B., B. CRANDALL-STOTLER, J. VÁŇA, R.E. STOTLER, M. VON KONRAT, J.J. ENGEL, C.E. DAVIS, D.G. LONG, P. SOVA & A.J. SHAW. 2015. Phylogenetic relationships and morphological evolution in a major clade of leafy liverworts (phylum Marchantiophyta, order Jungermanniales): suborder Jungermanniineae. – *Systematic Botany* **40** (1): 27–45. <http://dx.doi.org/10.1600/036364415X686314>
- SMITH, A.J.E. 1990. The liverworts of Britain and Ireland. – Cambridge University Press: Cambridge. 362 pp.
- SÖDERSTRÖM, L. 1995. Preliminary Distribution maps of bryophytes in Norden. Vol. 1. Hepaticae and Anthocerotae. – Mossornas Vänner: Göteborg, Sweden. 55 pp.
- SÖDERSTRÖM, L., E. URMI & J. VÁŇA. 2002a. Distribution of Hepaticae and Anthocerotae in Europe and Macaronesia. – *Lindbergia* **27** (1): 3–47.
- SÖDERSTRÖM, L., K. HASSEL, H. WEIBULL, A. ÅBOLIŇA, H.H. BLOM, K. DAMSHOLT, R. FAGERSTÉN, K.I. FLATBERG, A.A. FRISVOLL, M. HAAPASAARI, T. HALLINGBÄCK, L. HEDENÅS, E. HEEGAARD, S. HUTTUNEN, N. INGERPUU, P. ISOVIITA, B. JÖHANNSSON, I. JUKONINEN, T. KOPONEN & J. LEWINSKY-HAAPASAARI. 2002b. Preliminary Distribution maps of bryophytes in Northwestern Europe. Vol. 1. Hepaticae and Anthocerotae (2nd ed.). – Mossornas Vänner: Göteborg, Sweden. 55 pp.
- SÖDERSTRÖM, L., E. URMI & J. VÁŇA. 2007. The distribution of Hepaticae and Anthocerotae in Europe and Macaronesia – Update 1–427. – *Cryptogamie, Bryologie* **28**: 299–350.
- SÖDERSTRÖM, L., A. HAGBORG, M. VON KONRAT & M.A.M. RENNER. 2008. Early Land Plants Today: Liverwort Checklist of Checklists. – *Fieldiana Botany* **47**: 105–130. <http://dx.doi.org/10.3158/0015-0746-47.1.105>
- SÖDERSTRÖM, L., J. VÁŇA, A. HAGBORG & M. VON KONRAT. 2013. Notes on Early Land Plants Today. 35. Notes on Lophoziaceae (Marchantiophyta) – *Phytotaxa* **97** (2): 27–35.
- SOFRONOVA, E.V. & A.D. POTEKIN. 2018. Four rare liverwort species: distribution, ecology, taxonomy. – *Novosti sistematiki nizshikh rastenii* **52** (2): 505–518. <http://dx.doi.org/10.31111/nsnr/2018.52.2.505>
- SOMMERFELDT, S.C. 1833. Bidrag til Spitsbergens og Beeren-Eilands flora, efter herbarier, medbragte af M. Keilhau. – *Magazin for Naturvidenskaberne* **11** (2): 234–252.
- SOTIAUX, A., O. SOTIAUX & A. VANDERPOORTEN. 2006. Discovery of the rare liverwort *Haplomitrium hookeri* in Belgium: relictualism or long-distance dispersal? – *Cryptogamie, Bryologie* **27**: 367–373.
- SPRUCE, R. 1882. On *Cephalozia* (a genus of Hepaticae) its subgenera and some allied genera. – Slater: Malton. 99 pp. <http://dx.doi.org/10.5962/bhl.title.46289>
- STEBEL, A., R. OCHYRA, N.A. KONSTANTINOVA, W. ZIAJA, K. OSTAFIN & W. MACIEJOWSKI. 2018. A contribution to the knowledge of bryophytes in polar areas subjected to rapid deglaciation: A case study from southeastern. – *Acta Societatis Botanicorum Poloniae* **87** (4:3603): 1–26. <http://dx.doi.org/10.5586/asbp.3603>
- STEERE, W.C. 1953. On the geographical distribution of arctic bryophytes. – *Stanford University Publications. Biological Sciences* **11**: 30–47.
- STEERE, W.C. 1954. Bryophytes (in: The cryptogamic flora of the Arctic). – *Botanical Review. Lancaster* **20** (6/7): 425–450.
- STEERE, W.C. & H. INOUE. 1978. The Hepaticae of arctic Alaska. – *Journal of the Hattori Botanical Laboratory* **44**: 251–345.
- STEPHANI, F. 1898. Species hepaticarum 1. – *Bulletin de l'Herbier Boissier* **6** (10): 757–799. <http://dx.doi.org/10.5962/bhl.title.95494>
- STEPHANI, F. 1901a. Species hepaticarum 2. – *Bulletin de l'Herbier Boissier (sér. 2)* **1** (2): 140–177. <http://dx.doi.org/10.5962/bhl.title.95494>
- STEPHANI, F. 1901b. Species hepaticarum 2. – *Bulletin de l'Herbier Boissier (sér. 2)* **1** (5): 477–521. <http://dx.doi.org/10.5962/bhl.title.95494>

- STEPHANI, F. 1902. Species hepaticarum 2. – *Bulletin de l'Herbier Boissier* (sér. 2) **2** (2): 157–179. <http://dx.doi.org/10.5962/bhl.title.95494>
- STEPHANI, F. 1910. Species hepaticarum 4. – George & Cie: Genève & Bale. 448 pp. <http://dx.doi.org/10.5962/bhl.title.95494>
- STOTLER, R.E. & B. CRANDALL-STOTLER. 2017. A synopsis of the liverwort flora of North America north of Mexico. – *Annals of the Missouri Botanical Garden* **102** (4): 574–709. <http://dx.doi.org/10.3417/2016027>
- SUMMERHAYES, V.S. & C.S. ELTON. 1923a. Contribution to the ecology of Spitsbergen and Bear Island. – *Journal of Ecology* **11** (2): 214–286.
- SUMMERHAYES, V.S. & C.S. ELTON. 1923b. Contribution to the ecology of Spitsbergen and Bear Island. III. Spitsbergen. – *Journal of Ecology* **11** (2): 233–282. <http://dx.doi.org/10.2307/2255865>
- ŚWIĘS, F. & K. KARCZMARZ. 1991a. Bryophytes collected in arctic tundra of Chamberlin region (Western Spitsbergen) in 1987 and 1988. – *Annales Universitatis Mariae Curie-Skłodowska, C Biologia* **46**: 29–43.
- ŚWIĘS, F. & K. KARCZMARZ. 1991b. Bryophytes collected in arctic tundra of the Logne region (Western Spitsbergen) in 1988. – *Wyprawy Geograficzne na Spitsbergen* **1991**: 145–162.
- ŚWIĘS, F. & K. KARCZMARZ. 1993a. Bryophytes collected in the arctic tundra of Calypsostranda region (western Spitsbergen) in 1987 and 1988. – *Annales Universitatis Mariae Curie-Skłodowska, C Biologia* **48**: 49–66.
- ŚWIĘS, F. & K. KARCZMARZ. 1993b. Bryophytes collected in arctic tundra of the Lyellstranda region (Western Spitsbergen) in 1987 and 1988. – In: Repelewska-Pękalowa, J. & K. Pękal, Eds. *Polar session. Arctic environment research. Lublin, Poland. Wyprawy Geograficzne na Spitsbergen. Lublin: Maria Curie-Skłodowska Univ.*, pp. 249–271.
- THINGSGAARD, K. & K. DAMSHOLT. 2007. Bryological notes from Svalbard. – *Lindbergia* **31** (3): 126–130.
- UNAN, A.D., A.D. POTEMKIN, S. URSAVAŞ, S. ÇALIŞKAN & M. ÖREN. 2021. New records of two *Scapania* species (Scapaniaceae, Marchantiophyta) from north of Turkey. – *Plant Biosystems* **155** (4): 679–684. <http://dx.doi.org/10.1080/11263504.2020.1779836>
- VÁŇA, J. 1973. Studien über die Jungermannioideae (Hepaticae). 2. *Jungermannia* subg. *Jungermannia*. – *Folia Geobotanica et Phytotaxonomica* **8** (3): 255–309. <http://dx.doi.org/10.1007/BF02852828>
- VÁŇA, J. 1974. Studien über die Jungermannioideae (Hepaticae). 6. *Jungermannia* subg. *Solenostoma*: Europäische und nordamerikanische Arten. – *Folia Geobotanica et Phytotaxonomica* **9** (4): 369–423. <http://dx.doi.org/10.1007/BF02852451>
- VÁŇA, J. 1975. Studien über die Jungermannioideae (Hepaticae). 7. *Jungermannia* subg. *Plectocolea*: Europäische und nordamerikanische Arten. – *Folia Geobotanica et Phytotaxonomica* **10** (1): 67–99. <http://dx.doi.org/10.1007/BF02855102>
- VILNET, A.A., I.A. MILYUTINA, A.V. TROITSKY & N.A. KONSTANTINOVA. 2005. On phylogeny and systematics of genus *Lophozia* (Dumort.) Dumort. s.str. based on trnL-trnF sequences of chloroplast DNA and ITS 1-2 sequences of nuclear DNA. in: Afonina, O.M., A.D. Potemkin & I.V. Chernyadyeva, Eds. *Actual problems in bryology: Proceedings of the international meeting devoted to the 90-th Anniversary of A. L. Abramova* (Saint Petersburg, November 22-25, 2005). St. Petersburg: Komarov Botanical Institute, pp. 37–43.
- VILNET, A.A., N.A. KONSTANTINOVA & A.V. TROITSKY. 2010. Molecular insight on phylogeny and systematics of the Lophozioaceae, Scapaniaceae, Gymnomitriaceae and Jungermanniaceae. – *Arctoa* **19**: 31–50. <http://dx.doi.org/10.15298/arctoa.19.02>
- VILNET, A.A., N.A. KONSTANTINOVA & A.V. TROITSKY. 2011. Taxonomical rearrangements of Solenostomataceae (Marchantiophyta) with description of a new family Endogemmataceae based on trnL-F cpDNA analysis. – *Folia Cryptogamica Estonica* **48**: 125–133.
- VILNET, A.A., N.A. KONSTANTINOVA & A.V. TROITSKY. 2012a. Molecular phylogeny and systematics of the suborder Cephaloziineae with special attention to the family Cephaloziaceae s.l. (Jungermanniales, Marchantiophyta). – *Arctoa* **21**: 113–132. <http://dx.doi.org/10.15298/arctoa.21.11>
- VILNET, A.A., N.A. KONSTANTINOVA & A.V. TROITSKY. 2012b. Molecular phylogenetic data on reticulate evolution in the genus *Barbilophozia* Löske (Anastrophyllaceae, Marchantiophyta) and evidence of non-concerted evolution of rDNA in *Barbilophozia rubescens* allopolyploid. – *Phytotaxa* **49**: 6–22.
- VIRTANEN, R., P.A. LUNDBERG, J. MOEN & L. OKSANEN. 1997. Topographic and altitudinal patterns in plant communities on European arctic islands. – *Polar Biol.* **17** (2): 95–113. <https://doi.org/10.1007/s003000050111>
- VITT, D.H., D.G. HORTON & J. PICKARD. 1987. An annotated list and the phytogeography of the bryophytes of Keele Peak, Yukon – an isolated granitic mountain. – *Memoirs of the New York Botanical Garden* **45**: 198–210.
- VON KONRAT, M., L. SÖDERSTRÖM & A. HAGBORG. 2010. The Early Land Plants Today project: A community-driven effort and a new partnership with Phytotaxa. – *Phytotaxa* **9** (1): 11–21. DOI: <https://doi.org/10.11646/phytotaxa.9.1.4>
- WATSON, W. 1922. Spitsbergen liverworts. – *Journal of Botany, British and Foreign* **60**: 327–330.
- WEGENER, C., M. HANSEN & L.B. JACOBSEN. 1992. Vegetasjons-overvåking på Svalbard 1991. Effekter av reinbeite ved Kongsfjorden, Svalbard. – *Norsk Polarinstitutt meddelelser* **121**: 1–53.
- WIETRZYK, P., M. WĘGRZYN & M. LISOWSKA. 2016. Vegetation diversity and selected abiotic factors influencing the primary succession process on the foreland of Gåsbrreen, Svalbard. – *Polish Polar Research* **37** (4): 493–509. <http://dx.doi.org/10.1515/popore-2016-0026>
- WORLEY, I.A. 1969. *Haplomitrium hookeri* from western North America. – *Bryologist* **72** (2): 225–227. <http://dx.doi.org/10.2307/3241673>
- WORLEY, I.A. 1972. The bryo-geography of southeastern Alaska. – University of British Columbia: Vancouver. 715 pp.
- WULFF, T. 1902. Botanische Beobachtungen aus Spitzbergen. – E. Malmström: Lund. 116 pp.
- XIANG, Y.-L., L. SHU & R.-L. ZHU. 2016. *Marchantia longii* (Marchantiaceae), a new species from northwestern Yunnan, China. – *Bryologist* **119** (3): 280–289. <http://dx.doi.org/10.1639/0007-2745-119.3.280>
- ZHANG, W.P., L. SHU & R.-L. ZHU. 2017. *Scapania paraphyllia*, a new synonym of *Scapania koponenii* (Marchantiophyta, Scapaniaceae) with special reference to paraphyllia, pseudoparaphyllia, and paraphyses. – *Journal of Bryology* **39** (3): 277–284. <http://dx.doi.org/10.1080/03736687.2017.1281866>

Received 12 September 2021

Accepted 15 November 2021